

MODEL HIGHLIGHTS

| MODEL | TECHNICAL DATA | TRANSMISSION | KEY HIGHLIGHTS |
|--|---|---|---|
| Short Wheel Base / Low Roof Cargo Van 263-11A-1 | 1.4L Petrol Euro 6 1,368cc, 4 cylinder 70kW / 127Nm Front wheel drive Wheelbase 2,755 mm GVW 2,030kg Payload* 659kg Volume 3.4m ³ | 5-speed Manual | Air conditioning Electric door mirrors Electronic Stability Control (ESP) Front driver and passenger, front side airbags (4) Two sliding side doors Radio/CD/MP3 with Bluetooth/4 speaker sound system Multifunction steering wheel with radio & mobile phone controls My-Port setup on dashboard for TomTom PVC load compartment mat |
| Short Wheel Base / Low Roof Cargo Van 263-11E-1 | 1.6L Multijet Diesel Euro 5+ 1,598cc, 4 cylinder 77kW / 290Nm Front wheel drive Wheelbase 2,755 mm GVW 2,070kg Payload* 663kg Volume 3.4m ³ | 6-speed Manual | Air conditioning Electric door mirrors Electronic Stability Control (ESP) Front driver and passenger, front side airbags (4) Two sliding side doors Radio/CD/MP3 with Bluetooth/4 speaker sound system Multifunction steering wheel with radio & mobile phone controls My-Port setup on dashboard for TomTom PVC load compartment mat Rear parking sensors Cruise control Body-coloured external mirrors & bumper |
| Short Wheel Base / Low Roof Cargo Van 263-11F-1 | 1.6L Multijet Diesel Euro 5+ 1,598cc, 4 cylinder 66kW / 200Nm Front wheel drive Wheelbase 2,755 mm GVW 2,070kg Payload* 663kg Volume 3.4m ³ | 5-speed Comfort-matic automatic robotized gearbox | Air conditioning Electric door mirrors Electronic Stability Control (ESP) Front driver and passenger, front side airbags (4) Two sliding side doors Radio/CD/MP3 with Bluetooth/4 speaker sound system Multifunction steering wheel with radio & mobile phone controls My-Port setup on dashboard for TomTom PVC load compartment mat Stop/Start technology Rear parking sensors Cruise control Body-coloured external mirrors & bumper |
| Long Wheel Base / Low Roof Maxi Van 263-21H-1 | 2.0L Multijet Diesel Euro 5+ 1,956cc, 4 cylinder 99kW / 320Nm Front wheel drive Wheelbase 3,105 mm GVW 2,435kg Payload* 938kg Volume 4.2m ³ | 6-speed Manual | Air conditioning Electric door mirrors Electronic Stability Control (ESP) Front driver and passenger, front side airbags (4) Two sliding side doors Radio/CD/MP3 with Bluetooth/4 speaker sound system Multifunction steering wheel with radio & mobile phone controls My-Port setup on dashboard for TomTom PVC load compartment mat Rear parking sensors Cruise control Body-coloured external mirrors & bumper |

*Australian payload based on 10L of fuel, no driver and Australian standard specification.

EQUIPMENT

| 5 | ΓΔΝ | $\Delta \cap \Delta$ | R D | EQUI | PM | FNT |
|---|-----|----------------------|-----|------|----|-----|
| | | | | | | |

| | Van | ос | | Van | ос |
|--|----------------------------|-----|---|------------------------------|--------|
| Interior | | | Safety | | |
| Adjustable passenger seat with storage compartment in cushion | S | 295 | Anti-intrusion bars on cabin doors | S | |
| Lockable glove compartment on dashboard | S | 658 | Driver front airbag | S | |
| Passenger seat with adjustable backrest | S | 297 | Electronic Stability Control (ESP) | S | 392 |
| Protective ladder for driver | S | 194 | Four sensor ABS + EBD (Electronic Braking Distribution) | S | 009 |
| PVC load compartment mat | S | 798 | | | (P/W 3 |
| Roof mounted storage shelf | S | 835 | FPS fire prevention system with inertia switch | S | |
| | | | Passenger front airbag | S | 502 |
| Exterior | | | Side airbags (head + chest) | S | 505 |
| Electric door mirrors | S | 041 | Start&Stop | S (Std with Comfort-matic | 5DE |
| Front/rear body coloured bumpers | S (N/A on petrol model) | 876 | • Startwstop | transmission only) | 501 |
| Left sliding side door | S | 055 | Functional / electrical equipment | | |
| Painted door mirrors | S | 976 | 12 V socket in dashboard | S | |
| | (N/A on petrol model) | | Air conditioning | S | 025 |
| Right sliding side door | S | 523 | Cruise control | S | 416 |
| Side protection strips | S | 927 | | (N/A on petrol model) | -110 |
| Third brake light | S | | Electric front windows and electric door locking | S | |
| Two-wing asymmetric glazed rear doors with heated rear window and rear window wipers | S | 519 | Full size steel spare wheel | S | 980 |
| and real window wipers | | | Headlight alignment corrector | S | 048 |
| Audio / Telematics | | | Height and reach-adjustable steering wheel | S | 011 |
| 4 speaker sound system | S | | Power steering | S | 014 |
| Multi-function steering wheel with radio & mobile phone controls | S (Packaged with 717) | 245 | Rear parking sensors | S (N/A on petrol model) | 508 |
| M. Daut askur as dashla asud fau Taus Taus ** | | CEN | Remote control for door opening + locking | S | 008 |
| My-Port setup on dashboard for TomTom** | S | 6EN | Retaining rings in the load compartment | S | |
| Radio with CD/MP3 and Bluetooth | S (M/H 245) | 717 | Rev counter | S | 044 |
| | . , , , | | Speedometer with KM/H display | S | 050 |
| | | | Trip computer | S | |

^{*} TomTom® available as an accessory at extra cost

| FΩ | U | ΙP | М | F | N | Т |
|----|---|----|---|---|---|---|

| | | MODEL | |
|---------------------|--|----------|-----------|
| GROUPS AND | OPTIONS | | |
| Fixed metal partiti | on with central glass window (replaces option (194) protective ladder for driver) | All | 199 |
| Glazed up-and-ove | r tailgate, heated rear window and rear window wipers (replaces option (519) 2 rear doors) | All | 148 |
| | 16-inch alloy wheel | All | 43 |
| INTERIOR CO | OURS & MATERIAL (ACTUAL COLOUR MAY VARY FROM SAMPLE) | | |
| à | Star grey cloth | All | 260 |
| | Star red cloth | All | 23′ |
| PASTEL PAIN | (ACTUAL COLOUR MAY VARY FROM SAMPLE) | | |
| | White | | |
| | | All | 249 |
| * | Blue (Only available with Star grey cloth) | All | 479 |
| | Red | All | 168 |
| | | NCO = No | Cost Opti |

EQUIPMENT

| | | ΣΑ | ŏ |
|--------------|---|-----|-----|
| METALLIC PAI | NT (ACTUAL COLOUR MAY VARY FROM SAMPLE) | | |
| | Pearl | All | 261 |
| | Exuberant red | All | 293 |
| | Azzurro blue (Only available with Star grey cloth) | All | 448 |
| - | Blue (Only available with Star grey cloth) | All | 487 |
| 8 | Bordeaux | All | 590 |
| | Grey | All | 695 |
| | Light grey | All | 612 |
| * | Black | All | 632 |
| | | | |

Disclaimer: All product illustrations and specifications are based upon current information at the time of publication approval. Chrysler Australia Pty Ltd T/A Fiat Chrysler Group reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories currently available in Australia, please consult your nearest authorised Fiat Professional dealer

EQUIPMENT

TECHNICAL INFORMATION

| New Busse 2,755 2,755 2,755 3,105 6,966 6,406 | TECHNICAL INI OKMATION | | | | |
|--|---|---------------------------------------|---------------------------------|---|---|
| New Busse 2,755 2,755 2,755 3,105 6,966 6,406 | | Short Wheelbase 95 MPI | Short Wheelbase 105 MultiJet | Short Wheelbase 90 MultiJet Comfort-Matic | Long Wheelbase 135 MultiJet Power |
| meth 4,06 4,406 4,406 4,756 1475 1475 1475 1475 1475 1475 1475 1475 1475 1510 | external dimensions (mm) | | | | |
| with most mides 1,832 1,832 1,832 1,832 1,832 1,832 1,832 1,832 1,832 1,832 1,832 1,830 1,530 2,530 2,630 | Vheelbase | 2,755 | 2,755 | 2,755 | 3,105 |
| 1510 | ength | 4,406 | 4,406 | 4,406 | 4,756 |
| 1,530 1,53 | idth | 1,832 | 1,832 | 1,832 | 1,832 |
| ximum height (when unladen) 1,845 1,845 1,845 1,880 1,880 1,880 1,880 1,880 1,880 895 80 80 80 80 80 80 | ont track | 1,510 | 1,510 | 1,510 | 1,510 |
| Sept | ar track | 1,530 | 1,530 | 1,530 | 1,530 |
| An overhang | ximum height (when unladen) | 1,845 | 1,845 | 1,845 | 1,880 |
| ## door (mm) tith dish (1,231 1,231 1,231 1,231 1,231 1,250 | ont overhang | 895 | 895 | 895 | 895 |
| 1,231 1,250 1,25 | ar overhang | 740 | 740 | 740 | 740 |
| 1,250 1,25 | · | | | | |
| Institute Inst | | | | | |
| 1,700 70 | ight | 1,250 | 1,250 | 1,250 | 1,250 |
| 1,175 1,17 | | | | | |
| Section Sect | | | | | |
| negth 1,820 1,820 1,820 1,820 2,170 n-max width 1,714 (1,518) 1,714 (1,518) 1,714 (1,518) 1,714 (1,518) 1,714 (1,518) 1,714 (1,518) 1,714 (1,518) 1,714 (1,518) 1,714 (1,518) 1,230 1,230 1,230 1,230 1,230 1,230 1,305 1,305 1,305 1,305 1,305 1,305 1,305 1,305 1,305 1,305 1,305 1,305 1,305 1,305 1,407 1,407 1,407 1,497 1,497 1,497 1,407 1,407 1,407 1,497 1,497 1,400 1,300 1,300 1,300 <t< td=""><td>ight</td><td>1,175</td><td>1,175</td><td>1,175</td><td>1,175</td></t<> | ight | 1,175 | 1,175 | 1,175 | 1,175 |
| 1max. width 1,714 (1,518) 1,230 1,230 1,230 1,230 1,230 1,305 1,305 1,305 1,305 1,305 1,305 1,407 1,407 1,497 1,500 1,500 1,500 1,500 1,500 1,500 1,500 | | | | | |
| dth between wheel arches 1,230 1,230 1,230 1,230 ight 1,305 1,305 1,305 1,305 1,305 ight of load threshold (unladen) 545 545 545 545 ight Septist 545 545 545 545 stralian Tare Weight (kg) 1,371 1,407 1,407 1,497 yload* (kg) 659 663 663 938 W(kg) 2,030 2,070 2,070 2,035 ximum Towing Mass (kg - Braked Trailer) 1,000 1,300 1,300 1,500 ximum Towing Mass (kg - Non-Braked Trailer) 500 500 500 500 500 nsumption - Emissions 95 MPI 105 MultiJet 90 MultiJet Comfort-Matic 135 MultiJet Power gine versions Euro 6 Euro 5 + with DPF Euro 5 + with DPF and Stop&Start Euro 5 + with DPF el petrol diesel diesel diesel oan cosumption (/100 km) 9.9 6.7 5.5 7.2 tra-urban consumption (/100 km) 7.3 5.4 4.9 5.9 | - | · · · · · · · · · · · · · · · · · · · | • | · · | |
| ight 1,305 1,407 1,497 1,500 2,435 1,500 2,500 2,500 3,500 1,500 3,500 1,500 3,500 3,500 3,500 3,500 3,500 | | | | | |
| Ight of load threshold (unladen) 545 545 545 545 sights stralian Tare Weight (kg) 1,371 1,407 1,407 1,497 yload* (kg) 659 663 663 938 W (kg) 2,030 2,070 2,070 2,435 ximum Towing Mass (kg - Braked Trailer) 1,000 1,300 1,300 1,500 ximum Towing Mass (kg - Non-Braked Trailer) 500 500 500 500 nsumption - Emissions 95 MPI 105 MultiJet 90 MultiJet Comfort-Matic 135 MultiJet Power gine versions 95 MPI 105 MultiJet 90 MultiJet Comfort-Matic Euro 5+ with DPF el petrol diesel diesel diesel diesel can consumption (l/100 km) 9.9 6.7 5.5 7.2 tra-urban consumption (l/100 km) 5.8 4.7 4.6 5.1 mbined consumption (l/100 km) 7.3 5.4 4.9 5.9 | | | • | | |
| sights stralian Tare Weight (kg) 1,371 1,407 1,407 1,497 1 | • | · · · · · · · · · · · · · · · · · · · | | · · | |
| 1,371 1,407 1,40 | | 545 | 545 | 545 | 545 |
| | - | 1 771 | 1.407 | 1.407 | 1.407 |
| W (kg) 2,030 2,070 2,070 2,070 2,435 ximum Towing Mass (kg - Braked Trailer) 1,000 1,300 1,300 1,300 1,500 ximum Towing Mass (kg - Non-Braked Trailer) 500 500 500 500 500 nsumption - Emissions 95 MPI 105 MultiJet 90 MultiJet Comfort-Matic 135 MultiJet Power gine versions Euro 6 Euro 5+ with DPF Euro 5+ with DPF and Stop&Start Euro 5+ with DPF el diesel diesel diesel diesel pan consumption (I/100 km) 9.9 6.7 5.5 7.2 tra-urban consumption (I/100 km) 5.8 4.7 4.6 5.1 mbined consumption (I/100 km) 7.3 5.4 4.9 5.9 | | · | | • | |
| ximum Towing Mass (kg - Braked Trailer) 1,000 1,300 1,300 1,300 1,500 ximum Towing Mass (kg - Non-Braked Trailer) 500 500 500 500 500 nsumption - Emissions 95 MPI 105 MultiJet 90 MultiJet Comfort-Matic 135 MultiJet Power gine versions Euro 6 Euro 5+ with DPF Euro 5+ with DPF and Stop&Start Euro 5+ with DPF gel diesel diesel diesel petrol diesel diesel diesel petrol consumption (I/100 km) 9.9 6.7 5.5 7.2 tra-urban consumption (I/100 km) 5.8 4.7 4.6 5.1 mbined consumption (I/100 km) 7.3 5.4 4.9 5.9 | | | | | |
| ximum Towing Mass (kg - Non-Braked Trailer) 500 500 500 500 nsumption - Emissions gine versions 95 MPI 105 MultiJet 90 MultiJet Comfort-Matic 135 MultiJet Power gine versions Euro 6 Euro 5+ with DPF Euro 5+ with DPF and Stop&Start Euro 5+ with DPF gel diesel diesel diesel diesel petrol 9.9 6.7 5.5 7.2 tra-urban consumption (l/100 km) 5.8 4.7 4.6 5.1 mbined consumption (l/100 km) 7.3 5.4 4.9 5.9 | | · · | | | - |
| Septembrie Sep | | · | | • | |
| gine versions 95 MPI 105 MultiJet 90 MultiJet Comfort-Matic 135 MultiJet Power Euro 6 Euro 5+ with DPF Euro 5+ with DPF and Stop&Start Euro 5+ with DPF el petrol diesel diesel diesel pan consumption (I/100 km) 9.9 6.7 5.5 7.2 tra-urban consumption (I/100 km) 5.8 4.7 4.6 5.1 mbined consumption (I/100 km) 7.3 5.4 4.9 5.9 | | 300 | 300 | 300 | 300 |
| Euro 6 petrol Euro 5 + with DPF petrol Euro 5 + with DPF and Stop&Start Euro 5 + with DPF and Stop petrol Euro 5 + with | • | 95 MPI | 105 Multi, let | 90 Multi let Comfort-Matic | 135 Multi, let Power |
| el petrol diesel diesel diesel diesel diesel son consumption (I/100 km) 9.9 6.7 5.5 7.2 tra-urban consumption (I/100 km) 5.8 4.7 4.6 5.1 mbined consumption (I/100 km) 7.3 5.4 4.9 5.9 | 9110 101010 | | | | |
| ban consumption (I/100 km) 9.9 6.7 5.5 7.2 tra-urban consumption (I/100 km) 5.8 4.7 4.6 5.1 mbined consumption (I/100 km) 7.3 5.4 4.9 5.9 | | | | | |
| tra-urban consumption (I/100 km) 5.8 4.7 4.6 5.1 mbined consumption (I/100 km) 5.8 5.4 4.9 5.9 | | | | | |
| mbined consumption (I/100 km) 7.3 5.4 4.9 5.9 | | | | | |
| | | | | | |
| | or some consumption (), lookin) 2 emissions (g/km) | 169 | 143 | 130 | 154 |

^{*}Australian payload based on 10L of fuel, no driver and Australian standard specification.