























Honda Australia Pty. Ltd. ACN 004 759 611 ABN 66 004 759 611 95 Sharps Road, Tullamarine, Victoria, 3043. Freecall 1800 804 954 honda.com.au/cars










The specifications and major features listed herein are accurate as at the date of printing (July 2013/14YM). However, Honda Australia Pty. Ltd. reserves the right to change or modify specifications and major features at any time without prior notice. Due to ordering, shipping and freight factors, some colour, model, option and accessory availabilities may vary from time to time. Check with your Honda Dealer for current information. Automatic transmission available for an extra cost. Only Genuine Honda Accessories are made to fit Honda vehicles. The fuel consumption figures quoted in this brochure are based on ADR81/02 test results. You may experience different results depending on driving conditions and the condition of the vehicle. Honda warranties apply where due care is exercised by the owner and the vehicle is maintained in accordance with the vehicle's owners manual. Please refer to Honda's warranty documentation for exclusions and conditions. Honda Australia Pty. Ltd. recommends careful examination of all official Honda warranty documentation before purchasing. This brochure is printed on HannoArt, a paper that is certified carbon neutral by the Carbon Reduction Institute (CRI) from seedling to printer. Made with Totally Chlorine Free (TCF) pulp which has been sourced from managed plantation forests. HannoArt is manufactured under the world's best practice ISO 14001 Environmental Management System. The pulp used is Process Chlorine Free and is manufactured by an ISO 14001 certified mill. CR-V 4WD VTi-L shown in White Orchid Pearlescent on cover. HOD0121





Smaller outside, bigger inside. or packing it up after a shopping trip, you'll find the CR-V has That's not possible... or is it? space to boot. The Honda CR-V has been cleverly designed to be both big and You can also decide on the CR-V small. Smaller outside so you can that suits your lifestyle with a squeeze into tight spaces with ease, choice of two comprehensively but bigger inside so you can redesigned i-VTEC powertrains; the gutsy 2.0L 2WD or the comfortably pack the family and everything they inevitably carry. unbeatable 2.4L 4WD. Plus you'll For over 15 years the CR-V has always drive safe in the knowledge been the benchmark of what SUVs that stringent Honda safety standards have not only resulted are capable of, and now, once again, it's setting new standards. in a 5-star ANCAP rating, but also a new optional addition Inside, space dominates, with of the revolutionary Advanced features like the CR-V's famous Driver Assist System (ADAS).^ one motion-fold 60:40 split rear So if you're after the comfort seats creating a cavernous cargo space, further complemented of a sedan combined with the by special compartments along functionality of an SUV, then you're the inside of the car. So whether after the Honda CR-V – it's got you're loading it up for a road trip clever thinking inside and out.



The CR-V is the result of new thinking from Honda engineers, who have ensured that every part not only looks sleek and stylish but serves a specific function. This adaptive styling means the CR-V is just as comfortable prowling the inner-city as it is exploring the great outdoors.


The front bumper and grille shape add a sporty look whilst aiding aerodynamics. The windshield itself is positioned further forward, enhancing the contemporary lines of the CR-V, as well as leaving more interior room for you and your passengers.

Bold, body-hugging lines feature along the sides of the CR-V creating a confident stance, while prominent wheel arches and alloy wheels as standard, add modernity to the car's character. The back of the CR-V curves gently from the rear glass window to the signature vertical tail lights that have been recreated with a more three-dimensional presence to add to the car's sleek proportions. But it's when parking that you'll really notice the big (but small) differences of the CR-V – and be amazed that Honda could fit so many great ideas into such a compact package.









# Extra space comes standard.

'Bigger inside' means you can pack more of your life into the CR-V, starting with an interior design that maximises every inch of space for greater comfort. Then there's the one motion-fold 60:40 split rear seats that can be easily adjusted to accommodate whatever you need to take with you. With accessories readily available to enhance your space again, the sheer amount the CR-V can carry will always come as a pleasant surprise.





All models feature a smart rear-view camera that makes reverse parking a breeze, and backing out of the driveway safer.



iPod compatible USB connectivity<sup>^</sup>

details appear on the i-MID display.

Browse and select music on your iPod<sup>^</sup> or other

compatible MP3 device through USB connectivity

in the CR-V, and watch as artists, songs and other

# Phone and audio connectivity

Keep your hands free while talking on your mobile, or wirelessly stream music through Bluetooth® connectivity.†

Incoming Call



#### Paddle shifts1

Ergonomic paddles on the steering wheel allow you to manually shift gears with ease, giving you more control over your drive.



#### Dual-zone climate control<sup>2</sup>

Dual-zone climate control allows you and your front passenger to independently adjust the temperature.



#### Auto-dimming rear-view mirror

An electrochromatic rear-view mirror automatically adjusts to ambient light, reducing glare from the headlights of vehicles behind, improving visibility and safety during night-time driving.



# Auto wipers and headlights<sup>2</sup>

For greater convenience in wet weather and dull light, rain-sensing wipers and dusk-sensing headlights take over and let you focus on the drive.



#### Electric sunroof

Feel part of the scenery you're driving through with a floating liner that lets you adjust how much light enters the cabin and an electric sunroof that opens up with tilt and slide functionality.



## Smart entry with push button start<sup>3</sup>

As long as the key fob is with you, the CR-V will sense your approach and unlock the doors as soon as you touch the smart entry sensor on the handle. Once inside, the engine starts at the push of a button.



# Leather-appointed\* seats3

Attention to detail and craft is one of Honda's key attributes, and so it should come as no surprise that the seats in the 4WD VTi-L are finely stitched leather.



#### Electric seats<sup>3</sup>

An 8-way power driver's seat with lumbar support and 4-way power front passenger seat means whether it's a long drive or short, you'll be as comfortable at the end of your journey as you are at the start.



# Heated seats<sup>3</sup>

Heated front seats in the 4WD VTi-L offer an extra touch of comfort and luxury, and allow individual temperature settings for driver and front passenger alike.

<sup>14</sup>WD VTi and above. <sup>2</sup>4WD VTi-S and above. <sup>3</sup>4WD VTi-L only. <sup>^</sup>iPod is a trademark of Apple Inc. iPod is integrated through a vehicle's audio system display and controls for iPods from 5th generation onwards and all iPod Nanos. Older iPod models will operate only through the audio system when controlled by the iPod device itself, and firmware updates (if available) may be required to achieve compatibility with the vehicle's audio system display and steering wheel-mounted audio controls (where applicable). Please refer to your iPod User Guide for information on iPod firmware updates. <sup>1</sup>The Bluetooth word mark is owned by the Bluetooth SIG, Inc. and use of such mark by Honda is under licence. Please check the list of compatible phones at honda.com.au/Bluetooth \*Leather trim includes some non-leather material on selected, high impact areas.

Get there efficiently and effortlessly with your choice of two or four-wheel drive powertrains





Thanks to some clever fuel-saving measures, the two-wheel drive version of the CR-V's 2.0L i-VTEC petrol engine, uses just 7.7L/100km. However don't think this efficiency comes at the expense of the engine's potency, which still outputs 114kW of power and an impressive 190Nm of torque.

The CR-V also comes in a four-wheel drive version, with a 2.4L i-VTEC engine that produces 140kW of power and 222Nm of torque. Yet thanks to Honda's advanced mechanics, the four-wheel drive engine still uses just 8.7L/100km of petrol.°

### Real Time 4WD\*

Efficiency is also embodied in the CR-V with Real Time 4WD. Unlike other fourwheel systems that are constantly engaged, Real Time 4WD delivers all the drive to the front wheels but then seamlessly transfers power to the rear wheels if it detects them slipping. By operating only when it's needed, it saves fuel, reduces wear and tear and cuts down driving noise.

# Transmission

The 2WD CR-V offers the choice of a smooth 6-speed manual or 5-speed automatic transmission. All grades offer a 5-speed automatic transmission with Grade Logic Control (a unique system that eliminates 'gear hunting' on inclines).

### Eco Assist

As standard is Honda's Eco Assist – a visual coaching system that changes the colour of your speedometer to help you drive more efficiently. When you brake or accelerate heavily, the speedometer will glow white. Drive in a smooth, controlled way and the display glows an encouraging green.

At the touch of a button, ECON Mode calibrates throttle response and air conditioning for maximum fuel economy.



<sup>^</sup>The fuel consumption figures quoted are based on ADR81/02 combined test results for CR-V 2WD automatic. 
\*The fuel consumption figures quoted are based on ADR81/02 combined test results for CR-V 4WD automatic.
\*Not available on CR-V 2WD VTi.

# Advanced Driver Assist System (ADAS).

Honda has worked tirelessly to ensure the safest and most comfortable driving experience, no matter the situation. Nothing demonstrates this endless search for safety more than the intuitive nature of the Advanced Driver Assist System, optional on the CR-V 4WD VTi-L.

# Lane Keep Assist System

The Lane Keep Assist System uses a camera mounted on the windscreen that, when activated, 'senses' the line markings on the road. The system emits an audible warning if the vehicle starts to drift off course and automatically provides gentle steering correction to get you back on track, helping you to stay safely in the centre of your lane.




# \* Adaptive Cruise Control

Adaptive Cruise Control (ACC) builds on the functionality of the conventional cruise control system, adjusting the CR-V's speed to maintain a consistent following distance.



You set your desired cruise control speed and distance between you and the car ahead.



Collision Mitigation Braking System

In the case of an impending collision, the Collision Mitigation Braking System (CMBS) warns you to take preventative action, and mitigates the severity of an accident if impact is deemed inevitable.



If the vehicle in front of you is too close you are prompted to take preventative action with both a visual and audio warning.



Next, when the distance between you and the vehicle in front further reduces, the system applies light braking and a tactile warning by gently retracting the driver's seat belt.



Once the road ahead is deemed clear, the CR-V will automatically revert to your desired speed.



Finally if an accident appears to be unavoidable, the system will apply strong braking to mitigate the severity of the impact. At this stage it will also retract both the driver and front passenger's seatbelts to help reduce possible injuries.

Images for illustrative purposes only. ACC, CMBS and LKAS are driver assist technologies and should not be used in place of safe driving practices. Drivers should continue to monitor the road ahead at all times.

# HONDA IS COMMITTED TO DESIGNING EVERY MODEL WITH EXCEPTIONAL SAFETY FEATURES. WE EVEN BUILT THE WORLD'S LARGEST OMNI-DIRECTIONAL CRASH FACILITY TO TEST OUR

CARS MORE THOROUGHLY

# Automatic tensioning seatbelts

The moment you're involved in a collision, the same sensors that deploy the CR-V's airbags automatically retract the front seatbelts. You and your passenger are instantly pressed back safely into your seats.

# Whiplash mitigating front seats

In the event of a collision, the seatback springs are optimised so that the seat will more equally absorb the occupant's impact, in a manner that can minimise the severity of a whiplash injury.

# Anti-lock Braking System (ABS) with Brake Assist and Electric Brake-force Distribution (EBD)

The CR-V comes armed with ABS for superb stopping power. When emergency braking is detected, Brake Assist applies maximum braking pressure and the EBD monitors and adjusts the brake force applied to each wheel for greater control and stability.

# Real Time 4WD\*

Some 4WD systems are constantly engaged and the result is wasted fuel, increased driving noise, and undue wear and tear to the powertrain. Honda's Real Time 4WD system senses when 4WD is needed and automatically switches to suit

SRS airbags

Motion Adaptive Electric Power

When VSA is activated, Motion

automatically adjusts steering

pressure, making it easier to

steer in the stabilising direction

Adaptive Electric Power Steering

Steering (MAEPS)

The CR-V's front airbags provide important protection for the driver and front passenger by optimising the airbag deployment to match the severity of a crash. They also help to minimise injuries that can sometimes be caused by the airbags themselves. Plus, front side and full-length curtain airbags provide an impressive line of lateral defence for all passengers.

# Advanced Compatibility Engineering (ACE)

The CR-V has been designed with an innovative body structure, engineered to absorb and deflect the force of a frontal collision away from the passenger compartment, improving the safety of every occupant.

Active Cornering Lights

The CR-V 4WD VTi-L's headlights feature side lamps on either side of the CR-V that follow the direction in which you are turning, thereby reducing blindspots and helping bring potential hazards to light sooner.

Hill Start Assist (HSA)

Hill Start Assist with automatic transmission prevents the CR-V rolling back when starting on an incline. A sensor controls brake pressure, keeping the car stationary for a moment after you release the brake pedal.

#### Vehicle Stability Assist (VSA)

By detecting and mitigating potential understeer or oversteer, this technology helps keep the CR-V on-course should the road turn treacherous. If needed, VSA automatically reduces engine power and manages brake pressure to individual wheels to help regain control.

teal Tillie 4VVD

With a 5-star ANCAP safety rating, the CR-V is one of the safest SUVs on the road.





# 2WD VTi

# The CR-V 2WD VTi comes standard with:

- 2.0 litre SOHC i-VTEC 4 cylinder engine
- 5-speed auto or 6-speed manual transmission
- Cruise control
- 17-inch alloy wheels with full-size spare alloy
- Auto-off headlights - Intermittent wipers
- Power door mirrors with integrated turn lights
- Remote keyless entry with jack knife key
- Air conditioning with rear seat ventilation
- Bluetooth® phone and audio connectivity°
- Fabric seat trim
- Conversation mirror
- ECON Mode and Eco Assist driver coaching
- Intelligent-Multi Information Display (i-MID)
- iPod compatible USB connectivity#
- Power windows with driver auto up/down
- Steering wheel-mounted cruise and Bluetooth® controls°
- SRS airbags: dual front, side and full-length curtain
- Advanced Compatibility Engineering (ACE)
- Anti-lock Braking System (ABS)
- Electronic Brake-force Distribution (EBD) with Brake Assist
- Hill Start Assist (A/T only)
- Motion Adaptive Electric Power Steering (MAEPS)
- Reversing camera
- Vehicle Stability Assist (VSA) with Traction Control
- Whiplash mitigating front seats

# Optional Navigation Pack\* (auto transmission only):

- Satellite navigation with SUNA live traffic alerts≠
- DVD player^



# 4WD VTi

# Additional features over the CR-V 2WD VTi:

- 2.4 litre DOHC i-VTEC 4 cylinder engine
- 5-speed automatic transmission only
- Real Time 4WD
- Chrome exhaust pipe finisher
- Roof rails
- Reverse tilt passenger door mirror
- Steering wheel-mounted gear shift paddles
- Tonneau cover
- Security alarm





# 4WD VTi-S

# Additional features over the CR-V 4WD VTi:

- 17-inch alloy wheels with full-size spare alloy (different design)
- Dusk-sensing automatic headlights
- Front fog lights
- Rain-sensing automatic front wipers
- Rear parking sensors
- Auto-dimming rear-view mirror
- Dual-zone climate control
- DVD player^
- Front tweeters
- Leather-wrapped steering wheel
- Satellite navigation\* with SUNA live traffic alerts\*

# 4WD VTi-L

# Additional features over the CR-V 4WD VTi-S:

- 18-inch alloy wheels with full-size spare alloy
- Front parking sensors
- Chrome door handles
- Smart entry with push button start
- Electric sunroof
- All windows with auto up/down and key fob operation
- Leather-appointed seat trim<sup>†</sup>
- 8-way power driver seat with lumbar support
- 4-way power passenger seat
- Heated front seats
- HID headlights with Active Cornering Lights, auto levelling and washers

# Optional Advanced Driver Assist System (ADAS):

- Adaptive Cruise Control (ACC)
- Collision Mitigation Braking System (CMBS)
- Lane Keep Assist System (LKAS)

Crystal Black Pearlescent\*

White Orchid Pearlescent\*

Modern Steel Metallic\*

Twilight Blue Metallic\*

Carnelian Red Pearlescent\*

Taffeta White

<sup>∞</sup>Automatic is an extra cost item on CR-V 2WD VTi. °The Bluetooth word mark is owned by the Bluetooth SIG. Inc. and use of such mark by Honda is under licence. Please check the list of compatible phones at honda.com.au/Bluetooth #iPod is a trademark of Apple Inc. iPod is integrated through a vehicle's audio system display and controls for iPods from 5th generation onwards and all iPod Nanos. Older iPod models will operate only through the audio system when controlled by the iPod device itself, and firmware updates (if available) may be required to achieve compatibility with the vehicle's audio system display and steering wheelmounted audio controls (where applicable). Please refer to your iPod User Guide for inform on iPod firmware updates. "Cancels the i-MID" wallpaper functionality. ^DVD player operates only while vehicle is stationary.

≠SUNA is a registered trademark of Intelematics Pty. Ltd. Coverage includes Melbourne, Sydney, Brisbane, Gold Coast, Adelaide, Perth and Canberra metropolitan areas. Refer to www.sunatraffic.com.au for full details. †Leather seat trim includes non-leather material on selected, high impact surfaces. \*Metallic/Pearlescent paint additional cost.





THE EXTERIOR OF THE
CR-V IS A PERFECTLY
DESIGNED PIECE OF
AUTOMOTIVE INGENUITY.
OF COURSE, THAT DOESN'T
MEAN YOU CAN'T ADD
A LITTLE MORE TO
IT IF YOU PLEASE



▲ Top to bottom:

Chrome lower door garnish

Chrome tailgate garnish

# Modulo Sports Pack.

With the Modulo Sports Pack, available as a full set or piece-by-piece, you can customise your CR-V so it's even sleeker, sportier, and 100% yours alone.

Available on VTi-S and VTi-L only:

- Front aero bumper^
- Rear aero bumper#Rear tailgate spoiler
- Side step set (metallic)



➤ Additional accessories clockwise:

Exhaust pipe finisher (2WD VTi only)

Door sill garnish (illuminated¹/non-illuminated)

Chrome fog light garnish 

Chrome mirror garnish

Front and rear accent lighting









^Not compatible with front skid plate and chrome fog light garnish set. #Not compatible with rear skid plate, rear park assist and tow bar kit. †Rear door sill garnishes are non-illuminated. Not compatible with front aero bumper. \*Not compatible with ADAS. See your Honda Dealer for advice regarding Genuine Honda

Modulo

See your Honda Dealer for advice regarding Genuine Honda Accessories. Pictured accessories are all sold separately. All Genuine Honda Accessories installed at the time of retail sale of a new motor vehicle are covered by Honda's 3-year/100,000km warranty. If installed after retail use, they are covered for the remainder of the warranty or a minimum of 12 months – whichever is greater – provided the accessory is fitted only to the vehicle for which it was intended by Honda Motor Co.



THE CR-V IS MADE FOR ACTIVE PEOPLE. SO IF YOU'RE READY FOR ACTION, YOUR CR-V SHOULD BE TOO. HERE IS A HOST OF GENUINE HONDA ACCESSORIES THAT WILL DELIVER THE DESIRED EFFECT

► Clockwise from left: Door visor set Luggage area protector tray Roof rack cross bar set\*\* Roof rail set (2WD VTi only)



# **Active Pack**

With the Active Pack, available as a full set or piece-by-piece, you can customise your CR-V so it's even more ready for adventure.

- Door visor set
- Luggage area protector tray
- Skid plate (front\*/rear°)
- Roof rack cross bar set<sup>†\*</sup> - Roof rail set (2WD VTi only)<sup>b</sup>
- Side step set

See your Honda Dealer for advice regarding Genuine Honda Accessories. Pictured accessories are all sold separately. All Genuine Honda Accessories installed at the time of retail sale of a new motor vehicle are covered by Honda's 3-year/100km warranty. If installed after retail sale, they are covered for the remainder of the warranty or a minimum of 12 months— whichever is greater—provided that the accessory is fitted only to the vehicle for which it was intended by Honda Motor Co.



be removed when not in use. \*75kg load capacity. \*Not compatible with front aero bumper 
\*Not compatible with rear aero bumper or tow bar. \*Required on 2WD VTi to fit roof rack 
cross bar set. \*Tyres sold separately. Consult your Honda Dealer. 18-inch not available on 
4WD VTi-L. 19-inch available for 4WD VTi-L only.

<sup>†</sup>Requires roof rail set. In the interest of aerodynamics, Honda recommends roof rack set



The CR-V is a car that fits in with your life, so why not have it look that way too? With a huge range of Honda Genuine Accessory options available, you can make your CR-V uniquely yours.

# Other accessories include:

- Car body cover
- Touch up paint - Leather maintenance kit - Wheel lock nut set
- Tongue and towball storage bag - Cigar lighter

\*Not compatible with rear aero bumper and rear skid plate. \*In the interest of aerodynamics, Honda recommends the roof rack set be removed when not in use. See your Honda Dealer for advice regarding Genuine Honda Accessories. Pictured accessories are all sold separately. All Genuine Honda Accessories installed at the time of retail sale of a new motor vehicle are covered by Honda's 3-year/100,000km warranty. If installed after retail use, they are covered for the remainder of the warranty or a minimum of 12 months – whichever is greater – provided the accessory is fitted only to the vehicle for which it was intended by Honda Motor Co.

# **CR-V Specifications**

Description	า	2WD VTi	4WD VTi	4WD VTi-S	4WD VTi-L
ENGINE					
Engine type		Inline 4 cylinder SOHC i-VTEC	Inline 4 cylinder DOHC i-VTEC	Inline 4 cylinder DOHC i-VTEC	Inline 4 cylinder DOHC i-VTE
Capacity		2.0 litre – 1997cc	2.4 litre – 2354cc	2.4 litre – 2354cc	2.4 litre – 2354cc
Compression rations Bore x Stroke (mr		10.6 81 x 96.9	10 87 x 99.0	10 87 x 99.0	10 87 x 99.0
Fuel type (minimum recommended)		Unleaded (RON91)	Unleaded (RON91)	Unleaded (RON91)	Unleaded (RON91)
Fuel supply system		Honda Programmed Fuel Injection (PGM–FI)	Honda Programmed Fuel Injection (PGM–FI)	Honda Programmed Fuel Injection (PGM–FI)	Honda Programmed Fuel Injection (PGM-FI)
Real Time 4WD system Drive By Wire throttle (DBW)		-	√ √	/	√ √
FRANSMISSION		•	•	•	•
Manual transmiss		6-speed	-	-	_
Automatic transm	nission	5-speed with Grade Logic Control	5-speed with Grade Logic Control	5-speed with Grade Logic Control	5-speed with Grade Logic Control
	– with paddle shift		✓	✓	✓
	– with transmission shift lock	✓	✓	✓	✓
	AND ECONOMY	44414400500	44011440 7000	44011110 7000	44011410 7000
Maximum power Maximum torque		114kW @ 6500rpm 190Nm @ 4300rpm	140kW @ 7000rpm 222Nm @ 4400rpm	140kW @ 7000rpm 222Nm @ 4400rpm	140kW @ 7000rpm 222Nm @ 4400rpm
	n – combined (litres/100km)*	1001VIII @ 40001pIII	222MII @ 4400IpIII	222Mil @ 4400ipiii	22211111 @ 44001p111
	– manual	7.8	-	-	-
Fuel consumption	– automatic n – urban (litres/100km)*	7.7	8.7	8.7	8.7
-uei consumption	– manual	10.3	_	_	_
	- automatic	10.4	12	12	12
uel consumption	n – extra urban (litres/100km)*	6.4			
	- manual - automatic	6.4	6.7	6.7	6.7
CO <sub>2</sub> emissions	- combined (g/km)*				
	– manual	182	-	-	-
Emission standar	- automatic	179 ADR79/03 (Euro 5)	201 ADR79/03 (Euro 5)	201 ADR79/03 (Euro 5)	201 ADR79/03 (Euro 5)
	u	701170/03 (EUIO 0)	RETTI 0/00 (EUIO 0/	ADITIONO (EUIO O)	ADITADO (EUIO 3)
CHASSIS Body type		Monocoque	Monocoque	Monocoque	Monocoque
Suspension	– front	MacPherson strut	MacPherson strut	MacPherson strut	MacPherson strut
	- rear	Multi-link	Multi-link	Multi-link	Multi-link
Power steering Stabiliser bars		Motion Adaptive Electric Front and rear	Motion Adaptive Electric Front and rear	Motion Adaptive Electric Front and rear	Motion Adaptive Electric Front and rear
Brakes	- front/rear	Ventilated disc/solid disc	Ventilated disc/solid disc	Ventilated disc/solid disc	Ventilated disc/solid disc
EXTERIOR					
Antenna		Shark fin type	Shark fin type	Shark fin type	Shark fin type
Door handles		Body coloured	Body coloured	Body coloured	Chrome
Electric sunroof	rational and a second and a	- VAPOR A SECTION OF S	APril and a Production	- NACIDA CONTRACTOR OF THE CON	VACula to one for all and a second
electrically adjust	table door mirrors  - electrically retractable	With turn indicators  ✓	With turn indicators  ✓	With turn indicators  ✓	With turn indicators ✓
	- with reverse tilt-down function	-	✓	✓	✓
Exhaust	- chrome	_	✓	✓	✓
Roof rails Wipers	– front	2-speed intermittent	✓ Variable intermittent	✓ Rain-sensing (auto)	✓ Rain-sensing (auto)
r riporo	- rear	✓ speed intermittent	✓ whasic intermittent	✓	✓
EXTERIOR LIGH	ITS				
Front fog lights				✓	✓
Headlights	- type	Halogen	Halogen	Halogen	HID with headlight washer
	- coming home/leaving home function - auto on/off dusk-sensing	-	-	√ √	√ √
	- auto biyon dusk-sensing			_	✓ ✓
	- Active Cornering Lights (ACL)	-	-	-	✓
DRIVER AIDS					
Cruise control		✓	✓	✓	✓
	m and ECON Mode	✓ ✓	√	√ √	✓ ✓
	Information Display (i-MID) nounted audio, Bluetooth®°	✓ ✓	√ √	√ √	√ √
cruise and i-MID			,	,	
Tachometer  Trip computer		✓ ✓	✓ ✓	√ √	✓ ✓
	CONVENIENCE	·	•	¥	•
COMFORT AND Accessory power	CONVENIENCE r outlet (12v)	Front and centre console	Front and centre console	Front and centre console	Front and centre console
	- with rear ventilation ducts	✓	✓	Dual-zone climate control	Dual-zone climate control
Grab rail		4	4	4	4
	- adjustable	5 2	2	2	2
nterior lighting	- map lights - luggage area light	✓	✓	√	✓
	– vanity mirror light	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Parking brake	- hand type	(M/T)	-	-	-
Power windows	- foot type - one touch auto up/down function	(A/T) Driver	✓ Driver	✓ Driver	✓ Front and rear
2 **III.GUVV3	- with remote key fob operation	-	-	-	Open and close
Seatbelt height a	djuster	Front	Front	Front	Front
Remote keyless e Smart keyless en	entry entry and push button start	_	-	_	√ √
Smart keyless en Steering column a		Tilt and telescopic adjustment	Tilt and telescopic adjustment	Tilt and telescopic adjustment	Tilt and telescopic adjustme
Sunvisor vanity m		Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
SEATING					
Seat trim materia	ıl	Fabric	Fabric	Fabric	Leather-appointed <sup>^</sup>
Seats (front)	- heating	-	-	-	✓ 2
	<ul><li>driver seat adjustment</li><li>driver power lumbar support</li></ul>	Manual –	Manual	Manual	8-way power  ✓
	passenger seat adjustment	Manual	Manual	Manual	4-way power
Seats (rear)	– one touch fold-down rear seatback	60:40 split fold	60:40 split fold	60:40 split fold	60:40 split fold
Jeats (rear)				1100	140.0
Jeats (rear)	- centre fold down armrest	With 2 cup holders	With 2 cup holders	With 2 cup holders	With 2 cup holders

# **CR-V Specifications**

Description	2WD VTi	4WD VTi	4WD VTi-S	4WD VTi-L
INTERIOR STYLING				
Steering wheel	Urethane	Urethane	Leather-wrapped	Leather-wrapped
Wood-grain look interior finishes	_	_	✓	<b>✓</b>
MULTIMEDIA  AM/FM radio with MP3/WMA compatible CD player	✓	✓	✓	
Bluetooth® hands-free phone° and audio streaming	<b>√</b>	<i></i>	<b>√</b>	
USB connectivity with i-MID integration#	✓	✓	✓	✓
DVD player <sup>‡</sup>	▲Optional Navigation Pack*	_	√	✓ ✓
Satellite navigation" with SUNA live traffic updates"  Speakers	▲Optional Navigation Pack* 4	4	4	4
Tweeters	-	-	2	2
Speed-sensitive Volume Compensation (SVC)	✓	✓	✓	✓
STORAGE				
Cargo restraint hook (cargo area)  Centre console box (with sliding front seat armrest)	<u>4</u> ✓	<u>4</u> ✓	<u>4</u> ✓	4 ✓
Cup/bottle holders	5/4	5/4	5/4	5/4
Door pockets	Front	Front	Front	Front
Glovebox	V	Driver and front passanger	Driver and front passanger	Driver and front passanger
Seat back pocket Sunglass holder with conversation mirror (in roof)	Driver and front passenger  ✓	Driver and front passenger  ✓	Driver and front passenger ✓	Driver and front passenger ✓
Tonneau cover		<i>√</i>	<i>√</i>	✓
SAFETY RATING				
5-star ANCAP	✓	✓	✓	✓
ACTIVE SAFETY				
Advanced Driver Assist System (ADAS) featuring:				
Adaptive Cruise Control (ACC)  - Collision Mitigation Braking System (CMBS)		_	_	▲ Optional ADAS  ▲ Optional ADAS
Collision Mittigation Braking System (CMBS     Lane Keep Assist System (LKAS)	_	_	_	▲ Optional ADAS
Anti-lock Braking System (ABS) and Brake Assist (BA)	✓	✓	✓	✓
Auto-dimming rearview mirror	/	<b>■</b>	✓ ✓	√ √
Electronic Brake-force Distribution (EBD) Hill Start Assist (HSA)	Auto transmission only	✓ ✓	√ √	<i>✓</i>
Vehicle Stability Assist (VSA) with Traction Control System (TCS		✓	√	✓
PASSIVE SAFETY				
Advanced Compatibility Engineering (ACE) structure	✓	✓	✓	✓
Airbags SRS — front (with driver dual-stage inflation)	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
- side (with front passenger OPDS) - full length curtain (with roll-over function)	Driver and front passenger  ✓	Driver and front passenger  ✓	Driver and front passenger ✓	Driver and front passenger ✓
Child proof rear door locks	✓	✓	√ /	<b>√</b>
Child safety seat anchorages	3	3	3	3
Honda G-force Control (G-Con) technology  Progressive crumple zones	✓ Front and rear	Front and rear	✓ Front and rear	Front and rear
Seatbelt pretensioner	Front	Front	Front	Front
Seatbelt reminder	Driver and all passengers	Driver and all passengers	Driver and all passengers	Driver and all passengers
Seatbelts -3 point Emergency Locking Retractors -3 point Automatic Locking Retractors	Front and rear Rear	Front and rear Rear	Front and rear Rear	Front and rear Rear
Whiplash mitigating front seats				
PARKING AIDS				
Parking sensors – front	-	_	_	<b>√</b>
- rear			✓	✓
Reversing camera	✓	✓	✓	✓
SECURITY				
Engine immobiliser system Security alarm system	-	√ √	√ √	✓ ✓
		V	V	
DIMENSIONS				
	1685	1685	1685	1685
Overall height (mm) Overall length (mm)	1685 4545	1685 4545	1685 4545	1685 4545
Overall height (mm) Overall length (mm) Overall width (mm)	4545 1820	4545 1820	4545 1820	4545 1820
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm)	4545 1820 985	4545 1820 985	4545 1820 985	4545 1820 985
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) - rear seat up/rear seat down Cargo floor width (mm)	4545 1820	4545 1820	4545 1820	4545 1820
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm)	4545 1820 985 950/1570 1345 665	4545 1820 985 950/1570 1345 665	4545 1820 985 950/1570 1345 665	4545 1820 985 950/1570 1345 665
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) Cargo floor width (mm) Load height (mm) Wheelbase (mm)	4545 1820 985 950/1570 1345 665 2620	4545 1820 985 950/1570 1345 665 2620	4545 1820 985 950/1570 1345 665 2620	4545 1820 985 950/1570 1345 665 2620
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm)	4545 1820 985 950/1570 1345 665	4545 1820 985 950/1570 1345 665	4545 1820 985 950/1570 1345 665	4545 1820 985 950/1570 1345 665
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear	4545 1820 985 950/1570 1345 665 2620 1565	4545 1820 985 950/1570 1345 665 2620 1565	4545 1820 985 950/1570 1345 665 2620 1565	4545 1820 985 950/1570 1345 665 2620
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) Ground clearance (mm) - non-load	4545 1820 985 950/1570 1345 665 2620 1565	4545 1820 985 950/1570 1345 665 2620 1565	4545 1820 985 950/1570 1345 665 2620 1565	4545 1820 985 950/1570 1345 665 2620 1565
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear Ground clearance (mm) — non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres)— rear seat up	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear Ground clearance (mm) — non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres)—rear seat up — rear seat down—load to roof	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear Ground clearance (mm) — non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres)— rear seat up	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear Ground clearance (mm) — non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres)—rear seat up — rear seat down—load to roof — rear seat down—load to window Fuel tank capacity (litres) Kerb weight (kg)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear Ground clearance (mm) — non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres)—rear seat up — rear seat down — load to roof — rear seat down — load to window Fuel tank capacity (litres) Kerb weight (kg) Maximum permissible weight (kg)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1460(M/T),1488(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1580(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1580(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68
Overall height (mm) Overall length (mm) Overall length (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear Ground clearance (mm) — non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres)—rear seat up — rear seat down — load to roof — rear seat down — load to window Fuel tank capacity (litres) Kerb weight (kg) Maximum permissible weight (kg) — manual/automatic Maximum towing capacity (kg)	4545 1820 985 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1460(M/T),1488(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1580(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1580(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T)
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear Ground clearance (mm) — non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres)— rear seat up — rear seat down — load to roof — rear seat down — load to window Fuel tank capacity (litres) Kerb weight (kg) Maximum permissible weight (kg) — manual/automatic Maximum towing capacity (kg) — trailer with brakes/without brakes	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1460(M/T),1488(A/T) 1975(M/T), 2000(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1580(A/T) 2100(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T) 2100(A/T)
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) - rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) - front and rear Ground clearance (mm) - non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres) - rear seat up - rear seat down - load to roof - rear seat down - load to window Fuel tank capacity (litres) Kerb weight (kg) Maximum permissible weight (kg) - manual/automatic  Maximum towing capacity (kg) - trailer with brakes/without brakes Maximum permissible down force/tongue load (kg)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1460(M/T),1488(A/T) 1975(M/T), 2000(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1580(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1580(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T)
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear Ground clearance (mm) — non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres)—rear seat up — rear seat down — load to roof — rear seat down — load to window Fuel tank capacity (litres) Kerb weight (kg) Maximum permissible weight (kg) — manual/automatic Maximum towing capacity (kg) — trailer with brakes/without brakes Maximum permissible down force/tongue load (kg) Seating capacity Seating capacity	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1460(M/T),1488(A/T) 1975(M/T), 2000(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1580(A/T) 2100(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T) 2100(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T) 2100(A/T)
Overall height (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) - rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) - front and rear Ground clearance (mm) - non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres) - rear seat up - rear seat down - load to roof - rear seat down - load to window Fuel tank capacity (litres) Kerb weight (kg) Maximum permissible weight (kg) - manual/automatic  Maximum towing capacity (kg) - trailer with brakes/without brakes Maximum permissible down force/tongue load (kg)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1460(M/T),1488(A/T) 1975(M/T), 2000(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68 556 1648 1120 58 1580(A/T) 2100(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T) 2100(A/T)	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T) 2100(A/T)
Overall height (mm) Overall length (mm) Overall length (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear Ground clearance (mm) — non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres)—rear seat up — rear seat down — load to roof — rear seat down — load to window Fuel tank capacity (litres) Kerb weight (kg) Maximum permissible weight (kg) — manual/automatic Maximum towing capacity (kg) — trailer with brakes/without brakes Maximum permissible down force/tongue load (kg) Seating capacity WHEELS AND TYRES Wheel size Tyre size	4545 1820 985 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1460(M/T),1488(A/T)  1975(M/T), 2000(A/T)  1500/600 100 5	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T)  2100(A/T)  1500/600 100 5	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T)  2100(A/T)  1500/600 100 5	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T)  2100(A/T)  1500/600 100 5
Overall height (mm) Overall length (mm) Overall length (mm) Overall width (mm) Cargo area height (mm) Cargo floor length (mm) — rear seat up/rear seat down Cargo floor width (mm) Load height (mm) Wheelbase (mm) Track (mm) — front and rear Ground clearance (mm) — non-load Minimum turning radius at wheel centre (metres)  WEIGHTS AND CAPACITIES Cargo area capacity (litres)—rear seat up — rear seat down—load to roof — rear seat down—load to window Fuel tank capacity (litres) Kerb weight (kg) Maximum permissible weight (kg) — manual/automatic Maximum towing capacity (kg) — trailer with brakes/without brakes Maximum permissible down force/tongue load (kg) Seating capacity WHEELS AND TYRES Wheel size	4545 1820 985 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1460(M/T),1488(A/T)  1975(M/T), 2000(A/T)  1500/600 100 5	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T)  2100(A/T)  1500/600 100 5	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T)  2100(A/T)  1500/600 100 5	4545 1820 985 950/1570 1345 665 2620 1565 170 5.68  556 1648 1120 58 1580(A/T)  2100(A/T)  1500/600 100 5

✓ Standard equipment. ▲ Factory option. ■ Accessory option. – Not available. \*The figures quoted in this brochure are based on ADR81/02 test results. You may experience different results depending on driving conditions and the condition of the vehicle. \*The Bluetooth® word mark is owned by the Bluetooth SIG Inc. and use of such mark by Honda is under licence. Please check the list of compatible phones at honda.com.au/Bluetooth ^Leather trim includes some non-leather material on selected, high impact areas. \*Not all devices are compatible and functionality will vary depending on device. \*DVD player operates only while vehicle is stationary. \*Available with automatic transmission only. \*Cancels the i-MID wallpaper functionality. \*SUNA is a registered trademark of Intelematics Pty Ltd. Coverage includes Melbourne, Sydney, Brisbane, Gold Coast, Adelaide, Perth and Canberra metropolitan areas. Refer to www.sunatraffic.com.au for full details. \*AWD VTi-S alloy wheel design is different compared to the 2WD VTi and 4WD VTi.

You're never alone in a Honda.

Buy a CR-V and you'll be amazed at how well you'll be looked after.

The care starts with a 3-year/ 100,000km warranty and 6-year rust perforation warranty.

You'll also have access to HondaONE, an exclusive website that gives you up-to-date service history, vehicle records, maintenance tips and service reminders.

Plus Honda have a range of benefits that ensure your CR-V is as pleasurable to own as it is to drive.

# Dedicated Honda Care

Servicing your CR-V at a local Honda
Dealership will ensure you protect your
investment and maximise its outstanding
resale value. Dedicated Honda Care
provides access to specialist diagnostic
equipment and Honda Genuine Parts.
There's also the advantage of
factory-trained technicians with
unparalleled knowledge of Honda products

# Honda Warranty Plus<sup>†</sup>

Purchase Honda Warranty Plus and your CR-V will be protected with no claim limits and no cost for labour and parts for 5 years or 140,000 kilometres (inclusive of New Vehicle Warranty). You'll also be entitled to 5 years' Premium Roadside Assist. Visit honda.com.au/warranty for more information.

# Honda Insurance<sup>^</sup>

If you're looking for cover as reliable as your CR-V you really need Honda Motor Vehicle Insurance.

You'll enjoy a range of benefits, including:

- 3-year new replacement if your Honda is a total loss.
- Genuine Honda approved parts for the first 3 years.
- Lifetime guarantee on authorised repairs.

For more information visit honda.com.au/insurance

#### nda Finance

Whether you're buying a Honda for yourself or a business, we have a wide range of flexible finance and leasing options. So see your Honda Dealer to find a financial solution that suits you as perfectly as your CR-V does. For more information visit honda.com.au/finance

## Honda Merchandise

Show your true colours with genuine Honda merchandise. For everything from apparel to travel goods, visit your local Honda Dealer or view the range at honda.com.au/merchandise



For more information visit honda.com.au or Freecall 1800 804 954

honda.com.au/warranty for full terms and conditions. 15-year/140,000km Warranty Plus is inclusive of 3-year/100,000km New Vehicle Warranty. Please refer to Honc Warranty documentation for conditions at honda.com.au/warranty ^Honda insurance is underwritten by Allianz Australia Insurance Limited Licence No. 234 708 ABN 15 000 122 850 (Allianz). In arranging this insurance Honda Australia Pty. Ltd. ABN 66 004 759 611 and the authorised dealers act as agents of Allianz and not as your agen In entering into a contract of insurance for this policy, you acknowledge that this Product Disclosure Statement (PDS), your Schedule and any other document which we t you forms part of this policy (Policy Documentation), sets out the entire agreement that exists between you and Allianz in connection with this policy. You also acknowled that you have not relied on any prior representations which are not expressly included in or are otherwise inconsistent with the Policy Documentation. Neither Honda party of the colored companies have any lishifity in proposed of this editor.