



We share the load.

ISUZU
RELIABILITY IS EVERYTHING

isuzu.com.au

TIC: Isuzu is a member of the Truck Industry Council – Safer Greener Essential. Isuzu Australia Limited ABN 97 006 962 572 ("IAL"). The information in this brochure was correct at time of printing, but all measurements, specifications and equipment are subject to change without notice. Some equipment may have been changed and/or is available at extra cost. IAL may make changes at any time without notice, in prices, colours, materials, equipment and models. IAL makes all reasonable attempts to ensure the availability of all vehicles and equipment. The information in this brochure is general in nature. Your Isuzu Truck Dealer can confirm all measurements, specifications and vehicle/equipment availability upon request. Any body illustrated is not standard equipment. AUG2016 F•S•A/ISZ10523

We share the load.

ISUZU
RELIABILITY IS EVERYTHING

F SERIES

GVM: 10,700 – 26,000KG GCM: 16,000 – 36,000KG




EFFECTIVE
AUG 2016



ISUZU'S NEW F SERIES. THE PERFECT MIX OF BRAINS AND BRAWN.

When you're choosing a new truck, you need to know that it's got the grunt to get the job done. And like all Isuzus, our new F Series has that in spades. But where the range really shines is in the brains department. From electronics to mechanical smarts, along with some creature comforts too, you won't find a more sophisticated mix. And that makes choosing an Isuzu a very clever call.





10,700KG - 14,000KG GVM
ECONOMICAL
4 CYLINDER POWER

Our 4HK1 four-cylinder diesel is just one of the clever options available in the F Series, at power ratings of either 210PS or 240PS. Both are super efficient, but their high torque two stage turbo chargers also mean they put out an impressive 726Nm and 765Nm of torque respectively.

The 4HK1 is also the cleanest Japanese medium duty diesel engine available in Australia. How clean? Well, it would take more than 100 new F Series to produce the Particulate Matter (PM) emissions of just one pre-1996 truck!

Another feature is our Idle-Stop System (ISS). By cutting the engine when you come to a halt, at traffic lights for example, ISS can save you up to 10% on fuel in heavy traffic situations. For applications where you can't have the engine switch off, you can choose not to use ISS. Combined with our Torque Converter Automated Manual Transmission (TC-AMT), ISS helps these engines deliver class-leading fuel economy.





11,000KG - 16,500KG GVM
260PS
6 CYLINDER WITH DOC



Sometimes you need serious power and that's where our 6HK1 engine comes in. With six cylinders and an intercooled turbocharger, it delivers 191kW and offers a choice of manual or Allison auto transmissions to suit different applications.

The 6HK1 is also equipped with Diesel Oxidation Catalyst (DOC). Unlike some emission management systems, DOC is ultra-reliable and requires no maintenance. And because there's no selective catalytic reduction (SCR) or DPD, there's no need for Ad Blue and no regeneration is required. This makes the 6HK1 a great choice for applications with high idle times, high PTO use, and frequent stops and starts, like council service and waste trucks.



300PS HIGH POWER 4X2 6X2 AND 6X4 RANGE

F series 'maximum capacity'* range including standard 4x2, 6x2 lazy axle and 6x4 tandem axle configurations. All powered by the highly-regarded 6HK1-TCS (221kW / 300PS) turbo, intercooled diesel engine that delivers 981Nm of torque. Available (depending on model) with Meritor drive axle and brake assembly with steel spring or Hendrickson airbag suspension and ZF 9-speed manual or Allison 3000 or 3500 series 6-speed automatic transmissions.

4x2 FVR is available with Meritor drive axle and brake assembly with spring or Hendrickson airbag suspension and 9-speed manual or 6-speed auto transmissions. With three 4x2 wheelbases to suit a range of applications. 6x2 is available with Isuzu axles and steel springs, or with Meritor axle and brake assembly with airbag suspension. 6x4 is available with Meritor axle and brake assembly with steel springs or Hendrickson airbag suspension. Three 6x4 wheelbases are available to suit a range of applications.

*This is not Isuzu's maximum capacity range, only in F Series models.

A WIDE SELECTION OF SMARTS.

Your new F Series is brimming with brains. For starters, there's DAVE, our Digital Audio Visual Equipment which includes AM, FM and digital (DAB+) radio, CD/DVD, MP3, and Bluetooth music streaming. DAVE also comes with Sat-Nav as standard* (including free quarterly map updates for three years).


All F Series trucks are telematics-ready too. Isuzu 'Connect Plus' telematics interconnects both truck and driver with your full support team, from the dispatcher to the service manager. To electronically, automatically and continuously share countless data, in real time, on virtually everything the truck and the driver do. From its brakes to his breaks. From how long it spent idling to where it spent the night. And in the process, makes all of you even better 'drivers', including the driver himself.

There are also some seriously clever mechanical options, like our economical yet powerful new 4HK1 four-cylinder diesel engine which is available with our Idle-Stop System (ISS), that cuts the engine when you come to a halt, and a smooth, responsive Automated Manual Transmission with Torque Converter (TC-AMT).

*Sat-Nav is optional on 4x4 models

FIND THE RIGHT F SERIES FOR YOU.

The F Series includes over 85 different models, including the most two-pedal choices we've ever offered, so you're sure to find the perfect match for your application. Below, you'll find all the basic specifications. If you need more help, your Isuzu Dealer can use our Isuzu Sales Information System software to pick the right configuration for your specific application.



SPECIFICATIONS

| MODEL | GVM (kg) | GCM (kg) | ENGINE | POWER (kW/PS @ RPM) | TORQUE (Nm @ RPM) | TRANSMISSION (GEARS/TYPE) | WHEELBASE (mm) |
|-------------------------|---------------------------|----------|--------------------|---------------------|----------------------|---|--|
| FRR 107-210 | 10,700 | 16,000 | NEW 4HK1-TCS (DPD) | 154kW/210PS @ 2600 | 726 @ 1,600 | 6-speed manual | Medium: 4,060 / Long: 4,660 / X-Long: 5,320 |
| | | | | | | 6-speed TC-AMT | Short: 3,790 Long: 4,660 / X-Long: 5,320 |
| FRR 110-240 | 11,000 | 16,000 | NEW 4HK1-TCH (DPD) | 177kW/240PS @ 2400 | 765 @ 1,450 | 6-speed manual | Medium 4,060 Long: 4,990 X-Long: 5,320 |
| | | | | | | 6-speed TC-AMT | Medium 4,060 Long: 4,990 X-Long: 5,320 |
| | | | | | | 6-speed manual | Medium 4,360 Long: 5,160 X-Long: 5,560 |
| | | | | | | | Allison 6-speed auto |
| FSR 120/140-240 | 12,000 (14,000 available) | 16,000 | NEW 4HK1-TCH (DPD) | 177kW/240PS @ 2400 | 706 @ 1450 | 6-speed manual | Short: 3,790 |
| | | | | | | 6-speed TC-AMT | Short: 3,790 Long: 5,320 |
| FSR 140/120-260 AUTO DC | 14,000 | 14,000 | 6HK1-TCC (DOC) | 191kW/260PS @ 2400 | 761 @ 1450 - 2400 | Allison 6-speed auto | Short: 3,790 Medium 4,360 Long: 5,560 X-Long: 6,560 |
| FSR 140/120-260 | 14,000 (12,000 available) | 20,000 | 6HK1-TCC (DOC) | 191kW/260PS @ 2400 | 761 @ 1450 - 2400 | Allison 6-speed auto | Short: 3,790 Medium 4,360 Long: 5,560 X-Long: 6,560 |
| | | | | | | | 6-speed manual |
| | | | | | | Allison 6-speed auto | |
| | | | | | | | 6-speed manual |
| FTR 150-260 AUTO | 15,000 | 20,500 | 6HK1-TCC (DOC) | 191kW/260PS @ 2400 | Allison 6-speed auto | Medium 4,250 Medium Long: 6,050 Long: 6,500 | |

SPECIFICATIONS CONT.

| MODEL | GVM (kg) | GCM (kg) | ENGINE | POWER (kW/PS @ RPM) | TORQUE (Nm @ RPM) | TRANSMISSION (GEARS/TYPE) | WHEELBASE (mm) | |
|---------------------------|----------|----------|----------------|---------------------|-------------------|---------------------------|---|------------------------------------|
| FTR 150-260 | 15,000 | 24,000 | 6HK1-TCC (DOC) | 191kW/260PS @ 2400 | 761 @ 1450 - 2400 | 6-speed manual | Medium 4,250 Medium Long: 6,050 Long: 6,500 | |
| | | | | | | | 9-speed manual | Medium 4,250 Long: 6,500 |
| | | | | | | | | Allison 6-speed auto |
| FVR 165-260 | 16,500 | 32,000 | 6HK1-TCC (DOC) | 191kW/260PS @ 2400 | 761 @ 1450 - 2400 | 9-speed manual | Medium 4,250 Long: 6,500 | |
| | | | | | | | Allison 6-speed auto | Medium Long: 5,550 |
| FVD 165-260 | 16,500 | 32,000 | 6HK1-TCC (DOC) | 191kW/260PS @ 2400 | 761 @ 1450 - 2400 | 9-speed manual | Medium 4,250 Long: 6,500 | |
| | | | | | | | Allison 6-speed auto | Medium Long: 5,550 |
| FVR 165-300 | 16,500 | 32,000 | 6HK1-TCS (DPD) | 221kW/300PS @ 2400 | 981 @ 1450 | 9-speed manual | Medium 4,250 Long: 6,500 | |
| | | | | | | | Allison 6-speed auto | Medium Long: 5,550 |
| FVD 165-300 | 16,500 | 32,000 | 6HK1-TCS (DPD) | 221kW/300PS @ 2400 | 981 @ 1450 | 9-speed manual | Long: 6,500 | |
| | | | | | | | Allison 6-speed auto | Long: 6,500 |
| FVM 230-300 | 23,000 | 32,000 | 6HK1-TCS (DPD) | 221kW/300PS @ 2400 | 981 @ 1450 | 9-speed manual | Long: 6,470 | |
| FVL 240-300 | 24,000 | 32,000 | 6HK1-TCS (DPD) | 221kW/300PS @ 2400 | 981 @ 1450 | 9-speed manual | Long: 6,470 | |
| | | | | | | | Allison 6-speed auto | Long: 6,470 |
| FVZ 260-300 | 26,000 | 36,000 | 6HK1-TCS (DPD) | 221kW/300PS @ 2400 | 981 @ 1450 | 9-speed manual | Medium: 4,410 / Long: 6,470 | |
| | | | | | | | Allison 6-speed auto | Medium: 4,410 / Medium Long: 5,300 |
| FVZ 260-300 AUTO | 26,000 | 36,000 | 6HK1-TCS (DPD) | 221kW/300PS @ 2400 | 981 @ 1450 | Allison 6-speed auto | Medium Long: 5,300 | |
| FVZ 260-300 LWB | 26,000 | 36,000 | 6HK1-TCS (DPD) | 221kW/300PS @ 2400 | 981 @ 1450 | 9-speed manual | Long: 6,470 | |
| FVY 240-300 AUTO AGITATOR | 24,000 | 36,000 | 6HK1-TCS (DPD) | 221kW/300PS @ 2400 | 981 @ 1450 | Allison 6-speed auto | Medium: 4,410 | |
| FVY 240-300 | 24,000 | 36,000 | 6HK1-TCS (DPD) | 221kW/300PS @ 2400 | 981 @ 1450 | 9-speed manual | Long: 6,470 | |
| | | | | | | | Allison 6-speed auto | Long: 6,470 |
| FSS 110-210 4x4 | 11,000 | 16,000 | 4HK1-TCS (DPD) | 154kW/210PS @ 2400 | 726 @ 1600 | 6-speed manual | Short: 3,700 Medium: 4,200 | |
| | | | | | | | Medium: 4,200 | |
| FTS 139-260 4x4 | 13,900 | 20,500 | 6HK1-TCC (DOC) | 191kW/260PS @ 2400 | 761 @ 1450 - 2400 | 6-speed manual* | Medium: 4,250 | |

*There are Allison 6-speed auto FTS models available.

WARRANTIES[†]


| MODEL | VEHICLE | ENGINE | CABIN PERFORATION CORROSION | EXTENDED CARE WARRANTY [^] |
|-----------------------------------|--|--------|------------------------------|-------------------------------------|
| FRR, FRD, FSR, FSD, FTR, FSS, FTS | 3 years or 150,000 kilometres or 2,500 hours | | 3 years Unlimited kilometres | 5 years or 300,000 kilometres |
| FVR, FVD, FVL, FVM, FVZ, FVY | 3 years or 200,000 kilometres or 3,000 hours | | 3 years Unlimited kilometres | 5 years or 300,000 kilometres |

[†]Refuse applications limited to 12,000kg GVM. [†]From delivery. [^]Extended Care Warranty available at extra cost. Conditions apply. Note: The above chart is a brief representation of the chassis specifications within the Isuzu F Series model range. For a detailed understanding of the model and specification variants, please refer to the applicable Isuzu model Specification Sheet. Subject to the conditions outlined in the IAL New Vehicle Warranty, the F Series models carry a standard factory warranty as above. Extended Care Warranty may be purchased to cover the owner against the failure of original components, but may exclude some components and expendable items such as oil, filters etc. Isuzu Roadside Assistance is valid for three years from the date of new vehicle purchases; All Isuzu warranties are subject to mandatory prescribed terms under Australian Consumer law including customer guarantees. For more details visit the Isuzu website which explains Isuzu Warranties in more detail, or alternatively contact your local dealer. All warranties commence from date of delivery. *Refer to Extended Care Brochure.



THE BEST SEAT IN THE BUSINESS.

All F Series have the ISRI 6860 air-suspension driver's seat as standard. And it's anything but standard. It has an integrated lap-sash seatbelt with pre-tensioner, head restraint, dual-stage air lumbar/lateral support, integrated pneumatic system, adjustable shock-absorber and body-hugging upholstery from head to knee. Which is all top news for your back and behind.



ISIS.

Isuzu Sales Information System (ISIS for short) is a software program the dealer will use to help you select the right truck and body for your application. Once it's been programmed with your requirements, ISIS simulates how the truck will perform in terms of its weight distribution, available power and other performance characteristics. So with ISIS, you're sure to find your most suitable match.

A VERY SAFE HAVEN.

All F Series cabs are built to the internationally-recognised ECE-R29 cab strength safety standard, so they're world-class. Double side-intrusion bars, seatbelt pre-tensioners and load-limiters, and driver and passenger airbags are all standard too. Along with traction control and a whole host of other safety features. So in an Isuzu, you'll always work safe.



DON'T MISS A THING.

This F Series option* gives you near 360° vision in those pesky blind spots. Operating through a multi-view digital touchscreen, this camera system puts you all over the truck. You can have cameras in four different positions, all displaying at the same time, and even with audio on one of them, so it's the smart way get yourself into (and out of) tight spots.

*Available at additional cost



CONTROL YOUR SPEED, AND YOUR CLIMATE.

Pick a speed, pick a temperature, then sit back and relax because advanced electronic cruise-control and fully integrated air-conditioning are both standard in all models. Many models also come with automatic climate control as standard. And that's a breath of fresh air.



ISUZU CARE.

Reliability means a lot more than just a mechanically reliable truck. Isuzu Care is Australia's most comprehensive customer care truck program and it offers you support and a level of customer care that's setting new industry standards. No matter where you are, Care's as close as Freecall 1800 035 640.

SAFER STARTS MADE SIMPLE.

All 4HK1 models with manual transmissions now come equipped with Start Assist. This raises the engine speed to 850RPM and makes engaging the clutch quicker and easier. Used for first-gear take-offs when you're on a slope or carrying a heavy load, it means you won't experience any unexpected slips.

MAKE STRESS FREE SERVICING A PRIORITY.

There is nothing more crucial than maintaining a healthy fleet, so we've created a 'stress free' service agreement in Isuzu Priority*. Knowing that the lifeblood of your business is under control, and in the best hands, provides true peace of mind and allows you to spend more time doing what you do best – building and growing your business.

*Available at additional cost



ISUZU ROADSIDE ASSIST.

Isuzu Assist is a three-year, 24-hour roadside assistance program that comes free with all new Isuzu trucks. And while our trucks are renowned for their reliability, even if you run out of fuel, lose your keys, get a flat tyre or battery, Isuzu Assist will be there to sort it out. Just Freecall 1800 947 898.

ISUZU EXTENDED CARE.

Isuzu Extended Care* is a two-year extension to Isuzu's three-year factory warranty. As well as a five-year factory warranty, it also means you get five years of Isuzu's Customer Care programme and Isuzu Assist. Available when you buy your truck, it's the ultimate peace-of-mind.

*Available at additional cost

