

Jimny



FOR FUN



FOR EVER

JIMNY & JIMNY LITE



Kinetic Yellow
+ Bluish Black Pearl[†]



Brisk Blue Metallic
+ Bluish Black Pearl[†]



Chiffon Ivory Metallic
+ Bluish Black Pearl[†]



Jungle Green[†]



Bluish Black Pearl[†]



Arctic White Pearl



Medium Grey[†]

JIMNY XL



Granite Grey Metallic[†]



Sizzling Red Metallic
+ Bluish Black Pearl[†]



Chiffon Ivory Metallic
+ Bluish Black Pearl[†]



Jungle Green[†]



Bluish Black Pearl[†]



Arctic White Pearl

[†]Additional cost for premium/metallic paint and two-tone premium/metallic paint.

OFF-ROAD



PERFORMANCE



Jimny variant



RIGID LADDER FRAME

From the very first generation, the Jimny has always featured a ladder frame that offers a solid foundation for serious off-road performance.



3-LINK RIGID AXLE SUSPENSION WITH COIL SPRING

Settle for nothing less than full-width rigid axles in both the front and rear, which help the Jimny ensure superior grip on diverse surfaces. When an obstacle pushes one wheel up, the axle presses the other wheel down to increase tyre contact in rough road conditions.



*LED headlamps with washers are available on Jimny and Jimny XL variants.

LED HEADLAMPS WITH WASHERS*

Take pride in the Jimny's heritage, symbolised by its iconic round headlamps. Washers are standard with LED headlamps; allowing confident driving in mud, dirt and snow.



1.5L ENGINE

Jimny's robust 1.5L engine generates strong torque throughout a wide rpm range for powerful off-road performance. Small and lightweight, it also delivers high fuel efficiency.

(Automatic transmission is not available with Jimny Lite variant.)



4WD WITH LOW-RANGE TRANSFER GEAR


Shift the transfer lever to the 4L mode for maximum torque and traction. On flat off-road trails and snow-covered roads, enter 4H to enjoy 4WD traction at higher speeds. Once you return to paved roads, shift to the 2H (2WD) mode for a smoother, quieter and more fuel-efficient ride.



BUILT-TO-TACKLE EXTERIOR

With angled bumper edges to increase clearance at the wheels, bonnet corners for better situational awareness and drip rails to keep your head dry when entering and exiting the vehicle, Jimny is built to tackle every adventure.

ALLGRIP
PRO



AMPLE BODY ANGLES AND CLEARANCE

Push outdoor exploration to the limit with an ample departure angle, ramp breakover angle, approach angle and ground clearance that lets you handle steep slopes, sharp descents and obstacles without scraping the bumpers or underbody of the Jimny.

BUILT FOR



ADVENTURE



Note: personal items in the photos are shown for illustrative purposes only. Items should be properly secured while driving.

*Not available on Jimny Lite.

INTERIOR AMENITIES

Designed for practicality, Jimny is equipped with USB accessory pockets to connect and power mobile devices. Switches in the front console box allow control of the rear seat power windows. The side-mounted luggage area lamp provides illumination, and a convenient socket delivers 12V for accessories at your campsite.



AMPLE STORAGE

Jimny offers ample storage for any adventure. Luggage spaces on both variants can be expanded by folding the rear seats, with the Jimny's rear seats able to fold completely flat. Screw holes provide support for optional accessories like luggage bars and utility hooks to enhance versatility.



Note: Items are loosely placed in the rear storage area for illustrative purposes only and should be properly secured while driving. Jimny XL variant shown.

LUGGAGE CAPACITY

Pack for any adventure with a wide and tall back door opening, making it easy to stow gear in the roomy luggage area. The low height of the door sill reduces strain when loading and unloading heavy items.

		Jimny	Jimny XL
Luggage capacity (L)	Max volume	830	1,113
	Rear seatback folded	377	332
	Rear seatback raised	85	211



INFOTAINMENT SYSTEM

Jimny's seven inch and Jimny XL's nine inch touchscreen displays enable intuitive operation of features—including audio, hands-free phone and reverse camera display. Jimny Lite is equipped with a CD player and radio.



SMARTPHONE CONNECTIVITY

Seamlessly connect your smartphone with Apple CarPlay® and Android Auto™. Make phone calls, access music, send and receive messages, access apps and get directions by voice command or a tap on the audio display.



INTERIOR CONFIGURATION

With a spacious interior design, Jimny is perfect for your next road trip—and with Jimny's comfortable cushioned seating, you won't want the trip to end. All Jimny models feature ample elevated seating for four adults, however if extra leg room is needed, the spacious Jimny XL has got you covered. Perfect leg room for longer getaways and longer passengers alike.




STEERING WHEEL INTEGRATED SWITCHES

Cruise control and audio control switches are integrated into the steering wheel, and on models equipped with a display audio system, there are additional switches for hands-free calling.

ALWAYS



ON GUARD



BRAKE LSD TRACTION CONTROL

Cover slippery ground with confidence. If two wheels, diagonal from each other, lose grip while you're travelling over slippery surfaces, the brake LSD traction control feature will automatically apply brakes to the slipping wheels and redistribute torque to the other two wheels, allowing the Jimny to make its escape.



SRS AIRBAGS FOR COLLISION SAFETY


Jimny is equipped with a full complement* of SRS airbags, including front and side airbags for the driver and front passenger, and side curtain airbags for occupants of both the front and rear seats.

*Illustration of inflated airbags is approximate.



HILL HOLD CONTROL

Move upward and onward when starting on steep slopes. Even on bumpy slopes that vary on the right and left sides, this feature helps prevent rearward rolling so you can focus on controlling acceleration.




HILL DESCENT CONTROL

On tricky descents, with a push of a button, the system is designed to automatically apply the brakes and maintain a fixed speed—so you can concentrate on steering without using the brake pedal or clutch.




REAR PARKING SENSORS



Ultrasonic sensors in the rear bumper detect obstacles when reversing, and audible warning beeps sound with increasing frequency as you approach.



ELECTRONIC STABILITY PROGRAM




ESP* helps you control the vehicle during cornering, and assists you in maintaining traction when accelerating on loose or slippery road surfaces. If wheel slip is detected, the ESP system automatically regulates engine torque and selectively applies the brakes to help you maintain control.




AUTONOMOUS EMERGENCY BRAKING (AEB)*

When moving, the Jimny uses two sensors—a monocular camera and a laser sensor—to determine if there is a risk of collision with a forward vehicle or pedestrian.


1 Alerts the driver with an audio warning and visual warning.



2 Deploys brake assist to increase braking force if the risk of collision is high and the driver panic brakes.



3 Applies strong automatic braking if the risk of collision increases even more.




Note: There is a limit to the ability of the monocular camera and laser sensor to detect obstacles and lanes, and control the vehicle. Please do not rely on the system: always drive safely.
*AEB is designed to support the driver only in emergency situations. The driver remains responsible for the vehicle at all times.

SPECIFICATIONS

MODEL		JIMNY LITE	JIMNY	JIMNY XL	
POWERTRAIN					
Engine		1.5 litre VVT			
Drive system		Part-time 4WD			
Number of cylinders		4			
Number of valves		16			
Piston displacement (cm³)		1,462			
Bore x stroke (mm)		74.0 x 85.0			
Compression ratio		10.0			
Maximum output (kW/rpm)		75/6,000			
Maximum torque (Nm/rpm)		130/4,000			
Fuel distribution		Multipoint Injection			
Fuel Tank Capacity (L)		40			
DIMENSIONS					
Overall length (mm)	Front bumper to rear bumper	3,480		3,820	
	Front bumper to spare wheel	3,625		3,965	
	Front bumper to spare wheel cover	3,645		3,985	
Overall width (mm)		1,645			
Overall height (mm)		1,720			
Wheelbase (mm)		2,250		2,590	
Tread — front (mm)		Front		1,395 (195/80R15)	
Tread — rear (mm)		Rear		1,405 (195/80R15)	
Minimum turning radius (m)		4.9		5.7	
Minimum ground clearance (mm)		210			
Seating capacity		4			
Luggage Capacity (L)	Max volume	830		1,113	
	Rear seatback folded	377		332	
	Rear seatback raised	85		211	
Kerb weight (kg)		1095 M/T	1110 A/T	1,185 M/T	1,200 A/T
Gross vehicle weight (kg)		1,435		1,545	
TRANSMISSION					
Type		5MT	4AT*	5MT	4AT
Gear ratio	1st	4.425	2.875	4.425	2.875
	2nd	2.304	1.568	2.304	1.568
	3rd	1.674	1.000	1.674	1.000
	4th	1.190	0.697	1.190	0.697
	5th	1.000	—	1	—
	Reverse	5.151	2.300	5.151	2.300
Final gear ratio		4.090	4.300	4.090	4.300
FUEL CONSUMPTION*					
Fuel consumption (L/100km) MT/AT		6.4	6.9	6.4	6.9
CO2 emissions (G/lm) MT/AT		146	158	148	161
CHASSIS					
Brakes	Front	Solid disc			
	Rear	Drum, leading and trailing			
Suspension	Front	3-link rigid axle with coil spring			
	Rear	3-link rigid axle with coil spring			
VISIBILITY					
Headlamps		Halogen	LED Projector		
Headlamp leveling device		—	Automatic	Manual	
Automatic lamps		Std			
High Beam Assist		Std		—	
Front Fog Lamps		—	Std		
Daytime Running Lamps (DRLs)		Std			
Privacy glass		—	Std		
Wipers	Front: 2 speeds (low, high) + adjustable intermittent + washer	Std			
	Rear: 1 speed + washer	Std			
Outside door mirrors	Finish	Black plastic	Black painted		
	Electrically adjustable	Std			
EXTERIOR					
Front grille		Black			Grey metallic with chrome accents
Outside door handles		Black	Body coloured		

MODEL	JIMNY LITE		JIMNY	JIMNY XL
WHEELS				
Tyres (width/profile)	195/80			
Wheel size	15"			
Wheel type	15" steel	15" alloy		
Spare	15" steel	15" alloy		
STEERING AND INSTRUMENT PANEL				
3-spoke steering wheel			Std	
Leather covered	—		Std	
With audio controls			Std	
With cruise control			Std	
With speed limiter control			Std	
With hands-free phone control			Std	
Tilt-adjust			Std	
INFORMATION DISPLAY				
Digital clock			Std	
Fuel consumption			Std	
Driving range			Std	
Average speed			Std	
Driving time			Std	
DRIVING AMENITIES				
Audio			Std	
MP3/WMA + Bluetooth			Std	
Apple CarPlay & Android Auto	—	Std		
Wireless Apple CarPlay & Android Auto	—	Std		
DAB radio	—		Std	
Cruise control	Std		Manual: Std Automatic: Adaptive Cruise Control	
Speed limiter			Std	
INTERIORS				
Cabin lights	Front (3 position) Rear (3 position)	—	Std Std	
Cup holder	Centre console			
USB port and AUX input	x 1			
12V accessory socket	Centre console	Centre console & luggage area		
Inside door handles	Chrome			
SEATS				
Front seats	Walk in mechanism Head restraints x 2	Std (passenger's side) Std		
Rear seats	50/50-split single-folding	Std		
	Head restraints x 2	Std		
Seat upholstery material	Fabric			
SAFETY, SECURITY, AND ENVIRONMENTAL COMPATIBILITY				
ABS with EBD function			Std	
ESC			Std	
Autonomous Emergency Braking*			Std	
Lane Departure Warning*			Std	
Weaving Alert*			Std	
Hill hold control			Std	
Hill descent control			Std	
Brake assist function			Std	
SRS front dual airbags			Std	
SRS side airbags			Std	
SRS curtain airbags			Std	
Seat belts	Front: 3-point ELR seat belts with pretensioners and force limiters	Std		
	Rear: 3-point ELR seat belts with pretensioners and force limiters	Std		
ISOFIX child seat anchorage	x 2	Std		
Child seat tether anchorage	x 2	Std		
Reversing camera	—	Std		
Rear parking sensors	—	Std		

DIMENSIONS



BUILD AND PRICE



YOUR SUZUKI

GET THE MOST OUT OF YOUR SUZUKI

At Suzuki we make it easy to own and enjoy your new car every day

WARRANTY



Enjoy peace of mind with 5 year /
unlimited kilometre warranty*

SERVICE



Suzuki Genuine Service program
offers competitive pricing for your
vehicle over 5 years or 100,000km.
Service intervals every 12 months
or 15,000 kilometres.~

ROADSIDE ASSISTANCE



5 years Roadside Assistance~
= 5 years of confidence.

SUZUKI PREMIER MOTOR INSURANCE



Comprehensive cover for your Suzuki
vehicle, using Suzuki Genuine Parts
and your choice of repairer.~

SUZUKISECURE



SuzukiSecure* puts you in control
when buying your new Suzuki, so
you're set up for the future you want.

HEY SUZI



Book your service any time, instantly
with Suzuki's 24/7 AI assistant.



*Kilometre limits for commercial vehicles. ~Further terms apply; visit [suzuki.com.au](https://www.suzuki.com.au) ~All new Suzuki vehicles include up to 5 years of Roadside Assistance. The Roadside Assistance program will re-new annually for a period up to 5 years conditional to customers returning to their Suzuki dealer for scheduled servicing and following the terms and conditions of Suzuki's Genuine Service Program for their vehicle. Further details of the program can be found here: <https://www.suzuki.com.au/owners/servicing> Further details of the Roadside Assistance program can be found here: <https://www.suzuki.com.au/owners/roadside> ~Suzuki Premier Motor Insurance is issued by Allianz Australia Insurance Limited ABN 15 000 122 850. Policy terms, conditions, limits and exclusions apply. Before making a decision please consider the Product Disclosure Statement (PDS). The PDS and Target Market Determination are available by calling us on 1300 132 107. ~Approved applicants only. T&Cs apply. Suzuki Financial Services is a division of Australian Alliance Automotive Finance Pty Limited ABN 63 002 407 703. Australian Credit Licence 513747. All care is taken to ensure the accuracy of this brochure at the time of publication approval. Specifications, features, prices and model availability may vary from state to state and may change without notice. Always consult your authorised Suzuki Dealer or refer to [suzuki.com.au](https://www.suzuki.com.au) for the latest details on all models. SUZUKI will not be held liable for any loss as a result of reliance on the content of this brochure, whether in negligence or otherwise. Vehicles are shown for illustrative purposes only and may not depict exact Australian specifications.

Published February 2025. SUZ687v1.0