






AWHOLELOTTA HARDEN THE TRUCK UP




WHEN YOU'VE BEEN BUILDING TRUCKS SINCE 1964, YOU GET TO KNOW A THING OR TWO ABOUT 'TOUGH'.

Put through its paces in the toughest Aussie terrain, the T9 has come up flying colours. See for yourself how the T9 took down Mount Disappointment in Victoria.

The T9 has been put together by a team of the globe's best automotive partners.



BUILT WITH GALVANISED STEEL CAB & TUB
WITH INTERNAL WAX INJECTION TECHNOLOGY



ZINC CONTENT OF 40.9%



ENGINE CHAIN SYSTEM



BELT



TURBO AND TRANSFER CASE



TURBO



BEARING BUSH



TRANSMISSION





JACTE

KEY FEATURES

JAC T9 is locked and fully loaded, good to go wherever you want to go.

























360° CAMERA~

~HAVEN MODEL ONLY






KEY FEATURES

JAC T9 is locked and fully loaded, good to go wherever you want to go.










B-A 360° CAMERA~









& CLIMATE CONTROL











CT=

KEY FEATURES

It's bumper-to-bumper safety with the ADAS (Advanced Driver Assistance System) in your JAC T9, helping to protect you at every turn. Safety all round with 7 airbags, including a front centre airbag.

ACTI E FETY





AUTONOMOUS EMERGENCY BRAKING (AEB)




LANE DEPARTURE WARNING (LDW)



FORWARD COLLISION WARNING (FCW)



REAR COLLISION WARNING (RCW)



SPEED LIMIT ASSIST (SLA)




REAR AUTONOMOUS EMERGENCY BRAKING (R-AEB)



REAR CROSS TRAFFIC ALERT (RCTA)



TRAFFIC JAM ASSIST (TJA)




BLIND SPOT DETECTION (BSD)



ADAPTIVE CRUISE CONTROL (ACC)





HILL-START HOLD CONTROL (HHC)

AWHOLELOTTA 'NO WORRIES'

JAC HAS YOUR BACK ALL THE WAY.

Whether your JAC T9 is for private use, business or fleet, every JAC owner gets to drive with 'no worries'.

- 7-year warranty[^]. Unlimited KMs. Uncomplicated.
- 7-year 24/7 Roadside Assistance.
- 7-year Capped Price Servicing.
- Access to 60+ JAC Dealerships and Service Centres across Australia.
- Australia-based parts warehouse, which helps to reduce your wait time.

JAC is committed to providing comprehensive after-sales support. That's a pretty damn good handshake. It's JAC's way of making sure you and your T9 are well looked after without any unwanted surprises.











But if you want to crank your ride up a level,

JAC accessories. Accessories come with a

7-year warranty if fitted at time of purchase.

then you can choose from any of these genuine

LED LIGHT BAR

+ ELECTRONIC BRAKE CONTROLLER

+ NUDGE BAR

+ ROOF TRAY

+ RIDGE MOUNTS

+ LADDER RACKS

+ SOFT STYLE TONNEAU COVER

+ SOFT STYLE CANOPY

+ MANUAL ROLL TOP COVER

+ ELECTRIC ROLL TOP COVER

+ HARD CANOPY

+ LED LIGHT BAR

+ OUR PRODUCT RANGE WILL CONTINUE TO GROW.




















































THE T9'S EXCEPTIONAL RIDE HEIGHT OFFERS SUPERIOR ROAD VISIBILITY AND SPACIOUS COMFORT FOR ALL OCCUPANTS.

OVERALL DIMENSIONS (MM)	
Length	5330
Width	1965
Height	1920
TUB DIMENSIONS (MM)	
Length	1520
Width	1590
Height	470
GROSS COMBINATION MASS (GCM) (KG)	5430
GROSS VEHICLE MASS (GVM) (KG)	3100
KERB WEIGHT (KG)	2055
PAYLOAD (KG)	1045
TOWING CAPACTIY	
Unbraked	750
Braked	3000
Maximum Towball Download	300

WHEELBASE (MM)	3110
APPROACH ANGLE (DEGREES)	27
DEPARTURE ANGLE (DEGREES)	23
WADING DEPTH (MM)	650
GROUND CLEARANCE (MM)	210

JAC T9


	T9 MODEL	OASIS 4x4	HAVEN 4×4
	Fuel Type	Diesel	Diesel
Basic Information	Engine	2.0 CTI	2.0 CTI
IIIIUIIIIatiuii	Product Model	JT9MY2420DDC0APU4	JT9MY2420DDCHNPU4
	Cabin	Double-Cab	Double-Cab
	Overall Length / Width / Height (mm)	5330 1965 1920	5330 1965 1920
	Body Width With Door Mirrors Folded / Extended (mm)	1983 2186	1983 / 2186
	Tub Length / Width / Height (mm)	1520 / 1590 / 470	1520 1590 470
	Cargo Floor Ground Clearance (mm)	890	890
	Wheelbase (mm)	3110	3110
	Kerb Weight (kg)	2055	2055
	Gross Vehicle Mass (GVM) (kg)	3100	3100
	Payload (kg)	1045	1045
Dimension	Unbraked towing capacity (kg)	750	750
Billionolon	Braked towing capacity (kg)	3000	3000
	Gross Combination Mass (GCM) (kg)	5430	5430
	Tow ball download weight (kg)	300	300
	Seating Capacity	5	5
	Min. Ground Clearance (mm)	210	210
	Maximum Wading Depth (mm)	650	650
	Track Front / Rear (mm)	1610 / 1610	1610 / 1610
	Overhang Front / Rear (mm)	945 / 1275	945 1275
	Min Turing Radius (m)	6.2	6.2
	Approach / Departure Angle (degrees)	27 23	27 23
	Engine Model	HFC4DB2-2D1	HFC4DB2-2D1
	Engine Type	Common Rail+EGR+DOC+DPF	Common Rail+EGR+DOC+DPF
	Displacement (cc)	1999	1999
	Bore x Stroke (mm)	83 x 92.4	83 x 92.4
	Compression Ratio	17.5:1	17.5:1
	Net Power (kW @ rpm)	120 @ 3600	120 @ 3600
	Maximum Torque (Nm @ rpm)	410 @ 1500~2500	410 @ 1500~2500
	Emission Control	Euro V	Euro V
	Transmission	8-Speed Automatic	8-Speed Automatic
Power	Gear Ratio	5.000; 3.200; 2.143; 1.720; 1.314; 1.000; 0.822; 0.640; R:3.456	5.000; 3.200; 2.143; 1.720; 1.314 1.000; 0.822; 0.640; R:3.456
Performance	Max Speed (km/h)	150	150
	Max Gradeability (%)	30	30
	Differential Ratio (rear)	3.909	3.909
	Part-time 4WD system	•	•
	Driving Modes (Eco, Normal, Sport, Snow)	•	•
	Fuel Tank Capacity (L)	76	76
	Fuel Consumption Combined (L/100km)	7.6	7.6
	Fuel Consumption Extra Urban (L/100km)	7.1	7.1
	Fuel Consumption Urban (L/100km)	8.5	8.5
	CO2 Emissions (g/km)	202	202
	Double wishbone independent suspension with coil spring	•	£0£
	Non-independent leaf spring rigid axle rear suspension	•	•
Chassis &	Number of leaf springs	3+2	3+2
Steering	Rear Axle Electronic Differential Lock	3+2 •	3 + 2
		-	· ·
	Electronic Power Steering Front/Poor Proko	Pice / Pice	Pigo / Digo
	Front/Rear Brake	Disc / Disc	Disc / Disc
Wheel &	Electrical Park Brake with Auto Hold	965/60010	065/60010
Brake	Tyre Size	265/60R18	265/60R18
	Aluminium Alloy Rim	•	•
	Full Size Spare Tyre with Steel Rim	•	•


JA		T	
SP	E	F	5


	T9 MODEL	OASIS 4x4	HAVEN 4x4
	Anti-lock Braking System (ABS)	•	•
	Electronic Brake Force Distribution (EBD)	•	•
	Brake Override System (BOS)	•	•
	Auto Hold	•	•
	Hill-Start Hold Control (HHC)	•	•
	Hill Descent Control (HDC)	•	•
	Hydraulic Brake Assist (HBA)	•	•
	Traction Control System (TCS)	•	•
	Vehicle Dynamics Control (VDC)	•	•
	Electronic Stability Control (ESC)	•	•
	Lane Departure Warning (LDW)	•	•
	Lane Keeping Assist (LKA)	•	•
	Emergency Lane Keeping (ELK)	•	•
	Blind Spot Detection (BSD)	•	•
	Lane Change Assist (LCA)	•	•
	Rear Cross Traffic Alert (RCTA)	•	•
	Forward Collision Warning (FCW)	•	•
	Rear Collision Warning (RCW)	•	•
	Door Open Warning (DOW)	•	•
	Speed Limit Assist (SLA)	•	•
	Traffic Sign Recognition (TSR)	•	•
	Traffic Jam Assistant (TJA)	•	•
	Driver Monitoring System (DMS)	•	•
	Autonomous Emergency Braking (AEB)	•	•
Safety	Rear-Autonomous Emergency Braking (R-AEB)	•	•
Equipment	Adaptive Cruise Control (ACC)	•	•
	Integrated Cruise Assist (ICA)	•	•
	Tyre Pressure Monitoring System (TPMS)	•	•
	Driver And Front Passenger Airbags	•	•
	Front Centre Airbag	•	•
	Driver And Front Passenger Side Airbags	•	•
	Curtain Airbags	•	•
	Driver And Front Passenger Height Adjustable Seatbelt		
	with Pre-tensioner	•	•
	3-point seatbelt for Rear Seats	•	•
	ISOFIX On Rear Outbound Seats	•	•
	Child Safety Lock	•	•
	Seatbelt Warning Buzzer	•	•
	Rear Middle Seat Headrest	•	•
	Power Window Lock Driver Control	•	•
	Power Door Lock	•	•
	Speed Sensing Door Locking	•	•
	Door Ajar Warning	•	•
	Remote Central Locking	•	•
	Smart Entry and Start System	•	•
	Central Locking Rear Tailgate	•	•
	Engine Immobiliser	•	•
	Front Parking Sensors		•
	Rear Parking Sensors	•	•
	Reversing Camera	•	<u>-</u>
	360° View Camera	-	•

	T9 MODEL	OASIS 4x4	HAVEN 4x4
	Spray On Tub Liner	•	•
	Black Iron Roll Bar	•	•
	Tub Cargo Tie Down Hooks (4)	•	•
	Roof Trim (no load-carrying capabilities)	-	•
	Privacy Glass	-	•
	Off-Road Iron Side Steps	•	•
	LED Headlamps with Daytime Running Lights	•	•
	Automatic Head Lights	•	•
	Headlamp Manual Levelling	•	•
	Follow Me Home Function	•	•
	Welcome Puddle Lamps	-	•
exterior	Intelligent High Beam Control (IHBC)	•	•
Equipment	LED Rear Combination Lamps	•	•
	High Mounted Stop Light	•	•
	Front and Rear Fog Lamps	•	•
	Rear Step Bumper	•	•
	Body Color Door Mirrors	•	-
	Chrome Door Mirrors	-	•
	Electrically Adjustable Side Mirrors	•	•
	Heated Side Mirrors	•	•
	Auto Folding Side Mirrors	-	•
	Rear Window Demisters	•	•
	Leather Accented Interior	Black	Black or Brown
	Front Reading Light	•	•
	Rear Reading Light	•	•
	Sunglasses Holder	•	•
	Driver And Front Passenger Sun Visors	•	•
	Passenger Sun Visor with Vanity Mirror	•	•
	Leather Accented Steering Wheel	•	•
	Multifunction Steering Wheel Controls	•	•
	Steering Wheel Hight Adjust	•	•
	7" Color Instrument Cluster	•	•
	Power Windows	•	•
nterior	Remote Control Of Opening/Closing Windows	•	•
Equipment	Windows Automatic Up/Down And Anti-Clamp	•	•
	Rearview Mirror	Manual Dimming	Electrochromatic
	Rain Sensing Windscreen Wipers	•	•
	Climate Control Air Conditioning	•	•
	Rear Air Vents	•	•
	Heat Insulation Pad Under Hood	•	•
	Gas Bonnet Support	•	•
	Driver Seat Ajustment	6-Way Electric	6-Way Electric
	Front Passenger Adjustment	6-Way Manual	4-Way Electric
	Heated Front Seats	-	•
	Center Console with Cooling Storage	•	•
	Rear Armrest With Cup Holders	•	•

	T9 MODEL	OASIS 4x4	HAVEN 4×4
	Bluetooth® Connectivity	•	•
	10.4" Touch Screen Infotainment System	•	•
	Apple CarPlay® and Android Auto™	•	•
Multimedia Configuration	Front USB Port	•	•
	Front 12V Accessory Socket	•	•
	Wireless Phone Charging With Fan Cooling Function	•	•
	Rear USB Port	•	•
	Rear 220V Power Plug	-	•
	Speakers	6	6














 $^{\circ}$ 7-YEAR MANUFACTURER'S WARRANTY FROM THE DATE OF FIRST REGISTRATION. TERMS, CONDITIONS AND EXCLUSIONS APPLY. SEE JACUTE.COM.AU.

⁺ DRIVER ASSISTANCE SYSTEMS WORK ONLY WITHIN SYSTEM LIMITS AND ARE INTENDED TO ASSIST THE DRIVER. THE DRIVER REMAINS RESPONSIBLE FOR DRIVING THE VEHICLE AND IS REQUIRED TO REMAIN ATTENTIVE AT ALL TIMES. CHECK YOUR OWNER'S MANUAL FOR EXPLANATION OF LIMITATIONS. PLEASE DRIVE SAFELY.

CARPLAY® IS A TRADEMARK OF APPLE, INC. REGISTERED IN THE U.S. AND OTHER COUNTRIES.

ANDROID AUTO™ IS A TRADEMARK OF GOOGLE LLC.

BLUETOOTH IS A REGISTERED TRADEMARK OF BLUETOOTH SIG, INC.

[†]TOW BALL, TONGUE AND WIRING HARNESS SOLD SEPARATELY.

"PAYLOAD IS THE GVM MINUS THE KERB MASS. THE KERB MASS DOES NOT INCLUDE PASSENGERS, LUGGAGE, CARGO, ANY ACCESSORIES FITTED OR ANY TOWBALL DOWNLOAD (AS APPROPRIATE). PAYLOAD IS DISTRIBUTED ACROSS BOTH THE FRONT AND REAR AXLES; NEVER EXCEED THE GVM OR THE AXLE LIMITS.

SEE YOUR JAC MOTORS DEALERSHIP TO CONFIRM WHICH GENUINE ACCESSORY IS SUITABLE FOR YOUR VEHICLE PRIOR TO ORDERING, AS SPECIFICATIONS, APPLICABILITY, AVAILABILITY AND FITMENT REQUIREMENTS MAY CHANGE OVER TIME. CONSIDER COMBINED MASS OF LOAD AND ACCESSORIES TO ENSURE GROSS VEHICLE MASS LIMITS ARE NOT EXCEEDED.

FUEL CONSUMPTION RESULTS ACHIEVED IN ADR81/02 FUEL CONSUMPTION TESTING. RESULTS PRODUCED IN LABORATORY TEST CONDITIONS, USING SAMPLE VEHICLES WITHOUT FITMENT OF ACCESSORIES/CUSTOMISATION, AND DO NOT REFLECT REAL WORLD DRIVING. FIGURES SHOULD ONLY BE USED FOR COMPARATIVE PURPOSES.

*LEATHER ACCENTED FEATURES AND UPHOLSTERY MAY CONTAIN SYNTHETIC MATERIAL.

IMPORTANT NOTICE - JAC AUTO (PICKUP) ENSURES THE MATERIAL IS ACCURATE AT THE TIME OF PUBLISHING. ALL INFORMATION MUST BE CONFIRMED WITH YOUR JAC MOTORS DEALER AT THE TIME OF ORDERING, AS SPECIFICATIONS, APPLICABILITY AND AVAILABILITY MAY CHANGE OVER TIME.

JAC AUTO (PICKUP) RESERVES THE RIGHT TO CHANGE AND/OR DISCONTINUE, WITHOUT NOTICE, MODELS, PRICES, COLOURS, MATERIALS, EQUIPMENT, SPECIFICATIONS TO THE EXTENT PERMITTED BY LAW, JAC AUTO (PICKUP) WILL NOT BE LIABLE FOR ANY DAMAGE OR LOSS INCURRED FROM RELYING ON THE INFORMATION AND IMAGES CONTAINED IN THIS MATERIAL.