

Hyundai i30 Sedan N Line - MY24		
Engine	SmartStream G1.6 T-GDi	
Engine family	G4FIII	
Configuration	Transverse front mounted driving front wheels	
Cylinder capacity	1.6 litres (1,598 cc)	
Number of cylinders	4 in-line	
/alve system	16 Valve (HLA), Double Overhead Cam (DOHC), Continuously Variable Valve Duration (CVVD)	
ntake system	Tuned Intake System (TIS), Turbocharger	
Maximum power	150 kW @ 6,000 RPM	
Maximum torque	265 Nm @ 1,500 - 4,500 RPM	
uel system	T-GDi (Turbo Gasoline Direct Injection)	
Fuel type	91 RON (ULP), E10 compatible	
Emissions standard	Euro 5	
Bore x stroke	75.6 mm x 89.0 mm	
Compression ratio	10:1	
Fransmission	SmartStream G1.6 T-GDi	
ransmission family	D7UF1-2	
Dual Clutch Transmission (DCT)	Smartstream 7DCT	
Gear ratio	DCT	
st	3.643	
2nd	2.174	
Brd	1.826	
lth .	1.024	
ith	0.809	
6th	0.854	
7th	0.717	
Reverse	4.696	
Final	4.643 (1st, 2nd, 4th, 5th) 3.611 (3rd, 6th, 7th, Reverse)	
Steering	SmartStream G1.6 T-GDi	
Гуре	Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion	
Minimum turning circle diameter between kerbs / walls	10.8 m	
Number of steering wheel turns lock to lock	2.41	
Suspension	SmartStream G1.6 T-GDi	
Front	Macpherson Strut	
Rear	Multi-link	

**Key:**• = Feature included as standard on trim − = Feature is not available on trim

Notes:

1. Apple CarPlay™ requires iPhone 5 or subsequent model (lightning cable) in order to operate. 2. Android Auto® requires a device with Android 5.0 operating system or subsequent version in order to operate. 3. Finishes specified as leather may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof. 4. Wireless charging requires a Qi-enabled smartphone or adapter in order to operate.

Hyundai i30 Sedan N Line - MY24		
Brakes	SmartStream	G1.6 T-GDi
System	Dual-diagonal, split-circuit, power assisted	
Booster	with Electronic Brake-force Distribution (EBD)	
ront brake type	Vacuum Booster (Tandem)  Ventilated disc	
ront disc dimensions	305 mm x	
Rear brake type		
Rear disc dimensions	Solid disc 284 mm x 10 mm	
Veight	SmartStream G1.6 T-GDi	
erb weight - lightest		
Cerb weight - heaviest	1340 kg	
Gross Vehicle Mass (GVM)	1385 kg	
· · ·	1850 kg SmartStream G1.6 T-GDi	
owing capacity Braked		
	1100 kg	
Inbraked	610	· ·
Maximum towball weight uel consumption*	75 F	<u> </u>
<del></del>	SmartStream 18	
Vheel size		
Combined (L/100km)	6.6	
Irban (L/100km)	8.6	
xtra Urban (L/100km)	5.5	
CO <sub>2</sub> - combined (g/km)	155	
Fuel tank volume	47 L y combined average city and highway cycle test. Real world fuel consumption will vary depending on a	
combination of driving habits, the condition of the vehicle, a conditions. ADR 81/02 test results are meant for comparisor	and other factors such as road, traffic and weather a purposes only.	
Powertrain availability	N Line	N Line Premium
martStream G1.6 T-GDi	• NII in a	N Lina Duantium
imensions	N Line	N Line Premium
xterior	4710	4710
ength	4710 mm	4710 mm
/idth	1825 mm	
leight	1420	1825 mm
	1420 mm	1420 mm
	2720 mm	1420 mm 2720 mm
Vheel track - front / rear	2720 mm 1566 mm / 1581 mm	1420 mm 2720 mm 1566 mm / 1581 mm
Vheel track - front / rear Ninimum ground clearance (based on kerb weight)	2720 mm	1420 mm 2720 mm
Vheel track - front / rear finimum ground clearance (based on kerb weight) nterior	2720 mm 1566 mm / 1581 mm 140 mm	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm
Wheel track - front / rear Minimum ground clearance (based on kerb weight) nterior lead room front / rear	2720 mm 1566 mm / 1581 mm 140 mm 1030 / 947 mm	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm 989 / 947 mm
Vheel track - front / rear  finimum ground clearance (based on kerb weight)  nterior  lead room front / rear  eg room front / rear	2720 mm 1566 mm / 1581 mm 140 mm 1030 / 947 mm 1074 / 964 mm	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm 989 / 947 mm 1074 / 964 mm
Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Ilead room front / rear  eg room front / rear  houlder room front / rear	2720 mm 1566 mm / 1581 mm 140 mm 1030 / 947 mm 1074 / 964 mm 1434 / 1412 mm	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm 989 / 947 mm 1074 / 964 mm 1434 / 1412 mm
Wheel track - front / rear  finimum ground clearance (based on kerb weight)  nterior  lead room front / rear  eg room front / rear  houlder room front / rear  argo area - VDA	2720 mm 1566 mm / 1581 mm 140 mm 1030 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm 989 / 947 mm 1074 / 964 mm 1434 / 1412 mm
wheel track - front / rear finimum ground clearance (based on kerb weight) interior lead room front / rear eg room front / rear houlder room front / rear largo area - VDA wheels & tyres	2720 mm 1566 mm / 1581 mm 140 mm 1030 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L N Line	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm 989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L N Line Premium
/heel track - front / rear  finimum ground clearance (based on kerb weight)  nterior  lead room front / rear  eg room front / rear  houlder room front / rear  argo area - VDA  /heels & tyres  //heel type	2720 mm 1566 mm / 1581 mm 140 mm  1030 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L N Line Alloy	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy
/heel track - front / rear  finimum ground clearance (based on kerb weight)  nterior  lead room front / rear  leag room front / rear  houlder room front / rear  argo area - VDA  /heels & tyres  /heel type /heel dimensions	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56
/heel track - front / rear  finimum ground clearance (based on kerb weight)  nterior  lead room front / rear  lead room front / rear  houlder room front / rear  largo area - VDA  /heels & tyres  /heel type /heel dimensions /yre dimensions	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56  235/40R18 95Y	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56 235/40R18 95Y
/heel track - front / rear linimum ground clearance (based on kerb weight) nterior ead room front / rear eg room front / rear houlder room front / rear argo area - VDA /heels & tyres /heel dimensions yre dimensions yre brand	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56
Wheel track - front / rear  finimum ground clearance (based on kerb weight)  nterior  lead room front / rear  lead room front / rear  houlder room front / rear  largo area - VDA  Wheels & tyres  Wheel dimensions  yre dimensions  yre brand	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56  235/40R18 95Y	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56 235/40R18 95Y
Wheel track - front / rear  finimum ground clearance (based on kerb weight)  nterior  lead room front / rear  eg room front / rear  houlder room front / rear  targo area - VDA  Wheel & tyres  Wheel type  Wheel dimensions  yre dimensions  yre brand  pare wheel type	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56  235/40R18 95Y  Goodyear Eagle F1	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56 235/40R18 95Y Goodyear Eagle F1
/heel track - front / rear  /finimum ground clearance (based on kerb weight)  /terior  /ead room front / rear  /eag room front / rear  /houlder room front / rear  /rear argo area - VDA  //heels & tyres  //heel dimensions  //ree dimensions  //ree brand  pare wheel type  pare wheel dimensions	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56  235/40R18 95Y  Goodyear Eagle F1  Space saver	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56 235/40R18 95Y Goodyear Eagle F1 Space saver
Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Idead room front / rear  Idead roo	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56  235/40R18 95Y  Goodyear Eagle F1  Space saver  16 x 4.0J +30	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56 235/40R18 95Y Goodyear Eagle F1 Space saver 16 x 4.0J +30
Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  Head room front	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56  235/40R18 95Y  Goodyear Eagle F1  Space saver  16 x 4.0J +30  T125/80 D16 97M	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56 235/40R18 95Y Goodyear Eagle F1 Space saver 16 x 4.0J +30 T125/80 D16 97M
Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Shoulder room front / rear Cargo area - VDA Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Tyre brand Expare wheel type Expare wheel dimensions Expare tyre tyre tyre tyre tyre tyre tyre ty	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56  235/40R18 95Y  Goodyear Eagle F1  Space saver  16 x 4.0J +30  T125/80 D16 97M	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56 235/40R18 95Y Goodyear Eagle F1 Space saver 16 x 4.0J +30 T125/80 D16 97M
Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Cargo area - VDA Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Tyre dimensions Tyre brand Capare wheel type Spare wheel dimensions Capare tyre dimensions Capare tyre dimensions Capare Spare Spare Wheel dimensions Capare Wheel dimensions Capare Wheel dimensions Capare Spare Wheel dimensions Capare Spare Spar	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56  235/40R18 95Y  Goodyear Eagle F1  Space saver  16 x 4.0J +30  T125/80 D16 97M  N Line	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56 235/40R18 95Y Goodyear Eagle F1 Space saver 16 x 4.0J +30 T125/80 D16 97M N Line Premium
Wheel track - front / rear  Minimum ground clearance (based on kerb weight)  Interior  Head room front / rear  Leg room front / rear  Shoulder room front / rear  Cargo area - VDA  Wheels & tyres  Wheel type  Wheel dimensions  Tyre dimensions  Tyre brand  Spare wheel type  Spare wheel dimensions  Spare tyre dimensions  Cartive safety  Electronic Stability Control (ESC) including;  Anti-lock Braking System (ABS)  Brake Assist System (BAS)	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56  235/40R18 95Y  Goodyear Eagle F1  Space saver  16 x 4.0J +30  T125/80 D16 97M  N Line	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56 235/40R18 95Y Goodyear Eagle F1 Space saver 16 x 4.0J +30 T125/80 D16 97M N Line Premium
Wheelbase Wheel track - front / rear Minimum ground clearance (based on kerb weight) Interior Head room front / rear Leg room front / rear Cargo area - VDA Wheels & tyres Wheel type Wheel dimensions Tyre dimensions Tyre dimensions Tyre brand Spare wheel type Spare wheel dimensions Spare tyre dimensions Spare tyre dimensions Electronic Stability Control (ESC) including; Anti-lock Braking System (ABS) Brake Assist System (BAS) Electronic Brakeforce Distribution (EBD) Hill-start Assist Control (HAC)	2720 mm  1566 mm / 1581 mm  140 mm  1030 / 947 mm  1074 / 964 mm  1434 / 1412 mm  474 L  N Line  Alloy  18 x 8.0J +56  235/40R18 95Y  Goodyear Eagle F1  Space saver  16 x 4.0J +30  T125/80 D16 97M  N Line	1420 mm 2720 mm 1566 mm / 1581 mm 140 mm  989 / 947 mm 1074 / 964 mm 1434 / 1412 mm 474 L  N Line Premium Alloy 18 x 8.0J +56 235/40R18 95Y Goodyear Eagle F1 Space saver 16 x 4.0J +30 T125/80 D16 97M N Line Premium

Traction Control System (TCS) Vehicle Stability Management (VSM)

Hyundai i30 Sedan N Line - MY24		
Hyundai SmartSense™ including;		
Blind-Spot Collision-Avoidance Assist (BCA)	•	•
Blind-Spot View Monitor (BVM)	-	•
Driver Attention Warning (DAW), including; - Leading Vehicle Departure Alert	•	•
Forward Collision-Avoidance Assist (FCA 1.5) including: - Car / Powered two-wheeler / Pedestrian / Cyclist detection	•	•
<ul><li>Direct Oncoming function (FCA - DO)</li><li>Junction Turning function (FCA - JT)</li></ul>		
High Beam Assist (HBA)	•	•
Intelligent Speed Limit Assist (ISLA)	•	•
Lane Following Assist (LFA)	•	•
Lane Keeping Assist - Line/Road-edge (LKA-L/R)	•	•
Parking Collision-Avoidance Assist - Rear (PCA-R)	-	•
Rear Cross-Traffic Collision-Avoidance Assist (RCCA)	•	•
Rear Occupant Alert (ROA) - logic type	•	•
Safe Exit Warning (SEW)	•	•
Smart Cruise Control with Stop & Go (SCC w/ S&G)	•	•
Other features		
Emergency Stop Signal (ESS)	•	•
Manual Speed Limit Assist (MSLA)	•	•
Parking Distance Warning - Forward/Reverse (PDW-F/R) - 4 sensors front & rear with cluster guidance display	•	•
Surround View Monitor (SVM) camera including; - 3D Surround View function - Front view, rear view, front/rear side view - Top down view w/tailgate guide lines, trailer connection mode, car wash entering mode - Front/rear wide view function - w/ image view on command - Parking Distance Warning - Forward/Reverse (PDW-F/R) function w/ dynamic guidelines & guidance display	-	•
Rear View Monitor (RVM) camera w/ dynamic guidelines, including; - Top down view w/ tailgate guide lines, trailer connection mode - Rear wide view function - rear view image on command - Parking Distance Warning - Forward/Reverse (PDW-F/R) function & guidance display	•	-
Steering wheel with Haptic feedback - SmartSense™ functions	•	•
Tyre Pressure Monitoring System (TPMS) - individual	_	•
tyre pressure readout	•	
Passive safety	N Line	N Line Premium
Airbags		
Front airbags - driver & front passenger	•	•
Side (thorax) airbags - driver & front passenger	•	•
Side curtain airbags	•	•
Doors		
Impact sensing auto door unlock	•	•
Rear door child safety locks	•	•
Seatbelts		
Emergency Locking Retractors (ELR) - all seating positions	•	•
Pre-tensioners - all seating positions	•	•
Height adjustable upper mounts - front	•	•
Seat belt reminder - all seating positions	•	•

Hyundai i30 Sedan N Line - MY24		
Seating		
Height adjustable head restraints - all seating		
positions	•	•
SOFIX child restraint anchors - 2x (rear outboard		
seats)	•	•
Top tether child restraint anchors - 3x (rear seats)	•	•
Security	N Line	N Line Premium
Security system		
Active lock/unlock operation (user configurable)	•	•
Anti-theft alarm	•	•
Central locking	•	•
Engine immobiliser	•	•
Remotes		
Keyless entry remote - 2x	<u>-</u>	_
Smart Key remote - 2x including;	•	•
Emergency key blade - 2x	•	•
Bluelink® connected car service	N Line	N Line Premium
/ehicle functions	IN LINE	N Line Flemium
Automatic Collision Notification (ACN)	-	•
mergency Call (SOS) function	-	•
Connected Routing - server based navigation	-	•
Valet Mode function - restricted infotainment control	-	•
/oice Control - server based & natural voice ecognition, including; vehicle controls, information, command & control	-	•
Calendar integration (Google, iCloud) & vehicle	-	•
Veather forecast information	-	•
Remote functions		
Alert Services - set geo-fencing, valet, speed/time	-	•
Remote functions - door lock/unlock, hazard warning ights, horn	-	•
Remote climate control - windscreen defog and neated side mirrors operation, including;	-	•
leated seat and steering wheel operation	-	•
Remote services		
Navigation - destination send to car, find my car, my		_
rips	-	•
/ehicle status & notifications - remote functions uccessful/unsuccessful, locking status, climate	-	•
control status		
Iultimedia system	N Line	
	IN LINE	N Line Premium
udio/media sources	N Line	N Line Premium
	•	N Line Premium  •
M / FM radio		
M / FM radio igital radio (DAB+)		
M / FM radio Digital radio (DAB+) Upple CarPlay™ & Android Auto®² compatibility	•	
M / FM radio Digital radio (DAB+) Apple CarPlay™1 & Android Auto®2 compatibility Bluetooth® audio streaming	•	
M / FM radio  Digital radio (DAB+)  Digital	•	
M / FM radio Digital radio (DAB+) Apple CarPlay™ & Android Auto® compatibility Bluetooth® audio streaming Counds of Nature - 7 pre-set sounds USB A-type multimedia input - inc. music - 1x (centre onsole)	•	
M / FM radio  ligital radio (DAB+)  pple CarPlay™ & Android Auto®² compatibility  luetooth® audio streaming  ounds of Nature - 7 pre-set sounds  ISB A-type multimedia input - inc. music - 1x (centre onsole)  unctions  luetooth® Multi-Connection; 1 x phone/audio & 1 x	•	
AM / FM radio Digital radio (DAB+) Apple CarPlay™ & Android Auto® compatibility Bluetooth® audio streaming Bluetooth® nultimedia input - inc. music - 1x (centre onsole) Functions Bluetooth® Multi-Connection; 1 x phone/audio & 1 x udio Bluetooth® Message Access Profile (MAP) - SMS	•	
AM / FM radio Digital radio (DAB+) Apple CarPlay™ & Android Auto®² compatibility Bluetooth® audio streaming Bluetooth® audio streaming Bluetooth® nultimedia input - inc. music - 1x (centre onsole) Functions Bluetooth® Multi-Connection; 1 x phone/audio & 1 x udio Bluetooth® Message Access Profile (MAP) - SMS Bluetooth® Message Access Profile (MAP) - SMS	•	
aM / FM radio  Digital radio (DAB+)  Apple CarPlay™ & Android Auto® compatibility  Bluetooth® audio streaming  Dounds of Nature - 7 pre-set sounds  Bluetooth® multimedia input - inc. music - 1x (centre onsole)  Unctions  Bluetooth® Multi-Connection; 1 x phone/audio & 1 x udio  Bluetooth® Message Access Profile (MAP) - SMS  Blayback capability; audio & visual  Capacitive touch screen - 8.0" display, blue light filter  Capacitive touch screen - 10.25" display, blue light	• • • • • • • • • •	
M / FM radio  ligital radio (DAB+)  pple CarPlay™ & Android Auto®² compatibility  lluetooth® audio streaming  ounds of Nature - 7 pre-set sounds  ISB A-type multimedia input - inc. music - 1x (centre onsole)  unctions  lluetooth® Multi-Connection; 1 x phone/audio & 1 x udio  lluetooth® Message Access Profile (MAP) - SMS layback capability; audio & visual  lapacitive touch screen - 8.0" display, blue light filter capacitive touch screen - 10.25" display, blue light lter, split screen function  quiet Mode function - Audio volume limited to '5' in	• • • • • • • • • •	
M / FM radio  ligital radio (DAB+)  pple CarPlay™1 & Android Auto®2 compatibility  lluetooth® audio streaming  ounds of Nature - 7 pre-set sounds  ISB A-type multimedia input - inc. music - 1x (centre onsole)  unctions  lluetooth® Multi-Connection; 1 x phone/audio & 1 x udio  lluetooth® Message Access Profile (MAP) - SMS layback capability; audio & visual  lapacitive touch screen - 8.0" display, blue light filter capacitive touch screen - 10.25" display, blue light lter, split screen function  luiet Mode function - Audio volume limited to '5' in ront and muted in rear	• • • • • • • • • •	
a.M / FM radio Digital radio (DAB+) Digital radio	• • • • • • • • • •	
Audio/media sources  AM / FM radio Digital radio (DAB+) Apple CarPlay <sup>TM1</sup> & Android Auto <sup>®2</sup> compatibility Bluetooth® audio streaming Sounds of Nature - 7 pre-set sounds  JSB A-type multimedia input - inc. music - 1x (centre console) Functions Bluetooth® Multi-Connection; 1 x phone/audio & 1 x sudio Bluetooth® Message Access Profile (MAP) - SMS solayback capability; audio & visual Capacitive touch screen - 8.0" display, blue light filter Capacitive touch screen - 10.25" display, blue light litter, split screen function Quiet Mode function - Audio volume limited to '5' in ront and muted in rear Radio Data System (RDS) Gatellite navigation Live traffic updates (Bluelink®)	• • • • • • • • • •	

Notes:
1. Apple CarPlay™ requires iPhone 5 or subsequent model (lightning cable) in order to operate. 2. Android Auto® requires a device with Android 5.0 operating system or subsequent version in order to operate. 3. Finishes specified as leather may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof. 4. Wireless charging requires a Qi-enabled smartphone or adapter in order to operate.

peakers		
udio system - 6 speakers	•	-
ose™ premium audio system - 8 speakers with	-	•
xternal amplifier	Nilina	N. Lina Dramium
riving convenience uto Hold function	N Line	N Line Premium
lectronic Parking Brake (EPB)	•	•
ntegrated Memory System (IMS), includes:	•	-
driver's seat positions (excluding lumbar)	-	•
asy Access function - driver's seat	-	•
ne touch turn signal - 3, 5, or 7 flashes	•	•
ain sensing windscreen wipers	•	•
emote start - via Smart Key	•	•
mart Key with push button start	•	•
teering wheel mounted controls - audio, favourite, hone, voice control, lane safety, smart cruise control, ip computer	•	•
ilt & telescopic steering column	•	•
ersonalised User Profile selection - 3 custom rofiles; Driver 1, Driver 2 & Guest	-	•
riving engagement	N Line	N Line Premium
rive Mode - 4 settings (Normal, Eco, Sport, Smart)	•	•
addle shifters - steering wheel mounted	•	•
ccupant comfort & convenience	N Line	N Line Premium
pholstery/trim		
remium cloth seats	-	-
eather <sup>3</sup> appointed seats	•	•
eather <sup>3</sup> appointed steering wheel & gear shift knob ront seats	•	•
river's seat - height adjustable (manual)	•	-
river's seat - power lumbar support - 2-way	-	•
river's seat - power adjustable - 10-way (including ımbar)	-	•
river's seat - seat position change alert (multimedia /stem display)	-	•
2V power outlet - 1x (centre console)	•	•
SB C-type power outlet - 1x (centre console)	•	•
/ireless charging pad (Qi standard) <sup>4</sup> - 1x (centre possole)	•	•
rip handle - 1x (passenger)	•	•
Line exclusive sports seats with extended bolsters	•	•
ear seats		
entre fold down armrest	•	•
rip handles - 2x SB C-type power outlets - 2x (rear centre console)	•	•
/indows/shades		-
lass sunroof - tilt and slide panel		•
plar control glass		•
ne touch window up & down function with anti-		
nching safety feature - driver's window onvenience opening/closing driver window function	•	•
keyless entry remote operated	•	-
Smart Key remote operated  un visors - with vanity mirror; driver and front	•	•
assenger, includes;  extendable sun visors	•	•
pors/boot/tailgate	•	•

lyundai i30 Sedan N Line - MY24		
ision & sight	N Line	N Line Premium
nterior mirror		
Electro Chromatic Mirror (ECM) - auto-dimming	•	•
Exterior mirrors		
Heated	•	•
Power adjustable	•	•
Power folding - with auto fold upon door lock	•	•
Welcome mirror function - auto unfold upon door	•	•
ınlock / driver approach		
nstrument cluster/driving displays		
nstrument cluster - 4.2" colour TFT-LCD display with analogue gauges, including:		
B x display themes; Theme A, B, C	-	-
nstrument cluster - 10.25" colour TFT-LCD full screen		
digital display, including:	•	•
x display themes; Classic A, B, C, Cube		
/entilation & heating	N Line	N Line Premium
vir conditioning		
Manual controls, including;	-	-
Auto internal air circulation function; windscreen		_
vasher based		
Auto Dehumidify function	-	-
Dual Zone Climate control, including;	•	•
Auto control; 3-level fan (low, medium & high)	•	•
Auto internal air circulation function; windscreen	•	•
vasher based	_	
auto Defog function	•	•
Auto Dehumidify function	•	•
Rear cooling/heating floor ducts - 2x	•	•
Rear cooling/heating air vents - 2x; centre console	•	•
Front seats		
Heated seats	-	•
/entilated seats	-	•
Heated steering wheel	-	•
Auto Comfort Control - auto activation of driver's	-	•
neated/ventilated seat & heated steering wheel		
Other features	_	
Cabin air filter	•	•
Heated rear window - with timer	• NICE	N. Live Donnel
exterior styling	N Line	N Line Premium
\ Line		
I Line exclusive front bumper	•	•
I Line exclusive front grille inserts - gloss black	•	•
I Line exclusive rear bumper	•	•
I Line exclusive rear diffuser - gloss black	•	•
V Line exclusive boot lip spoiler - gloss black	•	•
I Line exclusive side skirts - gloss black	•	•
Beltline moulding - gloss black	•	•
Mirror caps - gloss black	•	•
Oual exhaust tips - chrome	•	•
Other features		
oof aerial - gloss black (shark fin type)	•	•
nterior finishes	N Line	N Line Premium
eather <sup>3</sup> appointed finish - door trim inserts & front	•	•
• •		
loor armrests		_
loor armrests Gloss black centre console trim	•	•
loor armrests	•	•

Hyundai i30 Sedan N Line - MY24		
N Line		
N Line exclusive sports steering wheel	•	•
N Line exclusive sports gear knob	•	•
N Dark Metal painted inserts (centre console door		
handles, front upper speaker grilles, and steering	•	•
wheel)		
Coloured stitching and inserts - red (seats, steering	•	•
wheel, gear knob, and gear shift boot) Black headlining	_	
Sports pedals - alloy	•	•
Lighting	N Line	N Line Premium
Exterior lighting - front	IN LITTE	N Line Premium
Daytime Running Lights (DRL) - LED	•	•
Headlight functions - automatic dusk sensing with escort and welcome	•	•
Headlight levelling device - manual type	•	•
Headlight lighting source - LED (low/high beam)	•	•
Headlight type - Multi Face Reflector (MFR)	-	-
Headlight type - Dual projector beam	•	•
ndicator lights - LED	•	•
Positioning lights - LED	•	•
Exterior lighting - rear		_
Positioning light - LED; full width	•	•
Stop lights - LED	•	•
Exterior lighting - others		,
Courtesy lights - LED, in front door handles	•	•
ndicator lights - LED; integrated into side mirrors	•	•
nterior lighting - front		
Ambient mood lighting - LED; dashboard, including: Adjustable colours & brightness; 10 pre-set and up to 64 colour choices	-	•
Front room lights and map lights	•	
/anity mirror lights	•	
nterior lighting - rear		-
Centre room light	•	•
nterior lighting - others		
Cargo area light	•	•
nterior light fade-out delay	•	•
Storage solutions	N Line	N Line Premium
Front seats	TV EITIG	N Ellie Freihlan
Bottle holders - doors	•	•
Cup holders - centre console; 2x (adjustable)	•	•
Glovebox compartment	•	•
Map pockets - doors	•	•
Storage pocket - centre console left side	•	•
icket holders - sun visors; 2x	•	•
Rear seats		
Bottle holders - doors	•	•
Coat hook - 1x	•	•
Cup holders including phone slot - armrest; 2x	•	•
Front passenger seat back pocket - net type	•	•
Seat backrest - split folding (60:40)		