

SWIFT HYBRID



FOR FUN



FOR EVER



Pure White Pearl



Premium Silver Metallic[‡]



Mineral Grey Metallic[‡]



Super Black Metallic[‡]



Flame Orange Metallic[‡]



Burning Red Metallic[‡]



Frontier Blue Pearl
with Black Roof[‡]

[‡]Additional cost for premium/metallic paint and two-tone premium/metallic paint.


HYBRID



TECHNOLOGY


SHVS HYBRID SYSTEM

Save on fuel and spend on good times with Swift's SHVS hybrid system. Designed for enhanced energy efficiency, the environmentally-conscious approach uses an integrated starter generator (ISG) and a high-efficiency lithium-ion battery with excellent charging and power supply performance.




HEARTECT PLATFORM

The smoothly-curving frame increases underbody stiffness to help ensure excellent fundamental vehicle performance. In addition, it also contributes to collision safety by efficiently dispersing impact energy.




ENGINE

The Swift's new 1.2-litre petrol engine combines outstanding fuel efficiency with impressive low-end torque for quick, responsive acceleration. It is also equipped with a number of advanced features that help suppress emissions.




1



ENGINE AUTOMATIC STOP

Eliminates unnecessary fuel consumption
When stopped at an intersection or in traffic, the engine shuts down to conserve fuel.


2



ENGINE RESTART

Electric motor restarts engine
The ISG functions as a starter motor to ensure smooth, quiet engine restarts.


3



STANDING STARTS & ACCELERATION

Electric motor assist
Electric motor power assist reduces fuel consumption during standing starts and acceleration.


4



CRUISING

Battery recharging
The ISG uses engine power to recharge the lead-acid and lithium-ion batteries as needed.

5



DECELERATION

Braking energy regeneration
The ISG uses the kinetic energy of deceleration to generate electricity for battery charging.

DRIVER-ORIENTED



DESIGN



INTERIOR AMENITIES

With comfortable seating and a full range of amenities, the Swift makes every trip enjoyable. There are storage areas to keep small items organised and close-to-hand, as well as cup and bottle holders.



LUGGAGE AREA

The luggage area features a wide and low opening for easy loading and unloading. In addition, the foldable, 60/40 split rear seat backs let you configure the luggage area to suit your needs.




FRONT SEATS

Drive in comfort forever, with dynamically-sculpted and cushioned front seats. Designed with cushioning at the shoulder and sides with geometric, patterned upholstery, you and your copilot will be counting smiles-per-hour.



ACCESSORY AND USB SOCKETS

Stay connected with a DC12V accessory and a USB socket. Hybrid Plus and GLX models also offer USB sockets for mobile charging (Type-A 2.4Ah, Type-C 3.0Ah), and the GLX model offers wireless phone charging.



9-INCH DISPLAY AUDIO SYSTEM

The display audio system is subtly angled toward the driver for easy viewing and touch control operation. The interface can be easily customised to display navigation information or the rearview camera image.



METER CLUSTER

The sporty and stylish meter cluster is equipped with an LCD panel that lets you view a wide range of information at a glance, including average and current fuel consumption, driving range, posted speed limits and warnings from the advanced safety and assistive driving systems.




AIR CONDITIONER

Stay cool in the GLX with a digital control panel and automatic temperature control air conditioner. Hybrid and Hybrid Plus models are equipped with an air conditioner with a digital control panel and manually-selectable air conditioning modes.

ADVANCED




FEATURES



DUAL SENSOR BRAKE SUPPORT II (DSBS II)

Millimetre-wave radar and a monocular camera are employed to detect vehicles, bicycles, and pedestrians directly or diagonally ahead of the vehicle. If a collision seems possible, audio and visual warnings are issued to alert the driver. If the driver brakes with insufficient force, brake assist automatically engages to help slow the vehicle. If the probability of a collision increases, the system automatically applies brake force to help reduce impact force and mitigate damage.



Detect before passing traffic signs

Display after passing traffic signs




TRAFFIC SIGN RECOGNITION (TSR)

Icons of recognised signs are displayed on the information display. Speed limit icons flash on and off if the speed limit is exceeded, and an audio alert sounds if the posted speed continues to be exceeded.




HILL HOLD CONTROL



When starting out on an uphill incline, hill hold control prevents the vehicle from rolling backward for approximately two seconds, to give drivers time to move their foot from the brake pedal to the accelerator pedal.




REVERSE PARKING SENSORS



Ultrasonic sensors in the rear bumper detect obstacles when reversing, and a warning beep sounds to indicate the obstacle's proximity.



BLIND SPOT MONITORING (BSM)



BSM uses millimetre-wave radar sensors in the rear bumper to detect vehicles located in, or approaching, the rear blind spots on either side of the vehicle. When a vehicle is detected, a warning icon appears in the door mirror on the same side that the vehicle is approaching. If the driver activates the turn signal on that side, the icon flashes and an audible warning sounds.



REAR CROSS TRAFFIC ALERT (RCTA)



RCTA is a supplementary safety feature that uses millimetre-wave radar sensors to detect and warn of vehicles approaching from either the left or the right when backing out of a parking space or garage.



LANE KEEP ASSIST (LKA)

When adaptive cruise control is activated, LKA helps the driver maintain the vehicle's position in the centre of the lane. In addition, if it senses that an adjacent vehicle or structure such as a temporary roadwork barrier or other obstacle is too close to the driver's vehicle, it provides steering assistance to help maintain a safe distance.



LANE DEPARTURE PREVENTION (LDP)

When driving, LDP detects the left and right lane demarcation lines and predicts the vehicle's path. If the vehicle begins to drift from the lane due to driver inattention, the system alerts the driver by sounding an audio alert or vibrating the steering wheel. If the system determines there is still a high probability of lane departure, it provides steering assistance to help the driver return to the centre of the lane.



ADAPTIVE CRUISE CONTROL (ACC)

ACC helps reduce driver fatigue on long trips and in everyday traffic, and is linked to the Traffic Sign Recognition system to help drivers comply with speed limits. When engaged, the system uses millimetre-wave radar and a monocular camera to measure the distance to the vehicle ahead, accelerating or decelerating as needed to maintain a set distance. If the road ahead is clear, it will maintain the speed the vehicle was traveling when the switch was engaged.



HIGH BEAM ASSIST


When the headlamps are on high beam and there are oncoming or preceding vehicles in front, or if the car is being driven in a well-lit area, the headlamps automatically switch to low beam. The headlamps automatically return to high beam when there are no oncoming or preceding vehicles in front of the car, or when the surrounding area is poorly lit. (Active only at speeds above 40 km/h.)

SPECIFICATIONS

MODEL	SWIFT HYBRID		SWIFT HYBRID PLUS	SWIFT HYBRID CLX
POWERTRAIN	M/T	CVT	CVT	CVT
Engine	1.2L Mild Hybrid			
Number of cylinders	3			
Number of valves	12			
Piston displacement (cm³)	1197			
Bore x stroke (mm)	74.0 x 92.8			
Compression ratio	13.0			
Maximum output (kW/rpm)	61 / 5700			
Maximum torque (Nm/rpm)	112 / 4500			
Fuel distribution	Multipoint injection			
Fuel tank capacity (L)	37			
DIMENSIONS				
Overall length (mm)	3,860			
Overall width (mm)	1,735			
Overall height (mm)	1,520			
Wheelbase (mm)	2,450			
Tread — front (mm)	1530 (175/65R15)	1520 (185/55R16)		
Tread — rear (mm)	1530 (175/65R15)	1520 (185/55R16)		
Minimum turning radius (m)	4.8			
Minimum ground clearance (mm)	115			
Seating capacity	5			
Luggage capacity (L)	Max. volume	980		
	Rear seatback folded	589		
	Rear seatback raised	265		
Kerb weight (kg)	919	957		
Gross vehicle weight (kg)	1,365	1,389		
TRANSMISSION				
Type	5MT	CVT		
Gear ratio	1st	3.5454	2.500 ~ 0.392	
	2nd	1.9047		
	3rd	1.24		
	4th	0.9062		
	5th	0.6969		
	Reverse	3.2727	2895	
Final gear ratio	4.2941	5643		
FUEL CONSUMPTION				
Fuel consumption (L/100km)	3.8*	4.0*		
CO2 emissions (G/km)	85	90		
CHASSIS				
Steering	Rack & Pinion			
Brakes	Front	Ventilated disc		
	Rear	Drum, leading & trailing		
Suspension	Front	MacPherson strut with coil spring		
	Rear	Torsion beam with coil spring		
EXTERIOR				
Front grille	Piano black			
Outside door handles	Body coloured			
Side under spoilers	Std			
Roof end spoiler	Std			
Tailgate opener	Electromagnetic			
WHEELS				
Tyres (width/profile)	175/65R15	185/55R16		
Wheel size	15"	16"		
Wheel type	Steel	Alloy	Polished alloy	
Spare	Tyre Repair Kit			

MODEL	SWIFT HYBRID	SWIFT HYBRID PLUS	SWIFT HYBRID CLX
SAFETY			
ABS with EBD function	Std		
ESC	Std		
Dual Sensor Brake Support (DSBS)*	Std		
Adaptive cruise control	Std		
Lane departure warning*	Std		
Lane keeping assist*	Std		
Lane departure prevention*	Std		
Weaving alert*	Std		
Blind spot monitor*	—	Std	
Traffic sign recognition*	Std		
Rear cross traffic alert*	—	Std	
Reverse camera	Std		
Reverse parking sensors	Std		
Security alarm	Std		
VISIBILITY			
Headlamps	LED projector		
Headlamp levelling device	Std		
Automatic lamps	Std		
High Beam Assist	Std		
Privacy glass	—	Std	
Wipers:			
Front: 2 speeds (low, high) + adjustable intermittent + washer			
Rear: 1 speed + intermittent + washer	Std		
Outside door mirrors:			
Styling	Body-coloured		
Electrically adjustable	Std		
Heated	Std		
With built-in turn signal	—		Std
With electronic folding	—		Std
STEERING AND INSTRUMENT PANEL			
3-spoke steering wheel:			
Leather covered	—	Std	
With audio controls	Std		
With cruise control	Std		
With hands-free phone control	Std		
With paddle shift	—		Std
Tilt-adjust	Std		
Telescopic-adjust	Std		
Information display	LCD		
Digital speedometer	Std		
Digital clock	Std		
Outside temperature display	Std		
DRIVING AMENITIES			
Keyless entry and push-start system	Std		
Air conditioner	Std	Climate control	
Heated front seats	—	Std	
Engine Auto Stop Start System	Std		
Wireless phone charging	—	Std	
9 inch infotainment system	Std		
Apple CarPlay® & Android Auto™	Std		
Wireless Apple CarPlay®	Std		
Satellite navigation	Std		
DAB radio	Std		

DIMENSIONS



BUILD AND
PRICE



YOUR
SUZUKI

*ADR 81/02 results for auto transmission. *ADR 81/02 results for turbo auto transmission. NEDC Fuel Consumption figures may not match real-life driving conditions and should be considered for comparison against other vehicles only. Apple CarPlay® is a registered trademark of Apple Inc. Android Auto is a trademark of Google Inc.

#AEB is designed to support the driver only in emergency situations. The driver remains responsible for the vehicle at all times. The lane departure warning and weaving alert only function when the vehicle is moving at speeds of approximately 60km/h or higher.

GET THE MOST OUT OF YOUR SUZUKI

At Suzuki we make it easy to own and enjoy your new car every day

WARRANTY



Enjoy peace of mind with 5 year /
unlimited kilometre warranty*

SERVICE



Suzuki Genuine Service program
offers competitive pricing for your
vehicle over 5 years or 100,000km.
Service intervals every 12 months
or 15,000 kilometres.~

ROADSIDE ASSISTANCE



5 years Roadside Assistance~
= 5 years of confidence.

SUZUKI PREMIER MOTOR INSURANCE



Comprehensive cover for your Suzuki
vehicle, using Suzuki Genuine Parts
and your choice of repairer.~

SUZUKISECURE



SuzukiSecure* puts you in control
when buying your new Suzuki, so
you're set up for the future you want.

HEY SUZI



Book your service any time, instantly
with Suzuki's 24/7 AI assistant.



*Kilometre limits for commercial vehicles. ~Further terms apply; visit [suzuki.com.au](https://www.suzuki.com.au) ~All new Suzuki vehicles include up to 5 years of Roadside Assistance. The Roadside Assistance program will re-new annually for a period up to 5 years conditional to customers returning to their Suzuki dealer for scheduled servicing and following the terms and conditions of Suzuki's Genuine Service Program for their vehicle. Further details of the program can be found here: <https://www.suzuki.com.au/owners/servicing> Further details of the Roadside Assistance program can be found here: <https://www.suzuki.com.au/owners/roadside> ~Suzuki Premier Motor Insurance is issued by Allianz Australia Insurance Limited ABN 15 000 122 850. Policy terms, conditions, limits and exclusions apply. Before making a decision please consider the Product Disclosure Statement (PDS). The PDS and Target Market Determination are available by calling us on 1300 132 107. ~Approved applicants only. T&Cs apply. Suzuki Financial Services is a division of Australian Alliance Automotive Finance Pty Limited ABN 63 002 407 703. Australian Credit Licence 513747.

All care is taken to ensure the accuracy of this brochure at the time of publication approval. Specifications, features, prices and model availability may vary from state to state and may change without notice. Always consult your authorised Suzuki Dealer or refer to [suzuki.com.au](https://www.suzuki.com.au) for the latest details on all models. SUZUKI will not be held liable for any loss as a result of reliance on the content of this brochure, whether in negligence or otherwise. Vehicles are shown for illustrative purposes only and may not depict exact Australian specifications.

Published February 2025. SUZ687v1.0