



Choose the 3.2L diesel engine with 6-speed auto transmission or the extraordinary 2.0L Bi-Turbo engine with 10-speed auto that delivers 157kW of power and 500Nm of peak torque, with greater engine refinement and outstanding fuel economy. RWD or 4WD, five seats or seven, the Everest is ready to discover what lies beyond the road's end.

Stand out on the road with Everest Sport

The Everest Sport adds more attitude and style including 20" black alloy wheels, black mesh grille with 3D Bonnet Badge and striking black front and rear bumpers. Black roof rails and black exterior

mirrors deliver an even sportier and more energetic SUV suitable for every occasion.




help keep the family moving.

Welcome to the world of Ford connectivity

Every Everest will arrive fitted with an embedded modem. Using the FordPass App on your mobile device,9. you can locate your vehicle, 10. lock and unlock the doors, and even start the engine remotely to heat or cool the cabin to the last





FordPass App appearance as at May 2021 with nimum iOS 13.0 software or later and compatible device.

Prestige Paint is an option that incurs an additional charge ^Available on all models except Sport



Arctic White



Alabaster White^{*}



Aluminium²



Deep Crystal Blue

in front, it will slow down the vehicle too.















*This accessory is a Supplier Branded Accessory & is not manufactured or warranted by Ford. The warranty is provided by the manufacturer of the accessory. The information in this document relating to this accessory is based on information provided by the manufacturer of the accessory. #This accessory is a Ford Licensed Accessory & is covered by the Ford Express Parts & Accessories Warranty. ** 3rd Row Floor mats only available on 7 seater vehicles

1. Maximum towing capacity using a Genuine Ford tow pack. Subject to State and Territory regulations. To comply with these limits, occupants and / or luggage may need to be restricted. For further details regarding passenger and luggage $restrictions, please consult your authorised Ford Dealer and / or refer to the Owner's Manual. \ \ \textbf{2}. Hands-Free Power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations, determining if the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations, determining if the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations, determining if the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations, determining if the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations, determining if the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations, determining if the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations, determining if the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations and the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations are the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations are the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing off-road situations are the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing of the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing of the power Tailgate is available on Sport and Titanium. \ \ \textbf{3}. The driver is responsible for assessing of the power Tailgate is available of the power Tailgate is available on Sport$ terrainis passable and using appropriate off-road driving techniques. 4. To activate Rock mode, the vehicle must be stationary and in 4WD low range. Mud, Grass or Snow mode does not replace the need to fit chains if required. 5. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or incertain driving, road or weather conditions. 6. Maintaining a steady speed of not more than the properties of the properties o7km/h. 7.5 seats standardin Ambiente models. 7 seats optional. 7 seats standardin Trend. Sport and Titanium. Leather Accented Seats excludes 3rd row. 8. Premium Packis available at an additional cost on Trend. Sport and Titanium models. 9. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees, The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. 10. Vehicle Locator only available when Vehicle Location setting is on. 11. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 12. Proper functioning requires use of Diesel Exhaust Fluid (AdBlue®) which must be refilled periodically. 13. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that this fuel consumption figure will be achieved in real world driving conditions. Actual fuel consumption will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 14. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use, Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 15. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. & is under license. Some phones not compatible. 16. Traffic Message Channel is currently provided through an arrangement with Intelematics Australia Pty Ltd (Intelematics). The ongoing provision of this feature cannot be guaranteed if Ford's arrangements with Intelematics cease for any reason. 17. Not all SYNC®3 features are compatible with all phones, for full compatibility list see www.ford.com.au/sync. 18. Needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 19.7 Seat Ambiente option includes 5 child seat anchor points. 5 Seat Ambiente includes 3. 20. Kerb mass includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb mass. 21. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 22. Measure laden to roof, base vehicle not including panoramic sunroof.







Big Towing Capacity

Be ready for any task, no matter how big. Everest Trend, Sport and Titanium models with the Bi-Turbo diesel engine can tow even heavier loads with a maximum rated towing capability of 3,100kg.¹

Hands-Free Power Tailgate

No more rummaging for your keys, hands-free power tailgate^{2.} makes access to your Everest load compartment easy, even when your hands are full. Kick your foot under the rear bumper and the hands-free power tailgate opens and closes automatically.

Panoramic Power Sunroof

Open up your world and experience life under clear blue skies with a glass panoramic sun roof that comprises nearly 50% of the Everest Titanium's roof space and includes a powered sun blind.



Terrain Management System

Tackle any surface; on-road or off, at the turn of a dial. With Terrain Management System on 4WD models you can shift modes to maximize traction and stability whether you're on snow, mud, grass, sand, rock or road.



Autonomous Emergency Braking (AEB) with pedestrian protection

This feature is designed to scan the traffic ahead and warn you if it senses the possibility of a collision with traffic or pedestrians. If a collision is likely, it can apply the brakes.⁵



Extraordinary Capability

The Everest 4WD will confidently wade through water up to 800mm deep⁶ and with a high ground clearance of 227mm. Uphill isn't a battle either, thanks to Hill Launch Assist.⁵ And on the way back, Hill Descent Control.⁵



between cargo and people. Folding and unfolding seats are made easy with the Premium Pack's® power folding 3rd row seats.

Everest 2021.75MY specifications. Visit ford.com.au for full specification details and available accessories.

Engine		Ambiente 3.2L Diesel RWD / 4WD	Trend 3.2L Diesel 4WD	Trend 2.0L Bi-Turbo Diesel RWD / 4WD	Sport 3.2L Diesel 4WD	Sport 2.0L Bi-Turbo Diesel RWD/4WD	Titanium 2.0L Bi-Turbo Diesel 4WD
Bore x Stroke (mm)		89.9 x 100.76	89.9 x 100.76	84.01 x 90.00	89.9 x 100.76	84.01 x 90.00	84.01 x 90.00
Engine Size (cm₃)		3198	3198	1996	3198	1996	1996
Number of Cylinders		5 Cylinder	5 Cylinder	4 Cylinder	5 Cylinder	4 Cylinder	4 Cylinder
Fuel Management System				Turbocharged Direct C			
Maximum Power	1	43kW @ 3000rpm	143kW @ 3000rpm	157kW @ 3750rpm	143kW @ 3000rpm	157kW @ 3750rpm	157kW @ 3750r
Maximum Torque		470Nm @ 1750-2500rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	470Nm @ 1750-2500rpm	500Nm @ 1750-2000rpm	500Nm @ 1750-2000rpi
No. of Valves		20	20	16	20	16	16
Selective Catalytic Reduction (SCR) – Usi	ng AdBlue®12.	S	S	S	S	S	S
Engine Auto Start/Stop		-	-	S	-	S	S
Fransmission (kg), Fuel Economy & Em	issions						
Automatic Transmission		6-Speed	6-Speed	10-Speed	6-Speed	10-Speed	10-Speed
CO ₂ Emissions (g/km) ^{13.} Combined Fuel Economy (L/100km) ^{13.}		221 / 224 8.4 / 8.5	224 8.5	178 / 184 6.9 / 7.0	224 8.5	178 / 184	7.0
Fuel / Fuel Tank Capacity (Litres)		0.4 / 6.5 Diesel / 80	Diesel / 80	0.97 7.0 Diesel / 80	Diesel / 80	0.977.0 Diesel / 80	Diesel / 80
Audio and Connectivity		Dieset7 00	Dieset7 00	Dieset / 00	Dieset7 00	Dieset7 00	Dieset / 00
2 x USB Integration ports 8" Capacitive Touch Screen Apple CarPlay, Android Auto™ & Applink® 4. Bluetooth® Integration S		DAB+/AM/FM Radio Dual 4.2" Colour Instrumentation Screens Dual Antenna System MyKey™ Control System		FordPass - embedded modem ^{9,} Satellite Navigation with Voice Control Traffic Message Channel ^{16,}		 SYNC®3 Connectivity System w Applink® & Enhanced Voice Cor Windscreen Mounted USB Port 	
Number of Speakers	• Bluetouti" integration—	8 Speakers	8 Speakers	8 Speakers	8 Speakers	8 Speakers	10 Speakers
Comfort and Convenience	20.51	0 1 10					- · · · · · · · · · · · · · · · · · · ·
standard features including:	 30 Stowage Areas (totalling 48L) Dual Zone Climate Control 	 Overhead Cons Sunglass Holde 	ole with Map Lights & r	Follow-Me-HorPollen Filter	me Lighting	 Smart Keyles Push Button S 	s Entry with Start/Stop
electrochromatic Rear View Mirror		-	S	S	S	S	S
Floor Mats		Driver Only	Front	Front	Front	Front	Front & Rear
ront Sunvisors with Illuminated Vanity Mi	rror		S	S	S	S	S
eather Wrapped Steering Wheel & Gear Shifter		-	S	S	S	S	S
Ambient Lighting & Illuminated Front Scuf	f Plates Check	-	-	-	-	-	S
eather Trimmed Handbrake		-	-	-	-	-	S
anoramic Power Sunroof with Power Blin	nd .	-	-	-	-	-	S
uspension			Solid Rear Axle Suspe	nsion with Watt's Linka	ge & Independent Front	Suspension System	
xterior							
Vheels		17" Alloy	18" Alloy	18" Alloy	20" Alloy	20" Alloy	20" Alloy
hrome Finish Side Mirrors & Door Handle	es	-	-	-	-	-	S
ront Grille Finish		Satin Silver	Chrome	Chrome	Black	Black	Chrome
unning Boards		S	S	S	S	S	Chrome Finis
	Headlamp Levelling & Daytime Running Lights	S	-	-	-	-	-
i-LED Headlamps with Auto Headlamp L	eveling & LED Daytime Running Lights	-	S	S	S	S	S
ower Tailgate		-	S	S	-	-	-
lands-Free Power Tailgate		-	-	-	S	S	S
ower Side Mirrors with Powerfold	18.18.1	S	-	-	-	-	-
Power Side Mirrors with Powerfold, Heater	and Puddle Lamps	-	S	S S	S	S	S
Privacy Glass – 2nd and 3rd Row		-	S	5	S	5	S
Safety, Security & Driver Assistance	7.4.1		5 5 11		4 1 1 10		0 5
7 Airhags Adjustable Speed Limiter Standard features including: Auto On/Off Headlamps Auto High Beam Control		 Autonomous Emergency Braking (AEB) - with pedestrian protection⁵ Beltminder[™] System (Ist & 2nd row occupants) Electronic Power Assisted Steering (EPAS) Lane Departure Warning⁵ Lane Keeping Ald⁵ 		 Rear View Camera^{5.} Traffic Sign Recognition⁵ Trailer Pre-Wiring Volumetric Alarm with B Backup System 			
Dynamic Stability Control (DSC) Incorpora	ating ^{5.}	■ Anti-Lo	ock Braking System (ABS)	 Rollover Mitigation 	n ■ Trailer Sway Contr	ol • Traction Control	System
	ating ^{5.}	• Anti-Lo	ock Braking System (ABS) -	 Rollover Mitigation 	n • Trailer Sway Contr -	rol • Traction Control -	System -
Cruise Control Adaptive Cruise Control with Forward Col			- S	- S	- S	- S	- S
ruise Control Idaptive Cruise Control with Forward Col Driver Alert System		S - -	- S S	- S S	- S S	- S S	- S S
cruise Control Edaptive Cruise Control with Forward Col Driver Alert System Park Assist Sensors	lision Alert ^{s.}	S	- S	- S	- S	- S	- S
cruise Control Idaptive Cruise Control with Forward Col Priver Alert System Park Assist Sensors Electronic Locking Rear Differential, Hill D	lision Alert ^{s.}	S - -	- S S	- S S	- S S	- S S	- S S
Cruise Control Adaptive Cruise Control with Forward Col Driver Alert System Park Assist Sensors Electronic Locking Rear Differential, Hill D errain Management System ⁴	lision Alert ^{s.} escent Control ^{s.} &	S - - Rear	- S S Front & Rear	S S Front & Rear	- S S Front & Rear	- S S Front & Rear	S S Front & Rear
ruise Control daptive Cruise Control with Forward Col briver Alert System fark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System*. ctive Park Assist (Semi-Auto Parallel Pa tlind Spot Monitoring System (BLIS) with	lision Alert ^{s.} escent Control ^{s.} & rk Assist) ^{s.}	S - - Rear 4WD only	- S S Front & Rear S	S S Front & Rear 4WD only	S S Front & Rear S	S S Front & Rear 4WD only	- S S Front & Rear S S
cruise Control Adaptive Cruise Control with Forward Col Driver Alert System Park Assist Sensors Electronic Locking Rear Differential, Hill D Errain Management System Citive Park Assist (Semi-Auto Parallel Pa Blind Spot Monitoring System (BLIS) with	lision Alert ^{s.} escent Control ^{s.} & rk Assist) ^{s.}	S Rear 4WD only	- S S Front & Rear S	- S S Front & Rear 4WD only	S S S Front & Rear S	- S S Front & Rear 4WD only	- S S Front & Rear S
cruise Control Adaptive Cruise Control with Forward Col Driver Alert System Park Assist Sensors Lectronic Locking Rear Differential, Hill D Errain Management System Active Park Assist (Semi-Auto Parallel Pa Blind Spot Monitoring System (BLIS) with Tyre Pressure Monitoring System Leating	lision Alert ^{s.} escent Control ^{s.} & rk Assist) ^{s.}	S Rear 4WD only	- S S Front & Rear S - -	- S S Front & Rear 4WD only	- S S Front & Rear S - -	- S S Front & Rear 4WD only - -	S S Front & Rear S S S
cruise Control idaptive Cruise Control with Forward Col priver Alert System Arik Assist Sensors electronic Locking Rear Differential, Hill D ierrain Management System Active Park Assist (Semi-Auto Parallel Pa Blind Spot Monitoring System (BLIS) with yre Pressure Monitoring System ieating Seats (with 3rd row seat) ⁷	llsion Alert ^{s.} escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.}	S Rear 4WD only	- S S Front & Rear S - -	- S S S Front & Rear 4WD only S	- S S S Front & Rear S S	- S S Front & Rear 4WD only S	- S S Front & Rear S S S
ruise Control daptive Cruise Control with Forward Col priver Alert System fark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System citive Park Assist (Semi-Auto Parallel Pa filind Spot Monitoring System (BLIS) with yive Pressure Monitoring System ieating Seats (with 3rd row seat) ² nd Row Seat with 60:40 Split-Fold Seat	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.}	S Rear 4WD only 0	- S S S Front & Rear S S S S S S S S S S S S	- S S S Front & Rear 4WD only S S S S S S S S S S S S S S	- S S S Front & Rear S S S S S S S S S S S S S S	- S S Front & Rear 4WD only S S S	S S Front & Real S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col priver Alert System fark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ctive Park Assist (Semi-Auto Parallel Pa filind Spot Monitoring System (BLIS) with yre Pressure Monitoring System leating Seats (with 3rd row seat)? Ind Row Seat with 60:40 Split-Fold Seat rd Row Seat with 50:50 Split-Fold Seat	escent Control ^s . & rk Assist) ^{s.} 1 Cross-traffic Alert ^{s.} Back	S Rear 4WD only O S	- S S S Front & Rear S S S S S S S S S S S S	S S S Front & Rear 4WD only S S S S S S S S S S S S S	- S S S Front & Rear S S S S S S S S S S S S S	- S S Front & Rear 4WD only S S S S	- S S S Front & Real S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col briver Alert System fark Assist Sensors lectronic Locking Rear Differential, Hill D lectronic Park Assist (Semi-Auto Parallel Pa lilind Spot Monitoring System (BLIS) with yre Pressure Monitoring System leating Seats (with 3rd row seat) ⁷ nd Row Seat with 60:40 Split-Fold Seat I'd Row Seat with 50:50 Split-Fold Seat Child Seat Anchor Points (with 2 ISOIX,	escent Control ^s . & rk Assist) ^{s.} 1 Cross-traffic Alert ^{s.} Back	S	- S S S Front & Rear S S S S S S S S S S S S S	- S S S Front & Rear 4WD only S S S S S S S S S S S S S S S	- S S Front & Rear S S S S S S S S S S S	- S S Front & Rear 4WD only S S S S S	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col briver Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D lectronic Park Assist (Semi-Auto Parallel Pa lllind Spot Monitoring System (BLIS) with yre Pressure Monitoring System leating Seating Seats (with 3rd row seat) ⁷² nd Row Seat with 60:40 Split-Fold Seat I'd Row Seat with 50:50 Split-Fold Seat Child Seat Anchor Points (with 2 ISOIX I- Way Power Adjust Driver Seat	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Anchors in the 2nd row) ^{12.}	S Rear 4WD only 0 S O O	- S S Front & Rear S S S S S S S S S S S S	- S S Front & Rear 4WD only S S S S S S S S S S S S S S S	- S S Front & Rear S	- S S Front & Rear 4WD only S S S S S S S	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ ctive Park Assist (Semi-Auto Parallel Pa lind Spot Monitoring System (BLIS) with yre Pressure Monitoring System eating Seats (with 3rd row seat) ² nd Row Seat with 60:40 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat Child Seat Anchor Points (with 2 ISOIX) -Way Power Adjust Driver Seat -Way Manual Adjustable Front Passenge	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Anchors in the 2nd row) ^{12.}	S Rear 4WD only	- S S Front & Rear S S S S S S S S S S S S S S	- S S S Front & Rear 4WD only S S S S S S S S S S S S S S S	- S S S Front & Rear S S S S S S S S S S S S S	- S S Front & Rear 4WD only S S S S S S S S S S S S S S S	- S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa llind Spot Monitoring System (BLIS) with yre Pressure Monitoring System seating Seats (with 3rd row seat) ⁷ . nd Row Seat with 60:40 Split-Fold Seat I'rd Row Seat with 50:50 Split-Fold Seat Child Seat Anchor Points (with 2 ISOIX)Way Power Adjust Driver SeatWay Manual Adjustable Front Passenge leated Front Seats	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S	- S S Front & Rear S S S S S S S S S S S S S S	S S Front & Rear 4WD only S S S S S S S S S S	- S S Front & Rear S	- S S Front & Rear 4WD only S S S S S S S S S S S S S S	- S S S Front & Real S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System lark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System lind Spot Monitoring System (BLIS) with yive Pressure Monitoring System leating Seats (with 3rd row seat) 7. Ind Row Seat with 60:40 Split-Fold Seat I'd Row Seat with 50:50 Split-Fold Seat Child Seat Annor Points (with 2 ISOIXWay Power Adjust Driver SeatWay Manual Adjustable Front Passenge leated Front Seats leather Accented Seats (excludes 3rd row	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S Rear 4WD only	- S S Front & Rear S S S S S S S S S S S S S S	- S S Front & Rear 4WD only S S S S S S S S S S S S S S S	- S S S Front & Rear S S S S S S S S S S S S S	- S S Front & Rear 4WD only S S S S S S S S S S S S S S S	- S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System fark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System citive Park Assist (Semi-Auto Parallel Pa filind Spot Monitoring System (BLIS) with yer Pressure Monitoring System ieating Seats (with 3rd row seat) ² nd Row Seat with 60:40 Split-Fold Seat rd Row Seat with 50:50 Split-Fold Seat Child Seat Anchor Points (with 2 ISOIXWay Power Adjust Driver SeatWay Manual Adjustable Front Passenge leated Front Seats eather Accented Seats (excludes 3rd row fowing & Vehicle Masses (kg)	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S	- S S Front & Rear S S S S S S S S S S S S S S S S	- S S S Front & Rear 4WD only	S S Front & Rear S S S S S S S S S S S S S S S S	- S S Front & Rear 4WD only S S S S S S S S S S S S S S	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System fark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ctive Park Assist (Semi-Auto Parallel Pa filind Spot Monitoring System (BLIS) with yre Pressure Monitoring System ieating Seats (with 3rd row seat) nd Row Seat with 60:40 Split-Fold Seat rd Row Seat with 50:50 Split-Fold Seat Child Seat Anchor Points (with 2 ISOIX, -Way Power Adjust Driver Seat -Way Manual Adjustable Front Passenge leated Front Seats eather Accented Seats (excludes 3rd row lowing & Vehicle Masses (kg) iross Combined Mass Incl. Braked Trailer	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S	- S S S Front & Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S S	- S S Front & Rear 4WD only S S S S S S S S S S S S S S	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control idaptive Cruise Control with Forward Col iriver Alert System lark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa ltind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System seating Seats (with 3rd row seat) ² . Ind Row Seat with 60:40 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat: Child Seat Anchor Points (with 2 ISOIX)Way Power Adjust Driver SeatWay Manual Adjustable Front Passenge leated Front Seats eather Accented Seats (excludes 3rd row lowing & Vehicle Masses (kg) iross Combined Mass Incl. Braked Trailer ivid	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S	- S S Front & Rear S S S S S S S S S S S S S S S S S	- S S S Front & Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S S S S S	- S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control idaptive Cruise Control with Forward Col iriver Alert System lark Assist Sensors lectronic Locking Rear Differential, Hill D ierrain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa ltind Spot Monitoring System (BLIS) with yre Pressure Monitoring System seating Seats (with 3rd row seat) ⁷ . Ind Row Seat with 60:40 Split-Fold Seat I rd Row Seat with 60:40 Split-Fold Seat Child Seat Anchor Points (with 2 ISOIX). Way Power Adjust Driver Seat Way Manual Adjustable Front Passenge leated Front Seats eather Accented Seats (excludes 3rd row fowing & Vehicle Masses (kg) iross Combined Mass Incl. Braked Trailer VM erb Weight ²⁰ .	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S	- S S S Front & Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S S	- S S Front & Rear 4WD only S S S S S S S S S S S S S S	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control idaptive Cruise Control with Forward Col iriver Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa llind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System seating Seats (with 3rd row seat) ⁷ . nd Row Seat with 60:40 Split-Fold Seat. Ird Row Seat with 50:50 Split-Fold Seat. Ird Row Seat with 50:50 Split-Fold Seat. Valy Power Adjust Driver SeatWay Manual Adjustable Front Passenge leated Front Seats eather Accented Seats (excludes 3rd row owing & Vehicle Masses (kg) bross Combined Mass Incl. Braked Trailer iVM erb Weight ²⁰ . Maximum Front Axle Load	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S Rear 4WD only	- S S Front & Rear S S S S S S S S S S S S S S S S	- S S Front & Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S S	- S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control idaptive Cruise Control with Forward Col iriver Alert System lark Assist Sensors lectronic Locking Rear Differential, Hill D ierrain Management System4. Idind Spot Monitoring System (BLIS) with iyre Pressure Monitoring System (BLIS) with iyre Pressure Monitoring System leating Seats (with 3rd row seat)7. Ind Row Seat with 60:40 Split-Fold Seat Ird Row Seat with 50:50 Split-Fold Seat Child Seat Anchor Points (with 2 ISOIX 1-Way Power Adjust Driver Seat 1-Way Manual Adjustable Front Passenge leated Front Seats leated Front Seats eather Accented Seats (excludes 3rd row lowing & Vehicle Masses (kg) licross Combined Mass Incl. Braked Trailer ivid lerb Weight ²⁰ flaximum Front Axle Load flaximum Rear Axle Load	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System fark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System citive Park Assist (Semi-Auto Parallel Pa filind Spot Monitoring System (BLIS) with yive Pressure Monitoring System feating Seats (with 3rd row seat) 2 nd Row Seat with 60:40 Split-Fold Seat rd Row Seat with 60:40 Split-Fold Seat rd Row Seat with 50:50 Split-Fold Seat Child Seat Anth 50:50 Split-Fold Seat Child Seat Adjustable Front Passenge feated Front Seats -Way Manual Adjustable Front Passenge feated Front Seats eather Accented Seats (excludes 3rd row fowing & Vehicle Masses (kg) front Seats with Grant Seats eather Accented Seats (excludes 3rd row fowing & Vehicle Masses (kg) front Seats from Weight 20 faximum Front Axle Load faximum Front Axle Load faximum Towing Capacity - Braked 1.	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S	- S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control idaptive Cruise Control with Forward Col iriver Alert System lark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa ltind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System seating Seats (with 3rd row seat) ⁷² . dr Row Seat with 60:40 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat I rd	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Real S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ ctive Park Assist (Semi-Auto Parallel Pa lind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System eating Seats (with 3rd row seat) ² . and Row Seat with 60:40 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat I child Seat Anchor Points (with 2 ISOIX)Way Power Adjust Driver Seat -Way Manual Adjustable Front Passenge eated Front Seats eather Accented Seats (excludes 3rd rov owing & Vehicle Masses (kg) ross Combined Mass Incl. Braked Trailer VM erb Weight ²⁰ . laximum Front Axle Load laximum Towing Capacity - Braked 1. ayload ²¹ . linimum Running (Ground) Clearance	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S Rear 4WD only	- S S Front & Rear S S S S S S S S S S S S S S S S	- S S S Front & Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S S	- S S S Front & Rear 4WD only	- S S S Front & Real S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ^a . ctive Park Assist (Semi-Auto Parallel Pa llind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System eating Seats (with 3rd row seat) ² . and Row Seat with 60:40 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat Child Seat Anchor Points (with 2 ISOIX)Way Power Adjust Driver Seat -Way Manual Adjustable Front Passenge eated Front Seats eather Accented Seats (excludes 3rd row owing & Vehicle Masses (kg) ross Combined Mass Incl. Braked Trailer VM erb Weight ²⁰ . laximum Front Axle Load laximum Rear Axle Load laximum Rear Axle Load laximum Rouning Capacity - Braked ¹ . ayload ²¹ . linimum Running (Ground) Clearance //ater Wading Ability ⁶ .	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Back Anchors in the 2nd row) ¹⁸ .	S Rear 4WD only	- S S Front & Rear S S S S S S S S S S S S S S S S	- S S S Front & Rear 4WD only	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S S S S S
ruise Control idaptive Cruise Control with Forward Col iriver Alert System lark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa llind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System leating Seats (with 3rd row seat) ⁷ . nd Row Seat with 60:40 Split-Fold Seat in rd Row Seat with 50:50 Split-Fold Seat. Ichild Seat Anchor Points (with 2 ISOIX)Way Power Adjust Driver SeatWay Manual Adjustable Front Passenge leated Front Seats eather Accented Seats (excludes 3rd row fowing & Vehicle Masses (kg) irross Combined Mass Incl. Braked Trailer ivM erb Weight ²⁰ . flaximum Front Axle Load flaximum Front Axle Load flaximum Towing Capacity - Braked ¹ . flayload ²¹ . flinimum Running (Ground) Clearance Vater Wading Ability ⁶ . Targo Capacities	escent Control ⁵ . & escent Control ⁵ . & rk Assist) ⁵ . n Cross-traffic Alert ⁵ . Back Back Anchors in the 2nd row) ¹⁹ . er Seat	S Rear 4WD only	- S S Front & Rear S S S S S S S S S S S S S S S S	- S S Front & Rear 4WD only	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa lind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System eating Seats (with 3rd row seat) ² . nd Row Seat with 60:40 Split-Fold Seat in rd Row Seat with 50:50 Split-Fold Seat in rd Row Seat with 50:40 Split-Fold Seat in rd Row Seat in rd Ro	llsion Alert 5. escent Control 5. & rk Assist) 5. n Cross-traffic Alert 5. Back Back Anchors in the 2nd row) 19. er Seat v)	S Rear 4WD only	- S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Rear S S	- S S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa lind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System eating Seats (with 3rd row seat) ⁷ . nd Row Seat with 60:40 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat I rd Row Seat I rd Row Seat With 50:50 Split-Fold Seat I rd Row S	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Anchors in the 2nd row) ^{12.} er Seat v)	S Rear 4WD only	- S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System lark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System lith Spot Monitoring System (BLIS) with yive Pressure Monitoring System (BLIS) with yive Pressure Monitoring System leating Seats (with 3rd row seat) 7. Ind Row Seat with 60:40 Split-Fold Seat I'd Row Seat with 50:50 Split-Fold Seat I'd Row Seat Mith 50:50 Split-Fold Seat I'd Row Seat With 50:50 Split-Fold Seat I'd Row Sea	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Anchors in the 2nd row) ^{12.} er Seat v)	S Rear 4WD only	- S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ ctive Park Assist (Semi-Auto Parallel Pa lind Spot Monitoring System (BLIS) with yre Pressure Monitoring System eating Seats (with 3rd row seat) ² . Mark Row Seat with 60:40 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat I rd Row Seat Wath Split-Fold Seat I rear Child Seat Anchor Points (with 2 ISOIXWay Power Adjust Driver Seat -Way Manual Adjustable Front Passenge leated Front Seats eather Accented Seats (excludes 3rd row owing & Vehicle Masses (kg) ross Combined Mass Incl. Braked Trailler VM erb Weight ²⁰ laximum Front Axle Load laximum Font Axle Load laximum Towing Capacity - Braked I laximum Towing Capacity - Braked I layload ²¹ . linimum Running (Ground) Clearance vater Wading Ability 6 largo Capacities argo Volume behind First Row (2-seat m argo Volume behind First Row (7-seat m argo Volume behind Third Row (7-seat m actory Fitted Options	escent Control ^s . & rk Assist) ^{s.} n Cross-traffic Alert ^{s.} Back Back Anchors in the 2nd row) ^{12.} er Seat v)	S Rear 4WD only	- S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control idaptive Cruise Control with Forward Col iriver Alert System lark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System lective Park Assist (Semi-Auto Parallel Pa ltind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System leating Seats (with 3rd row seat) ² . Ind Row Seat with 60:40 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat I rd Row Seat With Split-Fold Seat I rear Row Seat With Split-Fold Seat I rear Row Seat With Split-Fold Seat I rear Row Seat Well Split-Fold Seat I rear Row Well Split-Fol	escent Control ⁵ . & rk Assist) ⁵ . n Cross-traffic Alert ⁵ . Back Back Anchors in the 2nd row) ¹⁸ . er Seat v) ode) ²² . t mode) ²² . t mode) ²² .	S Rear 4WD only	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa lind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System eating Seats (with 3rd row seat) ² . nd Row Seat with 60:40 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat I rd Row Seat with 50:50 Split-Fold Seat Child Seat Anchor Points (with 2 ISOIX)Way Power Adjust Driver SeatWay Manual Adjustable Front Passenge leated Front Seats eather Accented Seats (excludes 3rd row owing & Vehicle Masses (kg) vross Combined Mass Incl. Braked Trailer VM erb Weight ²⁰ . laximum Front Axle Load laximum Front Axle Load laximum Rear Axle Load laximum Rour Axle Load laximum Front Axle Load laximum Footh Axle Load	escent Control ⁵ . & rk Assist) ⁵ . n Cross-traffic Alert ⁵ . Back Back Anchors in the 2nd row) ¹⁹ . er Seat v) ode) ²² . t mode) ²² . t mode) ²² . ats and Full Size Spare Alloy Wheel	S	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rear S S	- S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa lind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System eating Seats (with 3rd row seat) ² . nd Row Seat with 60:40 Split-Fold Seat. Ird Row Seat with 50:50 Split-Fold Seat. Volid Seat Anchor Points (with 2 ISOIX)Way Power Adjust Driver Seat -Way Manual Adjustable Front Passenge leated Front Seats eather Accented Seats (excludes 3rd row owing & Vehicle Masses (kg) pross Combined Mass Incl. Braked Trailer VM erb Weight ²⁰ . Iaximum Front Axle Load Iaximum Rear Axle Load Iaximum Towing Capacity - Braked ¹ . alaximum Towing Capacity - Braked 1. alaximum Rouning (Ground) Clearance Vater Wading Ability ⁶ . argo Capacities argo Volume behind First Row (2-seat margo Volume behind Third Row (7-seat margo Volume Dehind Third Row (8-seat margo Volume Dehind Third Row (8-seat margo Volume De	escent Control ⁵ . & rk Assist) ⁵ . n Cross-traffic Alert ⁵ . Back Back Anchors in the 2nd row) ¹⁹ . er Seat v) ode) ²² . t mode) ²² . t mode) ²² . ats and Full Size Spare Alloy Wheel	S	- S S S Front & Rear S S S S S S S S S S S S S S S S	- S S S Front & Rear 4WD only	- S S S Front & Rear S S	- S S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
Cruise Control Adaptive Cruise Control with Forward Col Driver Alert System Arak Assist Sensors Electronic Locking Rear Differential, Hill D Ferrain Management System Active Park Assist (Semi-Auto Parallel Pa Blind Spot Monitoring System (BLIS) with Tyre Pressure Monitoring System Seating Seats (with 3rd row seat) The Row Seat with 60:40 Split-Fold Seat The Row Seat with 50:50 Split-Fold Seat The Row Seat With Split-Fold Seat The Row Seat With Split-Fold Seat The Row Seat Seat Seat Seat Seat Seat Seat Seat	escent Control ⁵ . & rk Assist) ⁵ . n Cross-traffic Alert ⁵ . Back Back Anchors in the 2nd row) ¹⁹ . er Seat v) ode) ²² . t mode) ²² . t mode) ²² . ats and Full Size Spare Alloy Wheel	S	- S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S S S S S	- S S S Front & Rear 4WD only	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
ruise Control daptive Cruise Control with Forward Col river Alert System ark Assist Sensors lectronic Locking Rear Differential, Hill D errain Management System ⁴ . ctive Park Assist (Semi-Auto Parallel Pa lind Spot Monitoring System (BLIS) with yre Pressure Monitoring System (BLIS) with yre Pressure Monitoring System eating Seats (with 3rd row seat) ² . nd Row Seat with 50:40 Split-Fold Seat: Ird Row Seat with 50:50 Split-Fold Seat: Ird Row Seat: Ird Row Seat with Split-Fold Seat: Ird Row Seat: Ird	escent Control ⁵ . & rk Assist) ⁵ . n Cross-traffic Alert ⁵ . Back Back Anchors in the 2nd row) ¹⁹ . er Seat v) ode) ²² . t mode) ²² . t mode) ²² . ats and Full Size Spare Alloy Wheel	S	- S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Rear S	- Somble - S	- S S S Front & Rea S S S S S S S S S S S S S S S S S S S
Dynamic Stability Control (DSC) Incorpora Cruise Control Adaptive Cruise Control Adaptive Cruise Control with Forward Col Driver Alert System Park Assist Sensors Electronic Locking Rear Differential, Hill D Ferrain Management System Active Park Assist (Semi-Auto Parallel Pa Blitting System (BLIS) with Tyre Pressure Monitoring System (BLIS) with Tyre Pressure Monitoring System Seating 7 Seats (with 3rd row seat) 72 Pond Row Seat with 60:40 Split-Fold Seat 18 Pond Row Seat with 50:50 Split-Fold Seat 18 Pond Row Seat With 60:40 Split-Fold Seat 18 Pond Row Seat 18 Pond R	escent Control ⁵ . & escent Control ⁵ . & rk Assist) ⁵ . n Cross-traffic Alert ⁵ . Back Back Anchors in the 2nd row) ¹⁸ . er Seat ode) ²² . t mode) ²² . ats and Full Size Spare Alloy Wheel ats • Alloy Wheel Lock Nut Set • Bonnet Protector Tinted (Not compatible with Bull Bar)	S	- S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Rear S	- S S Front & Rear 4WD only	- S S S Front & Rear S S S S S S S S S S S S S S S S S S S

FORD **SERVICE BENEFITS**

Our Commitment to You | Convenience, Reliability, And no nasty surprises. That's what service should be, And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do. Speak to your participating Ford Dealer today about how we can help you make the most out of your vehicle experience.



PER STANDARD A OR B SCHEDULED SERVICE FOR UP TO 4 YEARS/60,000KMS

Feel at ease knowing that when you purchase a new Everest, for eligible customers, the most you will pay is \$299 for items listed in an A or B standard service for the first 4 years or up to 60,000km, whichever comes first.2.



As a Ford owner you will receive a Five Year / Unlimited Kilometre Ford Express New Vehicle Warranty with your purchase.1 For details about this warranty please visit: www.ford.com.au/owners/warranties

Low Price Tyre Guarantee

We'll match competitor's price on selected tyres we stock.

























Service Loan Car3.



Brakes Price Promise3.



Service Calculator 3.



National Roadside Assistance & Auto Club Lifestyle Membership³



Low Price Tyre Guarantee³



Sat Nav Map Updates³



Vehicle Health Report



Genuine Ford Parts



Peace of Mind Service Inspection



Online Service Bookings

Now that's what Service should be.

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 3673) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please call 1300 13 13 30 or email askfleet@ford.com

Ford For Good

From supporting national causes to community volunteering, we take our social responsibility seriously. Find out more at ford.com.au/about/community

1. Warranty conditions apply, 5 year/unlimited km Ford Express New Vehicles Warranty applies to new, demonstrator and service loaner vehicles delivered from 1 May 2018, Our goods come with consumer guarantees that cannot be excluded under the Australian 1. Warranty conditions apply, 5 year/unlimited km Ford Express New Vehicles Warranty applies to new, demonstrator and service loaner vehicles delivered from I May 2018. Upr goods come with consumer guarantees that cannot be excluded under those guarantees. 2. Available rose participating Ford Dealers on 2019MY Fordura orwards, 2019MY Forcus onwards, 2019MY Forcus o

This brochure details specifications and features of the 2021,25MY Everest onwards Range. Some driver assistance features and safety features described in this brochure are designed to function using sensors, whose performance may be affected under certain weather or environmental conditions. Not all features will be available on the entire 2021.25 MY Everest onwards Range. Please visit our website www.ford.com.au for more information. The properties of the properties of

This brochure is designed to provide you with a general introduction to the Ford Products (including available optional equipment) referred to, and should be read in conjunction with the latest specification sheet. Image and Illustrations are for information purposes and are indicative only, Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.

*FORD MOTOR COMPANY OF AUSTRALIA PTY LIMITED. (A.B.N. 30 004 116 223) Registered Office: Level 1, 600 Victoria St. Richmond, Victoria 3121, Australia

Click to Request











