Transit Custom PHEV





2025.75MY Transit Custom PHEV

	Trend Long Wheelbase Van	Sport Short Wheelbase Van
Engine		-
Engine	2.5L Duratec	2.5L Duratec
Power - Maximum	86kW @ 4,500rpm	86kW @ 4,500rpm
Torque - Maximum	209Nm @ 3,000rpm	209Nm @ 3,000rpm
Cylinders	4	4
Electric Motor		
Power - Maximum	111kW @ 7,400rpm	111kW @ 7,400rpm
Torque - Maximum	320Nm @ 0 - 3,000rpm	320Nm @ 0 - 3,000rpm
Total System Output		
System Max Power - Maximum	171kW	171kW
Transmission		
CVT Powersplit Automatic	S	S
Column Mounted Transmission Stalk	S	S
Driveline		,
Wheelbase	LWB	SWB
Drivetrain	FWD	FWD
4 Drive Modes - Normal, Eco, Slippery, Tow/Haul	S	_
5 Drive Modes - Normal, Eco, Slippery, Tow/Haul, Sport	-	S
Fuel, Economy & Emissions ¹		
Fuel Type	Petrol	Petrol
Fuel Tank Capacity (L)	63	63
Combined Fuel Economy (L/100km)	1.7	1.7
CO ₂ Emissions (g/100km)	38	38
Electric Driving Energy Consumption (Wh/km)	197	197
Electric Driving Range (km)	54	54
Electric Vehicle - Battery & Charging		
Battery Type	NMC	NMC
Usable Battery (kWh)	11.8	11.8
Max Charge Rate AC	3.5kW	3.5kW
AC Estimated Charge Time 0-100% - 2.3kW (10A @ 230V)	7 hours	7 hours
AC Estimated Charge Time 0-100% - 3.5kW (15A @ 230V)	4 hours 15 minutes	4 hours 15 minutes
Brakes		
Front and Rear Disc Brakes	S	S
Electric Parking Brake	S	S
Suspension & Steering		
Independent Rear Suspension	S	S
Electric Power Assisted Steering	S	S
Wheels		
Wheel Size	6.5" x 16"	6.5" x 17"
Wheel Type	Steel with Wheel Cover	Directional Spoke Alloy in Matte Black
Tyre Size	215/65 R16C	215/60 R17C
Spare Wheel	Steel	Steel

	Trend Long Wheelbase Van	Sport Short Wheelbase Van
Exterior Design Features		
Single Sliding Side Load Door (LHS - Kerbside) (No Glazing)	S	S
Dual Sliding Side Load Doors (No Glazing)	0	0
Rear Twin Barn Doors (Wide Opening)	S	S
Rear Tailgate	0	0
Rear Window	S	S
Fixed Rear Panel (no rear window)	Р	_
Integrated Roof Racks ²	S	S
Power Adjustable & Fold Side Mirrors with Blind Spot Magnified View	S	_
Power Adjustable & Heated Side Mirrors with Auto Fold and Blind Spot Magnified View	_	S
Mudflaps - Front & Rear	S	_
Sport Body Kit	_	S
Rear Spoiler	_	S
Stripe Package	_	S
Seating		
Number of Seats	3	3
Cloth Seat Trim	S	_
Sports Trim with Blue Accent Stripes	_	S
Driver Seat - 8-Way Manual inc. Lumbar	S	_
Driver Seat - 10-Way Power inc. Lumbar	_	S
Single Passenger Seat	0	_
Dual Front Passenger Seats - Fixed	S	S
Driver Arm Rest	Single	Dual
Driver and Passenger (Outboard) Auto Heated Front Seats	S	S
Under Seat Stowage Compartment (Passenger Side)	S	S
Driver & Passengers Seat Occupancy Recognition	S	S
Lighting		
Automatic Dusk Sensing Headlights	S	S
Automatic High Beam Control	S	S
Halogen Daytime Running Lights	S	_
LED Daytime Running Lights	_	S
Halogen Reflector Headlamps	S	_
LED Headlights	_	S
Halogen Tail-lights	S	-
LED Tail-lights	_	S
High Mounted Stop Lamp	S	S
Manual Headlight Levelling	S	S
Rear Fog Lamps	S	S
Overhead Console Reading Light	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

1. Fuel consumption and emission as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. Electric driving range estimated using Worldwide Harmonised Light Vehicles Test Procedure (WLTP). 2. Weight capacity = 155kg when using all 3 cross bars. Weight capacity refers to dynamic load condition. 155kg load rating applies to loads applied evenly across all 3 cross bars, maximum load capacity loaded across 2 crossbars is 75kg. Refer to the vehicle's owner manual for further information.

2025.75MY Transit Custom PHEV

	Trend Long Wheelbase Van	Sport Short Wheelbase Van
Audio, Communication & Connectivity		
Colour Multi-Function Touch Screen Display - 13 inch	S	S
Colour Digital Instrument Cluster with Configurable Display - 12 inch	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included ³	S	S
Embedded Modem - 5G capable	S	S
FordPass Connect ⁴	S	S
Speakers	4	4
Digital Audio (DAB+) and FM Radio	S	S
Bluetooth® with Phone / Audio Streaming ⁵	S	S
SYNC®4 with Voice-Activated Controls ⁶	S	S
Steering Wheel Audio/Function Control	S	S
Wireless Apple CarPlay™ & Android Auto™7	S	S
Wireless Charging ⁸	S	S
USB-A - Instrument Panel	S	S
USB-C - Instrument Panel	S	S
USB-C - 2 x Drivers side dash & 2 x Upper glovebox	_	S
Auxiliary 12V Power Outlet - Instrument Panel	S	S
Digital Owners Manual	S	S
Comfort & Convenience		
Climate Control - Single Zone	S	_
Climate Control - Dual Zone	_	S
Automatic Rain-Sensing Windshield Wipers	S	S
Quickclear Heated Windscreen	S	S
Fold Down Tray Table (Back of Centre Passenger Seat)	S	S
Illuminated Step - Driver & Passenger	S	S
Premium Feel Sensico Steering Wheel	S	S
Telescopic and Tilt Adjustable Steering Column	S	S
Non-Locking Lower Glovebox	S	_
Locking Lower Glovebox	_	S
Upper Glovebox with removable rubber insert and USB-C	_	S
Driver Footrest	S	S
Slim line Centre Console with Foldable Single Cup Holder	S	S
Smart Keyless Entry	-	S
Keyless Push Button Start	S	S
Rear View Mirror	S	S
Digital Rear View Mirror with Integrated Dash Cam	Р	_
Rear Window Defrost with wiper and washer	S	S
Cup Holders - Front	3	3
Front Door Storage with Bottle Holders	S	S
Cabin Floor Covering - Easy Clean Rubber	S	S
Loadspace Compartment		
Metal Bulkhead with Window and Load-Through Hatch	S	S
	<u> </u>	-

	Trend Long Wheelbase Van	Sport Short Wheelbase Van
Loadspace Compartment (continued)		
Load Area Protection Kit - Full Height Walls & Moulded Floor	S	S
Load Area Tie Down Loops	8	6
Ultra Bright LED Load Area Compartment Lights	S	S
Safety		
6 Airbags - Driver, Front Passenger, Front Side Curtain & Front Side Seat	S	S
Roll Over Mitigation ⁹	S	S
Security		
Thatcham Alarm and Immobiliser	S	S
Power Door Deadlocks - Shielded	S	S
Driver Assistance		
Dynamic Stability Control (DSC) incorporating ABS ⁹	S	S
Traction Control System ⁹	S	S
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centering ¹⁰	S	S
Blind Spot Monitoring & Assist ⁹	S	S
Rear Cross Traffic Alert ⁹	S	S
Emergency Call Assist ¹¹	S	S
Evasive Steering Assist ⁹	S	S
Exit Warning ⁹	S	S
Forward Collision Warning ⁹	S	S
Hill Launch Assist ⁹	S	S
Intelligent Speed Limiter ^{9,12}	S	S
Lane Keeping Aid with Lane Departure Warning ⁹	S	S
Parking Sensors - Front & Rear ⁹	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer

3. Connected Built-In Satellite Navigation is a Connected Service where eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date, after which time the service may cease to be available or may be subject to a subscription fee. Users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on' to use this feature. 4. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/FordPass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well-ventilated areas where you are aware of your vehicle's surroundings. 5. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 6. Don't drive while distracted. Use voice-operated systems when possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC 4 features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. 7. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 8. Wireless charging only available on compatible phones. 9. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 10. Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. 11. Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. 12. Intelligent Speed Limiter (ISL) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISL system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISL can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISL system before activating. In some circumstances, ISL will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee.

2025.75MY Transit Custom PHEV

	Trend Long Wheelbase Van	Sport Short Wheelbase Van
Driver Assistance (continued)		
Pre-Collision Assist with Autonomous Emergency Braking (AEB) and Intersection Assist 9, 13	S	S
Rear View Camera - 180-Degree Split View ⁹	S	S
Reverse Brake Assist ^{9, 14}	S	S
Side Wind Stabilisation ⁹	S	S
Traffic Sign Recognition 9, 15	S	S
Trailer Sway Control ⁹	S	S
Tyre Pressure Monitoring System	S	S
Anti-Lock Brake System (ABS) ⁹	S	S
Electronic Brakeforce Distribution (EBD) ⁹	S	S
Emergency Brake Assist (EBA)	S	S
Production Options		
Dual Side Load Doors	0	0
Rear Liftgate Door	0	0
Secure Visibility Pack - Fixed Rear Panel (No Rear Window), Metal Bulkhead (No Window), Digital Rearview Mirror with Integrated Dash Cam	0	_
Single Passenger Seat	0	_
Prestige Paint	0	0
Special Vehicle Options (SVO) Paint	0	-
Paint Colours		
Frozen White	S	S
Moondust Silver	0	0
Magnetic	0	0
Agate Black Metallic	0	0
Digital Aqua Blue	_	0
Grey Matter	_	0
SVO Paint Range	0	_
Vehicle Masses (kg)		
Axle Plated Mass (Front / Rear)	1700 / 1750	1600 / 1900
Gross Combined Mass	5225	5225
Gross Vehicle Mass	3225	3225
Kerb Weight ¹⁶	2019	1970
Payload (based on Kerb Weight)	1206	1255
Maximum Kerb Weight ¹⁷	2050	2001
Payload (Based on Max. Kerb Weight) ¹⁸	1175	1224
Maximum Braked Towing Capacity ¹⁹	2300	2300
Exterior Dimensions (mm) ²⁰		
Overall Length	5450	5050
Overall Width with Mirrors	2275	2275
Overall Width with Folded Back Mirrors	2148	2148
Overall Width without Mirrors & Handles (Maximum Body Width)	1999	1999
Overall Height at Kerb Weight ²²	1980-1992	1990-1998
overall rieight at herb weight	.500 .552	

	Trend Long Wheelbase Van	Sport Short Wheelbase Van
Exterior Dimensions (mm) ²⁰ (continued)		
Front of Vehicle to Front Wheel Centre	958	958
Rear of Vehicle to Rear Wheel Centre	992	992
Width - Side Door Opening	1030	1030
Height - Side Door Opening	1301	1301
Width - Rear Door Opening	1400	1400
Height - Rear Door Opening	1316	1316
Turning Circle (M)		
Kerb to Kerb turn Diameter	12.1	10.9
Cargo Dimensions (mm) ²²		
Width - Load Space Between Wheel Arches ²³	1392	1392
Height - Load Space Floor to Roof	1425	1427
Height - Rear Loading Height ²⁴	531-585	531-585
Length - Upper Cargo	2794	2394
Length - Load Space Maximum (Up to Bulkhead)	3002	2602
Length - Load Space Maximum (includes Load Through Hatch)	3450	3050
Maximum Load Volume (with Bulkhead) (cu.m) ²⁵	6.8	5.8
Load Space SAE (behind Bulkhead) (cu.m)	6.5	5.7
Load Space VDA (with Bulkhead) (cu.m) ²⁶	6	5.2
Euro Pallet Capacity (1,200mm x 800mm)	4	3
Aftersales Information 27		
Service Intervals - 12 months or 30,000 km		

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

13. Pre-collision Assist with Autonomous Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. These do not replace safe driving. See Owner's Manual for Limitations. 14. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. 15. Traffic Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. In some circumstances Traffic Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. 16. Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. 17. Subject to State and Territory regulations. Maximum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible orderable combination of factory fit equipment. 18. Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb weight. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 19. Maximum towing capacity braked using Ford Licensed Accessory or appropriate aftermarket towing equipment, including a towbar, optional at additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and / or refer to the Owner's Manual. 20. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. 21. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. 22. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. Load Area Protection Kit may impact cargo area dimensions and capacities. 23. Load Area Protection Kit may impact cargo area dimensions and capacities. 24. Height dimensions show a range from min. to max. of a fully laden, lowest payload vehicle to unladen highest payload vehicle. All dimensions (shown in mm) are approximate, are subject to manufacturing tolerances, do not include additional equipment and should be confirmed before fitting any accessories or otherwise relying on this value. 25. Maximum load volume method simply measures the volume of a finegrained material such as sand or rice which can be deposited into the loadspace. Load Area Protection Kit may impact cargo area dimensions and capacities. 26. VDA is the method determined by filling the load space with 'litre' blocks, each measuring 200x100x50mm. The blocks are then counted and the numerical result is converted into cubic meters. 27. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. Load Area Protection Kit may impact cargo area dimensions and capacities.

Issue Date: 23 April 2025

Discover more at ford.com.au

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com



Important information: