



Equipment & Technical Specifications



#### **EQUIPMENT**

- STANDARD
- O OPTIONAL
- UNAVAILABLE















	MANUAL	AUTO	AUTO	AUTO	AUTO	SHORT AUTO	LONG AUTO
SAFETY & SECURITY							
Anti-lock Braking System (ABS)	•	•	•	•	•	•	•
Electronic Brakeforce Distribution (EBD)	•	•	•	•	•	•	•
Emergency Braking Assistance (EBA)	•	•	•	•	•	•	•
Electronic Stability Control (ESC)	•	•	•	•	•	•	•
Hill Start Assist	•	•	•	•	•	•	•
Driver & passenger front airbags	•	•	•	•	•	•	•
Side airbags	•	•	•	•	•	•	•
Curtain airbags	•	•	•	•	•	•	•
Unfastened seat belt warning	•	•	•	•	•	•	•
Front seat belt pretensioners	•	•	•	•	•	•	•
Remote central locking	•	•	•	•	•	•	•
Automatic door locking from 11km/h	•	•	•	•	•	•	•
Lockable fuel cap	•	•	•	•	•	•	•
Autonomous Emergency Braking (AEB)	-	-	-	•	•	•	•
Forward Collision Warning System	-	-	-	•	•	•	•
Lane Departure Warning System	-	-	-	•	•	•	•
Active Lane Keep Assist	-	_	-	•	•	•	•
Extended speed sign recognition system	-	-	-	•	•	•	•

COMFORT & CONVENIENCE							
Height $\delta$ reach adjustable steering wheel	•	•	•	•	•	•	•
Infotainment System remote controls on steering wheel	•	•	•	•	•	•	•
Electronic parking brake	_	_	_	•	•	•	•
Cruise Control with Speed Limiter	•	•	•	•	•	•	•
Front electric windows: One-touch with Anti-Pinch	•	•	•	•	•	•	•
Load area dome light	•	•	•	•	•	•	•
Folding driver's armrest	•	•	•	-	-	-	-
Leather steering wheel	-	-	-	-	-	•	•
Rear parking sensor	•	•	•	•	•	•	•
Reversing camera	•	•	•	•	•	•	•
Rear view mirror	-	-	-	•	•	•	•
Reversing image on windscreen mounted display	•	•	•	-	-	-	-
Reversing image on touchscreen	-	_	_	•	•	•	•
Keyless entry	-	-	-	-	-	•	•
Push button start	-	_	-	_	_	•	•
'Multiflex' Mobile Office (flip-down rotating work table & underseat storage)	-	-	-	•	•	•	•



#### **EQUIPMENT**

- STANDARD
- O OPTIONAL
- UNAVAILABLE















	MANUAL	AUTO	AUTO	AUTO	AUTO	SHORT AUTO	LONG AUTO
INTERIOR FEATURES							
PEUGEOT i-Cockpit™: head-up instrument cluster	•	•	•	•	•	•	•
Multi-Function Trip Computer	•	•	•	•	•	•	•
Tachometer	•	•	•	•	•	•	•
Digital speed display	•	•	•	•	•	•	•
Digital speed readout	•	•	•	•	•	•	•
Exterior temperature display	•	•	•	•	•	•	•
Glazed bulkhead (ISO27956 compliant)	•	•	•	-	-	-	_
Glazed bulkhead with load-through flap	-	-	-	•	•	•	•
12V power socket	•	•	•	•	•	•	•
Carpet floor cover (passenger compartment)	•	•	•	•	•	•	•
5" monochrome touchscreen	•	•	•	-	-	-	-
Bluetooth® Radio with USB	•	•	•	-	-	-	-
8" colour touchscreen Infotainment System	_	_	_	•	•	•	•
Apple CarPlay® & Android Auto™1, Radio, Bluetooth® & USB	-	-	-	•	•	•	•

HEATING & VENTILATION							
Manual control air conditioning	•	•	•	-	-	-	-
Automatic Climate Control air conditioning	-	-	-	•	•	•	•
Allergen, dust & pollen filter	•	•	•	•	•	•	•

-	-	-	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	-	-	-	-
-	-	-	•	•	•	•
•	•	•	•	•	•	•
	•	• • • • • • • • • • • • • • • • • • •				

SEATING							
Driver seat 6-way manual adjustment (includes manual lumbar adjustment)	•	•	•	•	•	•	•
Passenger 4-way manual adjustment (One seat)	•	•	•	-	-	-	-
Passenger sliding bench (Two seats)	-	-	_	•	•	•	•
Total seats - 2	•	•	•	-	-	-	_
Total seats - 3	-	-	_	•	•	•	•
Cloth trim	•	•	•	•	•	•	•

<sup>1.</sup> Compatible Apple® or Android™ device required.



#### **EQUIPMENT**

- STANDARD
- O OPTIONAL















0

0

O OPTIONAL  - UNAVAILABLE	CITY SHORT MANUAL	CITY SHORT AUTO	CITY LONG AUTO	PRO SHORT AUTO	PRO LONG AUTO	PREMIUM SHORT AUTO	PREMIUM LONG AUTO
EXTERIOR FEATURES							
Single sliding door (passenger side)	•	•	_	_	_	-	_
Dual sliding side doors	-	-	•	•	•	•	•
180-degree opening rear doors	•	•	•	•	•	•	•
Body colour rear bumper	-	-	-	-	-	•	•
Body colour door handles	-	-	-	-	-	•	•
Body colour side protectors	-	-	-	-	-	•	•
Body colour door rail	-	-	-	-	-	•	•
Body colour side mirrors	-	-	-	-	-	•	•
LIGHTING & VISIBILITY							
Automatic Headlights (with 'Guide me home' light function)	-	-	-	•	•	•	•
Automatic rain sensing wipers	-	-	-	•	•	•	•
Fixed cornering lights	-	-	-	•	•	•	•
Front fog lights	-	-	-	•	•	•	•
Electrically adjustable side mirrors	•	•	•	•	•	•	•
Electrically folding side mirrors	-	-	-	-	-	•	•
High level rear brake light	•	•	•	•	•	•	•
WHEELS & TYRES							
15" Steel wheels	•	-	-	-	-	-	-
16" Steel wheels	-	•	•	•	•	-	-
16" Alloy wheels	_	-	-	-	_	•	•
Full size spare wheel	•	•	•	•	•	•	•
COLOURS							
Ice White	•	•	•	•	•	•	•

0

0

0

0

0

0

0

0

0

0

0

0

Artense Grey

Platinum Grey

WARRANTY

5 Years / 200,000km

Nera Black



#### PARTNER VAN TECHNICAL SPECIFICATIONS

STANDARD

O OPTIONAL

UNAVAILABLE

















PREMIUM LONG AUTO

ENGINE				
Type	Direct I	njection Petrol	Direct Injection Petrol	Direct Injection Petrol
Cylinders	3	3	3	3
Cubic capacity (cc)	1199	1199	1199	1199
Bore x Stroke (mm)	75 x 90.5	75 × 90.5	75 x 90.5	75 x 90.5
Maximum Power (kW @ rpm)	81 @ 5500	96 @ 5500	96 @ 5500	96 @ 5500
Maximum Torque (Nm @ rpm)	205 @ 1750	230 @ 1750	230 @ 1750	230 @ 1750
Induction	Turbochar	ged & intercooled	Turbocharged & intercooled	Turbocharged & intercooled
Stop/start function	•	•	•	•
Fuel	ULP 95	ULP 95	ULP 95	ULP 95
Emission standard	Euro 6.3	Euro 6.3	Euro 6.3	Euro 6.3

TRANSMISSION							
Type	Manual	Auto	Auto	Auto	Auto	Auto	Auto
Number of gears	6	8	8	8	8	8	8
Driven wheels	Front	Front	Front	Front	Front	Front	Front

WHEELS & BRAKES				
Front brakes	283mm	ventilated disc	283mm ventilated disc	283mm ventilated disc
Rear brakes	268mm solid disc		268mm solid disc	268mm solid disc
Wheels	15" Steel	16" Steel	16" Steel	16" Alloy
Tyres	195/65 R15	205/60 R16	205/60 R16	205/60 R16
Spare	Full Size	Full Size	Full Size	Full Size

STEERING							
Assistance	Electric			Elec	ctric	Electric	
Turning Circle (m)	10.8	10.8	11.4	10.8	11.4	10.8	11.4

<b>EXTERIOR DIMENSIONS</b> (mm)							
Length	4403	4403	4753	4403	4753	4403	4753
Width with mirrors folded	1921	1921	1921	1921	1921	1921	1921
Width with mirrors extended	2107	2107	2107	2107	2107	2107	2107
Height	1880	1880	1880	1880	1880	1880	1880
Wheelbase	2785	2785	2975	2785	2975	2785	2975
Front overhang	892	892	892	892	892	892	892
Rear overhang	726	726	886	726	886	726	886



#### TECHNICAL SPECIFICATIONS

- STANDARD

<ul><li>STANDARD</li><li>OPTIONAL</li><li>UNAVAILABLE</li></ul>	CITY SHORT MANUAL	CITY SHORT AUTO	CITY LONG AUTO	PRO SHORT AUTO	PRO LONG AUTO	PREMIUM SHORT AUTO	PREMIUM LONG AUTO
<b>CARGO BAY DIMENSIONS</b> <sup>1</sup> (mm)							
Maximum load length with bulkhead	1817	1817	2167	1817	2167	1817	2167
Maximum load length through open bulkhead flap	-	-	-	3090	3440	3090	3440
Maximum load height	1243	1243	1243	1243	1243	1243	1243
Load width between wheel arches	1229	1229	1229	1229	1229	1229	1229
Maximum load width	1630	1630	1527	1527	1527	1527	1527
Load volume excluding load through bulkhead (m³)	3.3	3.3	3.9	3.3	3.9	3.3	3.9
Load volume including load through bulkhead (m³)	-	-	-	3.8	4.4	3.8	4.4
Width of sliding door (max/min)	675/641	675/641	675/641	675/641	675/641	675/641	675/641
Maximum height of sliding door	1072	1072	1072	1072	1072	1072	1072
Maximum width of rear opening	1241	1241	1241	1241	1241	1241	1241
Maximum height of rear opening	1137	1137	1137	1137	1137	1137	1137

WEIGHTS <sup>2</sup> (kg)								
Gross vehicle mass	1940	1980	2320	2320	2320	2320	2320	
Tare weight	1274	1283	1364	1283	1385	1283	1385	
Payload	629	660	919	1000	898	1000	898	
Braked towing load	1200	1300	950	900	950	900	950	
Unbraked towing load	670	690	720	720	740	720	740	
Towball download	74	74	74	74	74	74	74	
Maximum roof load	Roof Bars - 50kg per bar (Maximum of 3 bars)							
Steel Rack³ - 115kg	115	115	115	115	115	115	115	
Alloy Rack <sup>3</sup> - 120kg	120	120	120	120	120	120	120	

FUEL & EMISSIONS <sup>4</sup>							
Combined Cycle (I/100km)	5.8	5.9	5.9	5.9	5.9	5.9	5.9
Urban Cycle (I/100km)	6.7	6.6	6.6	6.6	6.6	6.6	6.6
Extra Urban Cycle (I/100km)	5.2	5.6	5.6	5.6	5.6	5.6	5.6
CO <sub>2</sub> emissions combined (g/km)	131	136	136	136	136	136	136
Fuel tank capacity (I)	60	60	60	60	60	60	60

<sup>1.</sup> Cargo bay dimensions quoted at maximum length, and are provided for guidance only. The cargo bay is an asymmetric shape and dimensions are therefore variable. Customers must check critical dimension requirements by measuring vehicle. 2. Kerb Weight where quoted is for the vehicle unoccupied and unladen with all fluid reservoirs (inc fuel) filled to nominal capacity. Tare Weight where quoted is for the vehicle unoccupied and unladen with full fluids and 10 litres fuel. Weights may change with the addition of equipment. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits. 3. All data for genuine Peugeot accessories only. See owner's handbook for more information. 4. Fuel consumption results are based on NEDC's standard test procedure to provide customers with a basis for comparison of the performance of vehicles in accordance with ADR 81/02 only. No test can simulate all 'real world' driving conditions. Actual on-road fuel consumption is will vary due to factors such as traffic conditions, vehicle conditions and load, fuel quality and how the vehicle is driven. More information at www.greenvehicleguide.gov.au





Peugeot Citroën Australia offers this information as a general guide to product specifications. All data is believed to be correct as at January 2022, however, as development is an ongoing process, changes may occur from time to time which will not necessarily reflected herein. Therefore, Peugeot Citroën Australia reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of PEUGEOT products, you should not rely solely on the information provided in this brochure. Dealers are not agents of Peugeot Citroën Australia and have absolutely no authority to bind Peugeot Citroën Australia by an express or implied undertaking or representation. Peugeot Citroën Australia is the trading name of Inchcape European Automotive Pty Limited (ABN 97 070 000 789).







