









# **EXTERIOR**





# PRACTICAL DRIP RAIL

Let the Jimny take you on your all-weather adventures. The drip rail keeps your head dry when entering and exiting by to preventing water from dripping off the roof.

# BONNET CORNERS

Stay on top of your surroundings, thanks to a bonnet that's carefully crafted to keep front corners in view for better situational awareness when navigating uneven terrain.

# OPTIMISED BUMPERS

All is clear for adventure. The Jimny is equipped with angled bumper edges that increase clearance at the wheels for comfortable traversing of obstacles. The moulded black material safeguards the body from stone chips and scratches.

# LED HEADLAMPS WITH WASHERS

Take pride in the Jimny's heritage, symbolised by its iconic round headlamps, available on Jimny and Jimny XL. Washers are standard for LED headlamps, allowing confident driving in mud, dirt and snow.





# INTERIOR

Relish the sheer pleasure of simple, straightforward and sensible design. Colours are minimal. Every detail is thoughtfully and attractively crafted to support serious off-roading.













# INFOTAINMENT SYSTEM WITH SMARTPHONE CONNECTIVITY

Jimny's seven inch and Jimny XL's nine inch touchscreen displays enable an intuitive operation of features including audio, hands-free phone and reverse camera display.

With seamless connection to your smartphone, Apple CarPlay® and Android Auto™ put your favourite apps at your fingertips. And allow you to make phone calls, access music, send and receive messages, and get directions all by voice command or a tap on the audio display. Use Apple Maps, Google Maps™, Google™ Search and other services conveniently, in a non-distracting way.

 $\label{prop:complex} \textit{Apple CarPlay is available in the countries listed at the following link https://www.apple.com/ios/feature-availability/\#applecarplay-ap$ applecarplay For more details including iPhone models compatible with Apple CarPlay, see: https://www.apple.com/ios/carplay/ Apple, Apple CarPlay and iPhone are trademarks of Apple Inc, registered in the U.S. and other countries. Android Auto is available in the countries listed at the following link: https://www.android.com/auto/#hit-the-road Android Auto connectivity requires the Android Auto app available on Google Play and an Android compatible smartphone running Android™ 5.0 Lollipop or higher. https://support.google. com/androidauto/#6140477 Android and Android Auto are trademarks of Google LLC.

# **SWITCHES**

Cruise control and audio control switches are integrated into the steering wheel, and on models equipped with a display audio system, there are additional switches for hands-free calling.

Convenient pockets and trays keep your smartphone, beverages and other personal items close at hand. Nearby USB and accessory pockets also connect and power your mobile devices. Switches in the front console box allow the driver to control the rear seat power windows.



# STEERING WHEEL INTEGRATED

#### **EVERYTHING WITHIN REACH**

Note: personal items in the photos are shown for illustrative purposes only. Items should be properly secured while driving.

# INTERIOR CONFIGURATION

# DEPENDABLE, ROBUST AND AUTHENTIC

Whether navigating the urban jungle or exploring off the beaten track, the Jimny offers ample space and practical storage features to accommodate every need.





# SEATING FOR FOUR

Jimny offers comfortable seating for four adults across the range. So next road-trip, everyone's invited.

# EXTRA LEG ROOM

With Jimny XL, passengers can enjoy extra leg room and electric rear windows so everyone on board can explore the wilderness in comfort.

# ELEVATED SEATING

With an elevated seating position, Jimny allows you to take in your surroundings when driving through tight obstacles.

# PRACTICAL CABIN

The Jimny cabin takes practicality to the next level with the space you and your passengers need to enjoy every off-road adventure.

# **EQUIPPED FOR ADVENTURE**

With a spacious interior design, Jimny is ready for your next road trip. And with Jimny's comfortable cushioned seating, you won't want the road trip to end.









# PRACTICAL IN EVERY DIMENSION

The Jimny range offers ample storage for any adventure. Luggage spaces of both variants can be expanded by folding the rear seats, with the Jimny's rear seats able to fold completely flat. Screw holes provide support for optional accessories like luggage bars and utility hooks to enhance versatility and practicality.

# **WIDE AND TALL BACK DOOR OPENING**

The large back door opening makes it easy to stow gear in the roomy luggage area, and the low height of the door sill reduced strain when loading and undloading heavy items.





# SIDE-MOUNTED LAMP AND ACCESSORIES POCKET

The side-mounted luggage area lamp on Jimny provides illumination where it's needed most, and a convenient socket delivers 12V for accessories at your


# LUGGAGE CAPACITY

		Jimny	Jimny XL	
Luggage capacity (L)	Max volume	830	1.113	
	Rear seatback folded	377		
	Rear Seatback raised	85	211	












# OFF-ROAD PERFORMANCE







# AMPLE BODY ANGLES AND CLEARANCE

Push outdoor exploration to the limit with an ample departure angle, ramp breakover angle, approach angle and ground clearance that lets you handle steep slopes, sharp descents and obstacles without scraping the bumpers or underbody of the Jimny.

# RIGID LADDER FRAME

From the very first generation, the Jimny has always featured a ladder frame that offers a solid foundation for serious off-road performance.

# 3-LINK RIGID AXLE SUSPENSION WITH COIL SPRING

Settle for nothing less than full-width rigid axles in both the front and rear, which help the Jimny ensure superior grip on diverse surfaces. When an obstacle pushes one wheel up, the axle presses the other wheel down to increase tyre contact in rough road conditions.





# **4WD WITH LOW RANGE TRANSFER GEAR**

At your command, the Jimny adapts to every situation. Shift the transfer lever to the 4L mode when the going gets tough for maximum torque and traction. On flat off-road trails and snow-covered roads, enter 4H to enjoy 4WD traction at higher speeds. Once you return to paved roads, shift to the 2H (2WD) mode for a smoother, quieter and more fuel efficient ride. Let ALLGRIP PRO satisfy your adventurous nature with its on and off-road mastery.



# POWER YOUR OFF-ROAD AMBITIONS Nothing stands in your way when driving the Jimny. It takes you wherever you want to go with unrivalled agility, precision control and powerful torque when you need it most.


# PERFORMANCE



# 1.5L ENGINE

Feel empowered by the Jimny. Its robust 1.5L engine generates strong torque throughout a wide rpm range for powerful off-road performance. Small and lightweight, it also delivers high fuel efficiency. (Automatic transmission not available with Jimny Lite variant).






# HILL HOLD CONTROL

Move upward and onward when starting on steep slopes. Even on bumpy slopes that vary on the right and left sides, this feature helps prevent rearward rolling so you can focus on controlling acceleration.

#### HILL DESCENT CONTROL

On tricky descents, with a push of a button, the system is designed to automatically apply the brakes and maintain a fixed speed — so you can concentrate on steering without using the brake pedal or clutch.



Without brake LSD

With brake LSD

# BRAKE LSD TRACTION CONTROL

Cover slippery ground with confidence. If two wheels diagonal from each other lose grip while you're travelling over slippery surfaces, this feature will automatically brake the slipping wheels and redistribute torque to the other two wheels, allowing the Jimny to make its escape.



# SAFETY

# SRS AIRBAGS FOR COLLISION SAFETY

Jimny is equipped with a full complement\* of SRS airbags, including front and side airbags for the driver and front passenger, and side curtain airbags for occupants of both the front and rear seats.

\*Illustration of inflated airbags is approximate.



#### INJURY MITIGATION BODY FOR PEDESTRIAN SAFETY

For added peace of mind, Jimny's front bumper, fenders, bonnet and other frontend components are designed to absorb impact and help mitigate pedestrian head and leg injuries in the event of a collision.



- 1. Impact-absorbing wipers
- 2. Impact-absorbing cowl top
- 3. Impact-absorbing bonnet hinges
- 4. Impact-absorbing fenders
- 5. Impact-absorbing bonnet
- 6. Impact-absorbing front

# REAR PARKING SENSORS


Ultrasonic sensors in the rear bumper detect obstacles when reversing, and audible warning beeps sound with increasing frequency as you approach.



# ELECTRONIC STABILITY PROGRAM (ESP)

ESP\* technology helps you control the vehicle during cornering, and assists you in maintaining traction when accelerating on loose or slippery road surfaces.

If wheel slip is detected, the ESP system automatically regulates engine torque and selectively applies the brakes to help you maintain control.



Note: There is a limit to the ability of the monocular camera and laser sensor to detect obstacles and lanes, and control the vehicle. Please do not rely on the system: always drive safely.

†AEB is designed to support the driver only in emergency situations. The driver remains responsible for the vehicle at all times.

# **IMML/**Lite



# ]imny



# JimnyXL





# JIMNY LITE

- 1.5L VVT engine
- 6.4L/100km fuel economy manual<sup>®</sup>
- 5 speed manual transmission
- ALLGRIP PRO 4WD technology
- Hill hold and hill descent control
- CD player
- Bluetooth® with steering wheel audio controls
- Cruise control
- Power windows
- Folding rear seats with resin-coated seatbacks
- Six airbags
- ESC, ABS, EBD, & BA
- Autonomous Emergency Braking\*
- Lane departure warning
- Weaving alert
- Black 15" steel wheels
- Spare tyre cover
- Halogen headlights
- High beam assist
- Daytime running lights



#### JIMNY

- -adds the following over Jimmy Lite:
- 6.4L/100km fuel economy manual<sup>®</sup>
- 6.9L/100km fuel economy automatic<sup>†</sup>
- 5 speed manual or 4 speed automatic transmission
- 7-inch multimedia touchscreen with satellite navigation, Apple CarPlay® and Android Auto™
- Bluetooth® & iPod® USB connectivity with steering wheel audio and voice controls
- Reverse camera
- No CD Player
- Leather-wrapped steering wheel
- Digital climate control
- Luggage area 12V accessory socket
- Chrome air conditioner vent highlights
- Colour matching door handles
- Black painted side mirror covers
- 15" alloy wheels
- Automatic LED headlights
- Front fog lights Electric folding mirrors
- Rear privacy glass

#### JIMNY XL

-adds the following features over Jimny:

- 9-inch multimedia touchscreen with DAB
- Wireless Apple CarPlay® and Android Auto™
- No satellite navigation
- Rear parking sensors
- Adaptive Cruise Control (Automatic only)
- Two extra doors
- Black front Grille with chrome accent
- Max volume of luggage capacity is 1,113L

# Enjoy peace of mind with 5 year / unlimited kilometre warrantv\* **5** YEAR

5 years Roadside Assistance

over 5 years or 100,000km whichever occurs first. Service intervals every 12 months or 15,000km LTYEAR

Suzuki Genuine Service

program offers competitive

pricing for your vehicle

= 5 years of confidence.

SuzukiSecure+ puts you in control when buying your new Suzuki, so you're set up for the future you want.

SuzukiSecure



Comprehensive cover for your Suzuki vehicle, using Suzuki Genuine Parts and your choice of repairer.

# PREMIER MOTOR INSURANCE

Tyres (Width/Profile)

# **SPECIFICATIONS**

POWERTRAIN						W
Engine				Wi		
Drive system		1.5 Litre VVT				Sp
Number of cylinders		Part-time 4WD 4				ST
Number of valves			16			3-9
Piston displacement (cn	n³)	1,462				Le
Bore x stroke (mm)			74.0 x 85.0	)		Wi
Compression ratio		10.0				Wi
Maximum output (kW/rp	om)	75/6,000				W
Maximum torque (Nm/r		130/4,000				W
Fuel distribution	,	Multipoint Injection				Til
Fuel Tank Capacity (L)			40			IN
DIMENSIONS						Die
DIMENSIONS	Front bumper to rear bumper	3,480		3,820		Fu
Overall length (mm)	Front bumper to spare wheel	3,625		3,965		Dr
Overall length (min)	Front bumper to spare	3,645		3,985		Av
Oursell width (see)	wheel cover	0,040	1445	0,	,,,,	DF
Overall width (mm)			1,645			Au
Overall height (mm)		0.050	1,720			M
Wheelbase (mm)	F	2,250	OOE /105 /00		590	Ap
Tread — front (mm)	Front		395 (195/80	-		
Tread — rear (mm)	Rear		405 (195/80	_		Wi
Minimum turning radius		4.9	040		5.7	DA
Minimum ground cleara	nce (mm)		210			
Seating capacity			4			Cr
	Max Volume Rear Seatback	830		1,113		_
Luggage Capacity (L)	folded	377		332		Sp
	Rear Seatback raised	85		211		IN
Kerb weight (kg)		1095 M/T	1110	1,185 M/T	1200 A/T	Ca
Kelb weight (kg)		1095 M/1 A/T		1,200 A/T		Cu
Gross vehicle weight (kg	9)	1,435		1,5	545	US
TRANSMISSION						12
Туре		5MT	4AT≠	5MT	4AT	Ins
	1st	4.425	2.875	4.425	2.875	
	2nd	2.304	1.568	2.304	1.568	SE
Gear ratio	3rd	1.674	1.000	1.674	1.000	Fre
	4th	1.190	0.697	1.190	0.697	
	5th	1.000	_	1		
	Reverse	5.151	2.300	5.151	2.300	
Final gear ratio		4.090	4.300	4.090	4.300	Re
FUEL CONSUMPTION						
Fuel consumption (L/10	Okm) MT/AT	6.4	6.9	6.4	6.9	Se
CO <sub>2</sub> emissions (G/Im) M		146	158	148	161	ma
CHASSIS						SA
	Front		Solid disc			AB
Brakes	Rear	Drum	leading and			ES
	Front		id axle with		3	
Suspension	Rear		id axle with			Au
VISIBILITY						La
Headlamps		Halogen	LED	Projector		We
Headlamp leveling devi	ce	_	utomatic	-	inual	Hil
Automatic lamps			Std	1410		Hil
High Beam Assist		Std	_	Br		
Front Fog Lamps						SR
Daytime Running Lamps	e (DRI e)	- Std				
	J (DINES)	Std				SR
Privacy glass	Frank 2 and 1	_		Std		SR
Wipers	Front: 2 speeds ((low, high) +			Se		
	Rear: 1 speed + washer		Std			
Outside door mirrors	Finish Electrically	Black plastic		ck painted		
	adjustable		Std			ISO
EVERNOR	aujustable					
	aujustable			Grov ma	stallic with	
EXTERIOR Front grille Outside door handles	aujustable	Black Black			etallic with accents	Ch an


		Jillilly Lite	Jillilly	Jillilly AL			
eel Size			15"				
eel Type		15" steel		15" alloy			
ire EERING AND INSTRU	IMENT PANEI	15" steel		15" alloy			
poke steering wheel	DIVILITY PARTLE		Std				
ther covered		_		Std			
h audio controls			Std				
h cruise control			Std				
h speed limiter contr			Std Std				
h hands-free phone -adjust	control		Std				
ORMATION DISPLA	Υ		Old				
ital clock		Std					
el consumption		Std					
ing range		Std					
erage speed			Std				
ing time		Std					
VING AMENITIES							
dio			Std				
3/WMA + Bluetooth			Std				
ole CarPlay & Android		_		Std			
eless Apple CarPlay	& Android Auto			Std			
3 Radio			_	Std Namuel Carl			
ise Control			td	Manual - Std			
iise Control		5	ıu	Automatic - Adaptive Cruise Control			
ed limiter			Std	Cruise Control			
ERIORS			0.0				
	Front (3 position)		Std				
oin lights	Rear (3 position)	_	Std				
holder		Centre console					
B port and AUX input		x1					
accessory socket		Centre console & luggage area					
de door handles		console Chrome					
ATS			Chrome				
410	Walk in						
nt seats	mechanism	S (passenger's side)					
iii seats	Head restraints x 2	Std					
	50:50-split						
	single-folding	Std					
ir seats	Head restraints	Std					
	x 2	Sid					
t upholstery terial		Fabric					
ETY, SECURITY, AN	D ENVIRONMENTA	L COMPATIBIL	ITY				
with EBD function			Std				
		Std					
onomous Emergency	y Braking^	Std					
e Departure Warning	<b>)</b> ^	Std					
aving Alert^		Std					
hold control		Std					
descent control		Std					
ke assist function		Std					
front dual airbags		Std					
side airbags		Std					
curtain airbags			Std				
t balta	Front: 3-point ELR seat belts with pretensioners and force limiters	Std					
t belts	Rear: 3-point ELR seat belts with pretensioners and force limiters	Std					
FIX child seat horages	x 2	Std					
ld seat tether horages	x2	Std					
ersing camera		-		Std			
r parking sensors		.	_	Std			

# DIMENSIONS

JIMNY LITE AND JIMNY



JIMNY XL



# COLOURS

JIMNY LITE AND JIMNY



Bluish Black Pearl†

Granite Grey Metallic†

JIMNY XL











Chiffon Ivory Metallic +

Bluish Black Pearlt

Medium Grey<sup>1</sup>







Chiffon Ivory Metallic + Bluish Black Pearl†









Apple CarPlay® is a registered trademark of Apple Inc. Android Auto is a trademark of Google Inc. \*NEDC Fuel Consumption figures may not mimic real-life driving conditions and should be considered for comparison against other vehicles only. AEB is designed to support the driver only in emergency situations. The driver remains responsible for the vehicle at all times. The Lane departure warning and weaving alert only function when the vehicle is moving at speeds of approximately 60km/h or higher. Additional cost for premium/metallic paint and two-tone premium/metallic paint.

5 years of Roadside Assistance. The Roadside Assistance Program for their vehicle. Further details of the CPS program can be found here. https://www.suzuki. comau/capped-price-service-terms Further details of the Roadside Assistance program can be found here, https://www.suzuki.com.au/owners/roadside Suzuki Premier Motor Insurance Limited ABN 15 000 122 850. Policy terms, conditions, limits and exclusions apply, Before making a decision please consider the Product Disclosure Statement (PDS). The PDS and Target Market Determination are available by calling us on 1300 132 107 \*Kilometre limits for commercial vehicles. +Approved applicants only, T&Cs apply, Suzuki Financial Services is a division of Australian Alliance Automotive Finance Pty Limited ABN 63 002 407 703, Australian Credit Licence 513747

ADR 81/02 results for manual transmission. ADR 81/02 results for automatic transmission.

