

THERE'S A NEW MODEL IN TOWN

With striking LED headlights, distinctive twotone alloy wheels and an iconic MG grille, the ZST offers an enhanced sporty front design.

The dynamic style accents encompass the exterior with sleek lines and chrome touches elevating the ZST to an exceptionally admirable compact SUV.*

*Features available and shown depend upon model chosen.

Top: MG "Exclusive" high-gloss black grille

Left: LED taillight

Right: 17" Two-toned machined alloy wheels

Bottom: LED headlight with manual height adjustment



















SPIRITED STYLE MEETS REFINEMENT

The interior of the ZST provides space, comfort and added luxury for a truly enjoyable drive. The immersive panoramic sunroof is one of the largest in the small SUV segment, creating a light and relaxed cabin environment.

Refined soft-touch finishes blend with bold contrast stitching, balancing sleek comfort with a flare of signature MG personality. The leather trimmed steering wheel and euro-inspired Virtual instrument cluster draws premium performance to the forefront of your driving experience.

Seamlessly connecting to your device via Apple CarPlay or Android Auto, the class-leading 10.1 inch colour touchscreen combines convenience with a contemporary design, whilst the dual rear USB ports also ensures your friends and family won't miss a beat.

EXCITE



The ZST Excite offers sleek refinement at every angle with all the technology you need for an intuitive drive. With the distinct 10.1" colour touchscreen, sophisticated synthetic leather trim and contrast stitching, style comes as standard in the ZST.

MG ZST EXCITE

- MG Pilot driver safety suite
- 10.1" Multi-function colour touch screen with Apple CarPlay & Android AUTO
- In built Navigation
- Keyless entry & push button start
- Rain sensing wipers
- Synthetic leather interior trim with contrast stitching
- LED headlights and taillights
- 17" Two-tone machined alloy wheels
- Red brake callipers
- MG 'Exclusive' high-gloss black grille
- High-gloss black finish: Fog Light surround, door mirrors with integrated turn signal,
 Side Sill extensions & rear diffuser

ESSENCE



Transform your driving experience at the touch of a button with the premium panoramic stargazer sunroof. With heated front seats and a full digital instrument cluster, the ZST Essence not only offers elevated style but premium comfort and convenience.

AS EXCITE PLUS...

- Panoramic stargazer sunroof
- Full digital instrument cluster
- 6-way electric driver front seat
- Front seat heating
- Alternate design pattern 17" Two-tone machined alloy wheels
- Front seat headrest with red embossed MG Logo



THE NEW STANDARD IN SAFETY

At MG, innovation runs deep.

So, when it comes to safety, we've gone above and beyond in the all new ZST by incorporating all the latest safety technology into a single platform we call MG PILOT.

With its 10 Active Driver Safety features as standard, MG PILOT is constantly sensing your surroundings, on the lookout for unseen hazards. With the ability to react autonomously in situations where driver safety is at risk, take comfort that you and your family are backed by a new level in safety intelligence.









Explinders 3 Cubic capacity (cc) 1349 No. of valves 12 Max power (Kw @ rpm) 115 @ 5200~5600 Max torque (Nm @ rpm) 230 @1800~4400 Turbo charged electronic multipoint direct injection Emission standard Euro 5 FRANSMISSION Fransmission 6-Speed auto FUEL TANK Capacity (L) 45 WHEELS AND TYRES Wheel size 17" alloy wheel (two-tone) Figure wheel • • • FRAKES Fentilated front discs • • • Frake disk diameter (front) 280mm Fransmission Fransmission 6-Speed auto Frake disk diameter (front) 700mm Fransmission 700mm France wheel • • • FRAKES Frake disk diameter (front) 700mm Fransmission 700mm France wheel Strake disk diameter (front) 800mm France William France McPherson front suspension France mass 1295 France mass	MODEL	EXCITE	ESSENCE	
Aylyinders 3 Aubic capacity (cc) 1349 Alo. of valves 12 Alax power (Kw @ rpm) 115 @ 5200~5600 Alax torque (Nm @ rpm) 230 @1800~4400 Aduction Turbo charged electronic multipoint direct injection Adiassission standard Euro 5 RANSMISSION Fransmission 6-Speed auto UEL TANK Apacity (L) 45 VHEELS AND TYRES Vheel size 17" alloy wheel (two-tone) Paper wheel • • • RAKES entilated front discs • • • Frake disk diameter (front) 280mm Frake disk diameter (front) 280mm USPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers VEIGHTS Alaximum un-braked and braked owing weight (kg) DIMENSIONS ength (mm) 4323 Vidth including mirrors (mm) 1809 Aleight (mm) 1653 (including luggage rack) Verelbase (mm) 2585 Around clearance (mm) 154 Doot volume with seats in place of security cover height (L) Franch Control of the con	NGINE			
Cubic capacity (cc) 1349 No. of valves 12 Max power (Kw @ rpm) 115 @ 5200~5600 Max torque (Nm @ rpm) 230 @1800~4400 Turbo charged electronic multipoint direct injection Emission standard Euro 5 TRANSMISSION Transmission 6-Speed auto FUEL TANK Capacity (L) 45 WHEELS AND TYRES Wheel size 17" alloy wheel (two-tone) Spare wheel • • Spare wheel of two-tone) Spare wheel • • Spare wheel of two-tone) Spare wheel • • Spare wheel of two-tone) Spare whe	Туре	1.3-litre Turbo	1.3-litre Turbo Inline Petrol	
Max power (Kw @ rpm) Max torque (Nm @ rpm) Max torque (Nm @ rpm) Induction Turbo charged electronic multipoint direct injection Emission standard Euro 5 TRANSMISSION Transmission 6-Speed auto FUEL TANK Capacity (L) WHEELS AND TYRES Wheel size I7" alloy wheel (two-tone) Spare wheel BRAKES Ventilated front discs Rear discs Paske disk diameter (rear) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass I 295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Cylinders	3	3	
Max power (Kw @ rpm) And power (Kw @ rpm) And power (Km electronic multipoint direction (Km electronic multipoint diverting (Km electronic multipoint diverting (Km electronic multipoint diverting (Km electronic multi	Cubic capacity (cc)	13	1349	
Max torque (Nm @ rpm) 230 @1800~4400 Turbo charged electronic multipoint direct injection Emission standard Euro 5 TRANSMISSION Transmission 6-Speed auto FUEL TANK Capacity (L) 45 WHEELS AND TYRES Wheel size 17" alloy wheel (two-tone) Spare wheel • BRAKES Ventilated front discs Parake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	No. of valves	1	2	
Induction Turbo charged electronic multipoint direct injection Emission standard Euro 5 TRANSMISSION Transmission 6-Speed auto FUEL TANK Capacity (L) 45 WHEELS AND TYRES Wheel size I7" alloy wheel (two-tone) Spare wheel PRAKES Wentilated front discs Prake disk diameter (front) Prake disk diameter (rear) Pront Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass I295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) Ground clearance (mm) Boot volume with seats folded I187	Max power (Kw @ rpm)	115 @ 52	200~5600	
Emission standard Euro 5 TRANSMISSION Transmission FUEL TANK Capacity (L) WHEELS AND TYRES Wheel size Spare wheel Spare wheel Spare wheel Spare disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) Height (mm) Wheelbase (mm) Ground clearance (mm) Broot volume with seats folded L187	Max torque (Nm @ rpm)	230 @18	00~4400	
TRANSMISSION Transmission 6-Speed auto FUEL TANK Capacity (L) 45 WHEELS AND TYRES Wheel size 17" alloy wheel (two-tone) Spare wheel • • • BRAKES Ventilated front discs • • • Brake disk diameter (front) 280mm Brake disk diameter (rear) 280mm SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Induction			
Transmission 6-Speed auto FUEL TANK Capacity (L) 45 WHEELS AND TYRES Wheel size 17" alloy wheel (two-tone) Spare wheel • • • BRAKES Wentilated front discs • • • Brake disk diameter (front) 280mm Brake disk diameter (rear) 280mm SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) 500 DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Emission standard	Euro	5	
FUEL TANK Capacity (L) WHEELS AND TYRES Wheel size I7" alloy wheel (two-tone) Spare wheel FRAKES Wentilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass I 295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) Height (mm) Wheelbase (mm) Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded I 187	TRANSMISSION			
Capacity (L) WHEELS AND TYRES Wheel size Spare wheel Spare wheel BRAKES Wentilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) Height (mm) Height (mm) Wheelbase (mm) Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded 1187	Transmission	6-Speed	auto	
WHEELS AND TYRES Wheel size Spare wheel BRAKES Wentilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) Height (mm) Height (mm) Wheelbase (mm) Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded 1187	FUEL TANK			
Wheel size Spare wheel BRAKES Wentilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) Height (mm) Height (mm) Wheelbase (mm) South of the sear of the sea	Capacity (L)	45		
Spare wheel BRAKES Ventilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) Brake disk diameter (rear) Brake disk diameter (rear) Brown	WHEELS AND TYRES			
BRAKES Wentilated front discs Rear discs Brake disk diameter (front) Brake disk diameter (rear) Brake disk diameter (rear) SUSPENSION Front Rear McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) 4323 Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Wheel size	17" alloy wheel (two-tone)		
Ventilated front discs Rear discs Rear discs Rake disk diameter (front) Rake disk diameter (rear) SUSPENSION Front Rear McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked cowing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) Wheelbase (mm) Cround clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Spare wheel	•	•	
Rear discs Brake disk diameter (front) Brake disk diameter (rear) Brake disk diameter (rear) Brake disk diameter (rear) Brown SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked cowing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) Wheelbase (mm) 2585 Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	BRAKES			
Brake disk diameter (front) Brake disk diameter (rear) McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked cowing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) Wheelbase (mm) Ground clearance (mm) Boot volume with seats in place consecurity cover height (L) Boot volume with seats folded	Ventilated front discs	•	•	
Brake disk diameter (rear) SUSPENSION Front McPherson front suspension Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked sowing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) Wheelbase (mm) Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Rear discs	•	•	
SUSPENSION Front McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Fare mass 1295 Maximum un-braked and braked sowing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Brake disk diameter (front)	280mm		
McPherson front suspension Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked towing weight (kg) 500 DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Brake disk diameter (rear)	280mm		
Rear Torsion beam, helical springs and hydraulic valve dampers WEIGHTS Tare mass 1295 Maximum un-braked and braked owing weight (kg) 500 DIMENSIONS Length (mm) 4323 Width including mirrors (mm) 1809 Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	SUSPENSION			
MEIGHTS Fare mass 1295 Maximum un-braked and braked cowing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) Wheelbase (mm) Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded 1187	ront	McPherson fro	ont suspension	
Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) Wheelbase (mm) Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Rear	Torsion beam, helical springs and		
Maximum un-braked and braked towing weight (kg) DIMENSIONS Length (mm) Width including mirrors (mm) Height (mm) Wheelbase (mm) Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded 1187	WEIGHTS			
towing weight (kg) DIMENSIONS Length (mm) 4323 Width including mirrors (mm) Height (mm) Wheelbase (mm) Ground clearance (mm) Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Tare mass	12	95	
Assempting the members of the member		500		
Width including mirrors (mm) Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place o security cover height (L) Boot volume with seats folded	DIMENSIONS			
Height (mm) 1653 (including luggage rack) Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) Boot volume with seats folded	ength (mm)	43	23	
Wheelbase (mm) 2585 Ground clearance (mm) 154 Boot volume with seats in place to security cover height (L) 359 Boot volume with seats folded 1187	Width including mirrors (mm)	18	809	
Ground clearance (mm) 154 Boot volume with seats in place 359 Boot volume with seats folded 1187	Height (mm)	1653 (including	g luggage rack)	
Boot volume with seats in place to security cover height (L) Boot volume with seats folded	Wheelbase (mm)	25	85	
to security cover height (L) Boot volume with seats folded	Ground clearance (mm)	15	54	
118/	Boot volume with seats in place to security cover height (L)	359		
	Boot volume with seats folded to window line (L)	1187		

MODEL	EXCITE	ESSEN
BODY STYLE		
5 door SUV	•	•
SAFETY		
6 airbags	•	•
ABS with electronic brake force distribution	•	•
Emergency brake assist (EBA)	•	•
Electronic stability program (ESP)	•	•
Active cornering brake control (CBC)	•	•
Side impact absorbent door padding (front doors)	•	•
Pretension and load limiting front seat belts	•	•
Seatbelt warning indicator lights – front & rear	•	•
Three rear 3-point seatbelts	•	•
Hill launch assist	•	•
Rear seat child restraint anchorage points	•	•
Automatic door unlocking in accident	•	•
Automatic activation of hazard lights under emergency braking	•	•
Ultra-high tensile steel cage body	•	•
Intrusion minimizing and collapsible steering column	•	•
SECURITY		
Rolling code transponder immobiliser	•	•
Visible VIN	•	•
Internally operated central locking	•	•
Delayed automatic locking	•	•
Automatic locking doors and boot (activated by vehicle moving)	•	•
Door ajar warning	•	•
Anti-theft alarm	•	•

MODEL	EXCITE	ESSENCE
MG PILOT		
Adaptive cruise control	•	•
Forward collision warning	•	•
Automatic emergency braking	•	•
Lane departure warning	•	•
Traffic jam assist	•	•
Intelligent cruise assist	•	•
Blind spot detection	•	•
Rear cross traffic alert	•	•
Intelligent headlamp control	•	•
Speed assistance system	•	•
COMFORT AND CONVENIENCE		
Speed sensitive power steering	•	•
Remote control central locking	•	•
Rear parking sensors	•	•
Rear view camera	•	•
360 degree surround view camera	•	•
Electric windows with driver one touch	•	•
Height adjustable steering wheel	•	•
Push button start	•	•
Keyless entry system	•	•
Remote unlock boot	•	•
Storage box in the trunk	•	•
Luggage cover	•	•
Electrically operated door mirrors with heating	•	•
HEATING AND VENTILATION		
Electric Control air conditioning	•	•
Front centre armrest	•	•
Pollen filter	•	•

TECHNICAL SPECIFICATIONS

MODEL	EXCITE	ESSENCE
IN-CAR ENTERTAINMENT AND COMMUNICAT	TION	
6 speaker audio system w/ Bluetooth, USB	•	•
Sound effect (base)	•	•
Speed related volume controls	•	•
10.1" Multi-function colour touch screen with Apple CarPlay & Android AUTO	•	•
I2V charger in the front	•	•
Front 2 USB ports (Lower front console)	•	•
Front I USB port (Rear-view mirror mounted)	•	•
Rear 2 USB ports	•	•
Steering wheel audio controls	•	•
Satellite Navigation (colour)	•	•
INSTRUMENTS		
Analogue instrument cluster	•	
virtual instrument cluster		•
Infotainment brightness adjustment	•	•
Rev counter	•	•
Water temperature and fuel gauges	•	•
Distance to next service indicator	•	•
Trip computer	•	•
Multi-function digital display in dashboard	•	•
Direct tyre pressure monitoring system	•	•
'EPS' Electronic power steering mode adjust	•	•
SEATING		
Driver's 6way manually adjustable seat	•	
Passenger's 4way manually adjustable seat	•	•
Driver's 6way electrically adjustable seat		•
Front seat heating - driver and passenger		•
Front seat headrest with red embossed MG Logo		•
Front center armrest with storage	•	•
60/40 split folding rear seats with fold flat and multi-tier boot floor	•	•
PU & PVC Seat	•	•

MODEL	EXCITE	ESSENCE
EXTERIOR FEATURES		
17" two-tone alloy wheels, type J05F	•	
17" two-tone alloy wheels, type J05E		•
MG 'Exclusive' high-gloss black grille	•	•
High-gloss black finish Fog Light surround	•	
High-gloss black door mirrors with integrated turn signal (LED)		•
Body coloured door handles with chrome highlights	•	•
Body coloured rear spoiler	•	•
High-gloss black Side Sill extensions	•	•
High-gloss black Shark Fin Antenna	•	•
Wheel arch moulding	•	•
High-gloss black rear diffuser	•	•
Chrome side window trim	•	•
Satin Silver Roof Rails	•	•
Panoramic glass sunroof with sunshade and anti-trap		•
Red Brake Callipers	•	•
EXTERIOR LIGHTING AND VISIBILITY		
LED headlight with Manual height adjustment function	•	•
Front fog lights	•	•
Rear fog light	•	•
LED 'London Eye' daytime running lights	•	•
LED taillamp	•	•
Lights on warning alarm	•	•
Heated glass rear window with timed cut-off	•	•
Intermittent rear wiper	•	•
Intermittent windscreen wipers	•	•
Rain Sensor wiper	•	•
Automatic headlight illumination system	•	•
Follow me home delayed headlight illumination	•	•

MODEL	EXCITE	ESSENCE
INTERIOR FEATURES		
Front door stowage bins with bottle holders	•	•
Twin front cup holders	•	•
Front seat back map pockets	•	•
Courtesy light with delay	•	•
Boot light	•	•
Removable luggage cover above boot	•	•
Front map reading lights	•	•
Driver and passenger sun visors with vanity mirrors	•	•
Glovebox	•	•
Leather trimmed, multifunctional steering wheel with contrast stitching & perforation detail	•	•
Premium trimmed gear knob with MG badge	•	•
Synthetic Leather interior trim for door facings with contrast stitching detail	•	•
Satin Chrome highlights to door handles, air vents and steering wheel	•	•

TECHNICAL SPECIFICATIONS

EXTERIOR

 Diamond Red†
 Brighton Blue†
 York White†
 Pebble Black†
 Sterling Silver†

 Metallic
 Metallic
 Non Metallic
 Non Metallic
 Metallic

 RSJ
 JSO
 WSB
 PBC
 SSA





^5 year factory & !5 year roadside assistance T&Cs at mgmotor.com.au/warranty