

A silver Ford Transit Custom Trail van is parked on a grassy area next to a lake at sunset. The van has orange and black graphics, including a 'TRAIL' badge on the side. In the background, a man and a woman are sitting in camp chairs next to a campfire, with a large tree in the foreground and a calm lake reflecting the sunset sky.

Ford

2026MY

Transit Custom Trail

2026MY Transit Custom Trail

Trail AWD Long Wheel Base Van	
Engine	
Engine	2.0L TDCi EcoBlue
Power - Maximum	125kW @ 3,500rpm
Torque - Maximum	390Nm @ 1,750 - 2,500rpm
Cylinders	4
Auto Stop/Start ¹	S
Transmission	
8-Speed Automatic	S
Transmission Stalk with Manual Gear Shifter	S
Driveline	
Wheelbase	LWB
Drivetrain	AWD
6 Drive Modes - Normal, Eco, Slippery, Tow/Haul, Sport, Trail	S
Fuel, Economy & Emissions	
Fuel Type	Diesel
Fuel Tank Capacity (L)	70
Combined Fuel Economy (L/100km) ²	8.5
CO ₂ Emissions (g/100km) ²	223
Selective Catalytic Reduction - Using AdBlue® ³	S
AdBlue® tank size (L)	20
Brakes	
Front and Rear Disc Brakes	S
Electric Parking Brake	S
Suspension & Steering	
Independent Rear Suspension	S
Electric Power Assisted Steering	S
Wheels	
Wheel Size	6.5" x 16"
Wheel Type	Twin-Spoke Alloy Wheels in Matte Black
Tyre Size	215/65 R16C
Spare Wheel (Space Saver)	S
Exterior Design Features	
Single Sliding Side Load Door (LHS - Kerbside) (No Glazing)	S
Dual Sliding Side Load Doors (No Glazing)	O
Rear Twin Barn Doors	S
Rear Tailgate	O
Rear Window	S
Mudflaps - Front & Rear	S
Roof Rail	S
Seating	
Number of Seats	3
Driver Seat - 8-Way Manual inc. Lumbar	S
Dual Front Passenger Seats - Fixed	S
Single Front Passenger Seat	O

Trail AWD Long Wheel Base Van	
Seating (continued)	
Driver Arm Rest	Single
Driver and Passenger (Outboard) Auto Heated Front Seats	S
Under Seat Stowage Compartment (Passenger Side)	S
Driver & Passengers Seat Occupancy Recognition	S
Unique Trail Seats with Yellow Stitching	S
Lighting	
Automatic Dusk Sensing Headlights	S
Automatic High Beam Control	S
LED Daytime Running Lights	S
LED Headlights	S
Halogen Tail-lights	S
High Mounted Stop Lamp	S
Manual Headlight Levelling	S
Rear Fog Lamps	S
Overhead Console Reading Light	S
Audio, Communication & Connectivity	
Colour Multi-Function Touch Screen Display - 13-inch	S
Colour Digital Instrument Cluster with Configurable Display - 12-inch	S
Built-In Satellite Navigation with one year of Connected Navigation Services included ⁴	S
Embedded Modem - 5G capable	S
FordPass Connect ⁵	S
Speakers	4
Digital Audio (DAB+) and FM Radio	S
Bluetooth® with Phone / Audio Streaming ⁶	S
SYNC® ⁴ with Voice-Activated Controls ⁷	S
Steering Wheel Audio/Function Control	S
Wireless Apple CarPlay™ & Android Auto™ ⁸	S
Wireless Charging ⁹	S
USB-A - Instrument Panel	S
USB-C - Instrument Panel	S
Auxiliary 12V Power Outlet - Instrument Panel	S
Digital Owners Manual	S
Comfort & Convenience	
Climate Control - Single Zone	S
Automatic Rain-Sensing Windshield Wipers	S
Quickclear Heated Windscreen	S
Fold Down Tray Table (Centre Passenger Seat)	S
Illuminated Step - Driver & Passenger	S
Premium Feel Sensico Steering Wheel	S
Telescopic and Tilt Adjustable Steering Column	S
Locking Lower Glovebox	S
Driver Footrest	S
Slim line Centre Console with Foldable Single Cup Holder	S

Trail AWD Long Wheel Base Van	
Comfort & Convenience (continued)	
Keyless Push Button Start	S
Rear View Mirror	S
Rear Window Defrost with wiper and washer ¹⁰	S
Cup Holders - Front	S
Front Door Storage with Bottle Holders	S
Cabin Floor Covering - Easy Clean Rubber	S
Loadspace Compartment	
Metal Bulkhead with Window and Load-Through Hatch	S
Load Area Protection Kit - Full Height Walls & Moulded Floor	S
Load Area Tie Down Loops	8
Ultra Bright LED Load Area Compartment Lights	S
Safety	
6 Airbags - Driver, Front Passenger, Front Side Curtain & Front Side Seat	S
Security	
Thatcham Alarm and Immobiliser	S
Power Door Deadlocks - Shielded	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

1. Auto Stop/Start will not occur in all situations. 2. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that this fuel consumption and emissions figure will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 3. Proper functioning requires use of Diesel Exhaust Fluid (AdBlue®) which must be refilled periodically. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V. 4. Connected Built-In Satellite Navigation is a Connected Service where eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date, after which time the service may cease to be available or may be subject to a subscription fee. Users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on' to use this feature. 5. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.com.au/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The Transit Custom 2024.50MY contains a FordPass Connect Modem which will function on the 3G, 4G and 5G telecommunications networks. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 6. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 7. Don't drive while distracted. Use voice-operated systems when possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC 4 features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. 8. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. 9. Wireless charging only available on compatible phones. 10. Rear Window Defrost with Wiper & Washer will not be available if Secure Visibility Pack option is selected. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations.

2026MY Transit Custom Trail

Trail AWD Long Wheel Base Van	
Driver Assistance	
Roll Over Mitigation ¹¹	S
Dynamic Stability Control (DSC) incorporating ABS ¹¹	S
Traction Control System ¹¹	S
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centering ¹²	S
Blind Spot Monitoring & Assist ¹¹	S
Rear Cross Traffic Alert ¹¹	S
Emergency Call Assist ¹³	S
Evasive Steering Assist ¹¹	S
Exit Warning ¹¹	S
Forward Collision Warning ¹¹	S
Hill Launch Assist ¹¹	S
Intelligent Speed Limiter ^{11, 14}	S
Lane Keeping Aid with Lane Departure Warning ¹¹	S
Parking Sensors - Front & Rear ¹¹	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB) and Intersection Assist ^{11, 15}	S
Rear View Camera - 180-Degree Split View ¹¹	S
Reverse Brake Assist ^{11, 16}	S
Side Wind Stabilisation ¹¹	S
Traffic Sign Recognition ^{11, 17}	S
Tyre Pressure Monitoring System	S
Anti-Lock Brake System (ABS) ¹¹	S
Electronic Brakeforce Distribution (EBD) ¹¹	S
Emergency Brake Assist (EBA) ¹¹	S
Production Options	
Dual Side Load Doors ¹⁸	O
Rear Liftgate Door ¹⁸	O
Single Passenger Seat ¹⁸	O
Paint Colours	
Prestige Paint ¹⁹	O
Frozen White	S
Moondust Silver ¹⁹	O
Magnetic ¹⁹	O
Agate Black Metallic ¹⁹	O
Grey Matter ¹⁹	O
Vehicle Masses (kg)	
Axle Plated Mass (Front / Rear)	1700/1850
Gross Combined Mass	5725
Gross Vehicle Mass	3225
Kerb Weight ²⁰	2046
Payload (based on Kerb Weight)	1179
Maximum Kerb Weight ²¹	2061
Payload (Based on Max. Kerb Weight) ²²	1164
Maximum Braked Towing Capacity ²³	2500

Trail AWD Long Wheel Base Van	
Exterior Dimensions (mm)	
Overall Length	5450
Overall Width with Mirrors	2275
Overall Width with Folded Back Mirrors	2148
Overall Width without Mirrors & Handles (Maximum Body Width)	1999
Overall Height at Kerb Weight ²⁴	1963-2031
Wheelbase	3500
Front of Vehicle to Front Wheel Centre	958
Rear of Vehicle to Rear Wheel Centre	992
Width - Side Door Opening	1030
Height - Side Door Opening	1301
Width - Rear Door Opening	1400
Height - Rear Door Opening	1316
Under Body Protection	S
Turning Circle (M)	
Kerb to Kerb turn Diameter	12.1
Cargo Dimensions (mm)	
Width - Load Space Between Wheel Arches ²⁵	1392
Height - Load Space Floor to Roof	1425
Height - Rear Loading Height ²⁶	531-585
Length - Upper Cargo	2794
Length - Load Space Maximum (Up to Bulkhead)	3002
Length - Load Space Maximum (includes Load Through Hatch)	3450
Maximum Load Volume (with Bulkhead) (cu.m) ²⁷	6.8
Load Space SAE (behind Bulkhead) (cu.m)	6.5
Load Space VDA (with Bulkhead) (cu.m) ²⁸	6
Euro Pallet Capacity (1,200mm x 800mm)	4
Aftersales Information	
Service Intervals - 12 months or 30,000 km	

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

Disclaimer:

11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **12.** Intelligent Adaptive Cruise Control (iACC) uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator or via steering wheel controls. In some circumstances, iACC will use map data to set the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. Adaptive Cruise Control has a minimum operating speed of 20km/h. Detection of lower speed limit will result in system entering standby when iACC is active. Customers should read the Owner's Manual for details of the limitations of the iACC system before activating. **13.** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **14.** Intelligent Speed Limiter (ISL) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISL system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISL can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISL system before activating. In some circumstances, ISL will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **15.** Pre-collision Assist with Autonomous Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. These do not replace safe driving. See Owner's Manual for Limitations. **16.** Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. **17.** Traffic Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. In some circumstances Traffic Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's FordPass Connect modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **18.** Option available at additional cost. **19.** Prestige paint colours available at additional cost. **20.** Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. **21.** Subject to State and Territory regulations. Maximum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible orderable combination of factory fit equipment. **22.** Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb weight. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. **23.** Maximum towing capacity braked using a genuine Ford tow pack, optional at additional cost. Subject to State and Territory regulations. To comply with regulations and vehicle GCM and GVM limits, the weight of any load transported by the vehicle may need to be restricted. For further details regarding load weight restrictions, please consult your authorised Ford Dealer and / or refer to the Owner's Manual. **24.** Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. **25.** Load Area Protection Kit may impact cargo area dimensions and capacities. **26.** Height dimensions show a range from min. to max. of a fully laden, lowest payload vehicle to unladen highest payload vehicle. All dimensions (shown in mm) are approximate, are subject to manufacturing tolerances, do not include additional equipment and should be confirmed before fitting any accessories or otherwise relying on this value. **27.** Maximum load volume method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. Load Area Protection Kit may impact cargo area dimensions and capacities. **28.** VDA is the method determined by filling the load space with 'litre' blocks, each measuring 200x100x50mm. The blocks are then counted and the numerical result is converted into cubic meters.

Discover more at ford.com.au

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com



Important information:
This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Features, designs, materials, colours and other specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.