


# IMAGINATION DRIVES US





Imagination is the world's most valuable resource. It's our window to the future, because if we can imagine it, we can create it. Mazda is built on a foundation of imagination and ingenuity. It's the fuel behind all we create and achieve. It has given us countless successes that once existed only in someone's imagination. These pages show how imagination is an integral part of our innovative cars.





**BUILT LIKE A BT-50** 

There's no other ute that's built like a BT-50. It delivers power when you need it, and refined comfort with every drive. Fill it with gear, pull a load or take it off road. As a workhorse or a weekend warrior, it's built to rise to any challenge.

Smart connectivity, including Apple CarPlay® and Android® Auto, means Mazda BT-50 is clever as well as capable. The spacious cabin offers a level of style and passenger comfort that makes it feel more like a car. It's all protected with advanced safety features like airbags, Dynamic Stability Control and Reverse Camera.

Add to all of this a bold new look, Mazda BT-50 can do it all - with added Zoom-Zoom.

4







# A RUGGED FACE. A HEART OF GOLD

Mazda BT-50 is built with a bold front end design. The styling visually lowers the centre of gravity toward the front, giving it a wide, stable stance and adding to the commanding street presence. You can personalise your Mazda BT-50 to suit your style too with a range of accessories and options to choose from.



# A CUT ABOVE

These days tough's not enough. That's why Mazda BT-50 is built with all the comforts you'd expect in a car. The interior is decked out with quality trims and finishes, like a luxurious leather-bound steering wheel (XTR and GT only). Stay comfortable all year round with powerful heating and cooling, including dual-zone climate control in selected models.

There's plenty of clever thinking built in too with useful driver tech like Apple CarPlay® and Android® Auto, trip computer and cruise control.

You'll also get access to Sat Nav with off-road maps on XTR and GT models as well as DAB+ digital radio, now standard on all grades, ready for you to crank up the thumping audio system. Mazda BT-50 is USB and Bluetooth® compatible, so you can make and answer phone calls with built-in hands-free connectivity.

§ Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Visit www.mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.







# **BUILT TO PERFORM**

When it comes to performance, Mazda BT-50 has it in spades. Built tough from the ground up, its ladder frame chassis provides reinforcement for maximum rigidity. The resulting stability can be felt in car-like handling - even when taking on large payloads.

Mazda BT-50's powerful engines also make towing light work, hauling boats, caravans and trailers with ease.

Under the bonnet, new generation turbo diesel engines give you the power to get the job done. Harnessing the power is up to you - choose from a rugged 6-speed manual for complete control, or a versatile 6-speed auto that also allows for smooth manual changes.

# BUILT FROM THE INSIDE OUT

Make the most of generous power with responsive performance. Mazda BT-50 rises to the toughest challenges with effortless grunt, thanks to advanced common-rail direct injection. A variable geometry turbocharger reduces lag on the gutsy 2.2L, delivering an effortless 110kW and 375Nm of torque. Choose the 3.2L, and you get 147kW with a whopping 470Nm.

\* Combined fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.



### 2.2L ENGINE

Boosted by a variable geometry turbocharger to reduce lag, the 2.2L engine delivers all the power you need. 4x2 Single Cab Chassis XT's four-cylinder engine gives you 110kW and 375Nm and uses 8.0L/100km.\* (Manual)

Black Engine cover not available on 2.2L Engine.



### 3.2L ENGINE

Feel the grunt of a five-cylinder engine with common-rail direct injection and intercooling. Pumping out 147kW and 470Nm of torque from 8.9 litres per 100km\* (combined), you get effortless muscle for every task.

Black Engine cover on XTR and GT models only.



4x4 Dual Cab Utility GT in Titanium Flash Mica.

### BODY

High-tensile steel is behind the Mazda BT-50's durable body shell. Exceptionally strong, it also keeps overall weight down.



### CHASSIS

Reinforced with a rigid ladder frame chassis, Mazda BT-50 is ready to take on the heavy-duty jobs. Front wishbone suspension and rear leaf suspension cushion the ride for car-like handling on and off the road.



# AUTOMATIC TRANSMISSION

Let the intelligent six-speed auto do the work for you, or step in for manual gear shifts when the mood strikes. In auto mode, Active Adaptive Shift (AAS) kicks in – intuitively changing gears to suit your driving conditions.




# MANUAL TRANSMISSION

Enjoy the smooth ride of a six-speed manual that delivers fluid precision-shifting ratios. Transition through gear changes with ease for a true sense of control over your vehicle's performance.



# 





# **CONQUER THE EARTH**

Equipped with power and backbone, Mazda BT-50 has serious muscle. Don't be afraid to load it up and give it heaps - it takes on hefty towing jobs and payloads effortlessly. The rugged 4x4 is backed by the latest driver support tech meaning uneven terrain has never been easier to conquer. Jump between 2-High and 4-High at the flick of a switch, without stopping the vehicle. Operated via a console switch, electronic Locking Rear Differential (eLRD) gives you maximum traction on uneven terrain. By locking the rear differential, torque is distributed evenly between the rear wheels. If one wheel loses grip, the other continues to provide power, turning the wheel to get traction on the ground.







# READY, WILLING, ABLE

Whether it's navigating new terrain, carrying heavy cargo or towing a few tonnes, Mazda BT-50 handles it all without breaking a sweat. The Freestyle Cab offers you the versatility to make room for up to 4 adult passengers, with adjustable seating configurations and clever rear door access.

16







# STRENGTH WITH AGILITY

Built like it's born to work, you get all the tech, safety and power you need from the tough Single Cab. It's ready to tow the big stuff and carry the heftiest payloads. In selected models there's room for three occupants, featuring a bucket seat for the driver and bench seating for two others. Auto models seat two in comfortable bucket seats.







# ROOM TO MOVE

Power, strength and capability - Mazda BT-50 consistently delivers. When it comes to space, it's no different. While Mazda BT-50 boasts a generous cargo box in the back, you'll be surprised how much smart storage can be found around the cabin too. Tuck your gear away in the split-level centre console space, or the sizeable glovebox that swallows a 16-inch laptop. Drinks and sunnies have their own dedicated spaces, keeping them within grabbing reach on every trip.



# **BUILT FOR AUSTRALIA**

Mazda BT-50 is ready to handle the demanding driving conditions of our rugged landscape. Challenging terrain is met with gritty performance that adapts to its environment with intelligent driver aids like Dynamic Stability Control (DSC) and Hill Descent Control (HDC). Leave no territory unexplored - be ready for any terrain with the robust 4x4. Switch between 2-High and 4-High at the flick of a console switch without even stopping the vehicle. While Australia's harsh weather extremes can make being outside unbearable, you'll always be comfortable inside with Mazda BT-50's dual-zone climate control (XTR and GT only).





# **CONFIDENCE BUILT-IN**

In a Mazda BT-50 you're driving a vehicle that's big on safety. Driver support begins with a rigid chassis and precise handling, giving you the capacity to avoid potential hazards! In the event Mazda BT-50 does run into trouble, it's well equipped to deal with it. The reinforced body shell is fitted with front airbags and head-protecting curtain airbags in all models. Freestyle and Dual Cab models also come with the addition of side (front) airbags.

Every seat is armed with three-point lap-sash seatbelts, with Dual Cab and Freestyle Cab models featuring two child restraint anchor points in the rear.

Roll Stability Control (RSC) monitors your driving data and applies appropriate measures to help prevent rollover. When your cargo raises Mazda BT-50's centre of gravity, you've got Load Adaptive Control (LAC) for extra stability.

Dynamic Stability Control (DSC) helps keep traction in all conditions, managing the engine power and braking force delivered to individual wheels to avoid skidding or loss of grip.

ABS brakes feature Electronic Brake-force Distribution (EBD) which matches braking to vehicle load, while Emergency Brake Assist (EBA) boosts stopping power when emergency braking is sensed. An Emergency Stop Signal (ESS) activates the hazard lights to warn following drivers of sudden deceleration.

† Driver-assistance features do not replace the driver's judgement and are not to be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.













# SAFETY REFLEX

Trailer Sway Control (TSC) adjusts braking and torque to correct any side-to-side swinging movement of towed loads.

# BETTER BRAKING

Stopping distance with EBA, ABS and EBD.

Stopping distance with no assistance.

# INCLINES MADE EASY

Remove your foot from the brake on an incline and Hill Launch Assist (HLA) keeps the brakes applied, releasing them when there's enough power for a smooth start. While you're on steep slopes, you can engage Hill Descent Control (HDC) to maintain steady control of your speed.



# MAKE IT YOUR OWN

Build your own Mazda BT-50 with specially designed Mazda Genuine Accessories. You can toughen up the capabilities and functionality while enhancing its rugged looks and adventurous spirit.

Mazda Genuine Accessories also protect your Mazda BT-50 and add value. To discover the full suite of accessories, please refer to the Accessories Brochure, or online.







# SINGLE CAB FEATURES

ΧТ

- » 16-inch steel wheels
- » Headlamps (Halogen)
- » Power windows and mirrors (black)
- » Seat trim: Black cloth
- » Air-conditioning
- » Cruise control
- » Lockable glovebox
- » Trip computer
- » Audio system with: AM/FM tuner

» 7-inch touch screen

- » DAB+ digital radio
- » Apple Carplay® and Android® Auto
- » Reverse camera
- » Bluetooth® hands-free phone and audio capability§
- » Steering wheel-mounted audio controls
- » Airbags SRS: front (driver and passenger) and curtain (driver and passenger)

4x2 Single Cab Chassis XT Lo-Rider in Cool White fitted with optional premium alloy tray.

- » Anti-lock Braking System (ABS)
- » Dynamic Stability Control (DSC)
- » Emergency Stop Signal (ESS)
- » Hill Launch Assist (HLA)
- » Roll Stability Control (RSC)
- » Traction Control System (TCS)
- » Trailer Sway Control (TSC)

# GET COMFORTABLE

The single cab features a bucket seat for the driver and bench seating for two others - all finished in durable cloth trim. Auto models seat two in comfortable bucket seats.



# CONNECT FOR WORK AND PLAY

Do business or connect with the world around you with Apple CarPlay® and Android Auto available when you pair up your compatible smartphone.



SMOOTH CRUISIN'

Maintain a consistent speed and save fuel without the distraction of checking your speedometer.



HANDS-ON CONTROL

You'll never have to take your hands off the wheel with this smart control.



# DON'T BACK INTO TROUBLE

The Reverse Camera now with an integrated 8-inch screen means you'll always have a clear view of what's behind you.

# POWERTRAIN

# 2.2 LITRE

- » 2.2 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel engine
- » Drivetrain: 4x2 or 4x2 Hi-Rider
- » Max power: 110kW @ 3,700rpm
- » Max torque: 375Nm @ 1,500-2,500rpm
- » Fuel consumption (combined): 8.0L/100km\* (4x2, man) or 8.6L/100km\* (4x2 Hi-Rider, auto)

# 3.2 LITRE

- » 3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel engine
- » Drivetrain: 4x2 Hi-Rider or 4x4
- » Max power: 147kW @ 3,000rpm
- Max torque: 470Nm @ 1,750-2,500rpm
- » Fuel consumption (combined): 8.9L/100km\* (4x2 Hi-Rider, man) or 9.7L/100km\* (4x4, man) or 10.0L/100km\* (4x4, auto)
- § Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Visit www.mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.
- \* Combined fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.





# FREESTYLE CAB FEATURES

ΧТ

- » 16-inch steel wheels
- » Freestyle door system
- » Rear step bumper (black) utility only
- Lockable tailgate utility only
- » Headlamps (Halogen)
- » Power windows and mirrors (black)
- Seat trim: Black cloth
- » Air-conditioning
- » Cruise control
- » Lockable glovebox
- » Trip computer
- Audio system with: AM/FM tuner
- >> 7-inch touch screen
- » DAB+ digital radio
- Apple Carplay® and Android® Auto

POWERTRAIN

» 3.2 litre in-line 5 cylinder 20 valve

» Drivetrain: 4x2 Hi-Rider or 4x4

DOHC intercooled turbo diesel engine

» Reverse camera

» Bluetooth® hands-free phone and audio capability§

- Steering wheel-mounted audio controls
- Airbags SRS: front (driver and passenger), side (front) and curtain (front and rear)
- » Anti-lock Braking System (ABS)
- Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- Hill Descent Control (HDC) 4x4 only
- » Hill Launch Assist (HLA)
- Locking Rear Differential (LRD) 4x4 only
- » Roll Stability Control (RSC)
- » Traction Control System (TCS)

» Max power: 147kW @ 3,000rpm

Max torque: 470Nm

@ 1,750-2,500rpm

» Trailer Sway Control (TSC)

4x4 Freestyle Cab Utility XTR in Blue Reflex Mica.

### XTR ADDITIONAL TO XT

- » 17-inch alloy wheels
- » Door handles (chrome)
- » Front fog-lamps (Halogen)
- Headlamps auto on/off function
- » Power mirrors (chrome)
- » Rear step bumper (chrome)
- » Side steps (tubular, polished)
- » Wipers (front) 2-speed with rain-sensing function
- » Air-conditioning (dual-zone climate control)
- » Floor covering: carpet
- » Leather-wrapped steering wheel and gear shift knob
- » 8-inch touch screen
- » Audio system with: 6 speakers

» Fuel consumption (combined):

9.7L/100km\* (4x4, man) or 10.0L/100km\* (4x4, auto)

8.9L/100km\* (4x2 Hi-Rider, man) or

9.3L/100km\* (4x2 Hi-Rider, auto) or

» Satellite navigation with off-road maps

All seats are finished in quality cloth trim, and how they're configured is up to you.

FREEDOM OF FLEXIBILITY

VERSATILITY AND DURABILITY

Open up your interior options with a versatile rear door configuration.



THE RIGHT DIRECTION

In-built navigation leads the way so you can relax and enjoy the ride. (Navigation available on XTR only.)

THE PERFECT TEMPERATURE

With dual climate control you and your passenger can both enjoy optimum cabin temperature. Even if it's not the same. (Available on XTR only.)



# A BIG BOLD LOOK

These 17-inch alloys get the job done and give your Mazda BT-50 a unique, bold look and a commanding street presence. (Available on XTR only.)

- § Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Visit www.mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.
- \* Combined fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.





# **DUAL CAB FEATURES**

ΧТ

- » 16-inch alloy wheels utility only
- » Headlamps (Halogen)
- Power windows and mirrors (black)
- Rear step bumper (black) utility only »
- Lockable tailgate utility only
- Seat trim: Black cloth
- Air-conditioning
- Cruise control
- » Lockable glovebox
- Trip computer
- Audio system with: AM/FM tuner
- >> 7-inch touch screen
- DAB+ digital radio
- » Apple Carplay® and Android® Auto
- » Reverse camera
- Bluetooth® hands-free phone and audio capability§
- » Steering wheel-mounted audio controls

POWERTRAIN

» Airbags SRS: front (driver and passenger), side (front) and curtain (front and rear)

» 3.2 litre in-line 5 cylinder 20 valve

» Drivetrain: 4x2 Hi-Rider or 4x4

DOHC intercooled turbo diesel engine

- » Anti-lock Braking System (ABS)
- Dynamic Stability Control (DSC)
- Emergency Stop Signal (ESS)
- Hill Descent Control (HDC) 4x4 only
- Hill Launch Assist (HLA)
- » Locking Rear Differential (LRD)
- 4x4 only
- » Roll Stability Control (RSC)
- Traction Control System (TCS)
- Trailer Sway Control (TSC)
- Tailgate lock

# XTR ADDITIONAL TO XT

- 17 inch alloy wheels
- Door handles (chrome)
- » Front fog-lamps (Halogen)
- Headlamps auto on/off function
- » Power mirrors (chrome)
- Rear step bumper (chrome)
- Side steps (tubular, polished)
- Wipers (front) 2-speed with rain-sensing function

Max power: 147kW @ 3,000rpm

Max torque: 470Nm

@ 1,750-2,500rpm

- » Air-conditioning (dual-zone climate control)
- » Floor covering: carpet
- » Leather-wrapped steering wheel and gear shift knob

4x4 Dual Cab Utility GT in Titanium Flash Mica.

- » Rear-view mirror auto dimming
- » 8-inch touch screen
- » Satellite navigation with off-road maps

# GT ADDITIONAL TO XTR

- » Power mirrors (heating and folding function) with turn indicator
- » Privacy glass
- » Front seats with: 8-way power adjustment (driver)
- » Seat trim: Black leather#
- » Sports bar
- > Tub liner
- » Remote tailgate lock
- » 12V socket and light in cargo box
- » Fuel consumption (combined): 9.7L/100km\* (4x4, man) or 10.0L/100km\* (4x4, auto)
- 8.9L/100km\* (4x2 Hi-Rider, man) or 9.3L/100km\* (4x2 Hi-Rider, auto) or
- 9 Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Visit www.mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.
- # Leather interior includes some Maztex material on selected high impact surfaces.
- \* Combined fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.



# SPACE AND STYLE

Accommodate five adults comfortably in black cloth seating, or select indulgent black leather.\*



GET COMFORTABLE

Inviting leather# seats feature 8-way power adjustment for maximum driver comfort. (GT only)



RAISE THE BAR

This great looking sports bar adds a new level of toughness and helps keep your load secure.



KEEP IT PROTECTED

The durable tub liner is highly resistant to UV light and withstands exposure to chemicals like paint and fuel. (GT only)



12V SOCKET

With 2 in-built 15-amp sockets you can power your appliances and tools. Features smart circuit, battery protection and touch light. (GT only)

3,200 kg

2,022 kg

2,036 kg

1,178 kg

1,164 kg

5

350 kg

3,500 kg

750 kg

3,200 kg

2,147 kg

2,161 kg

1,053 kg

1,039 kg

5

350 kg

3,500 kg

750 kg

3,200 kg

2,091 kg

2,105 kg

1,109 kg

1,095 kg

5

350 kg

3,500 kg

750 kg

4x2		2.2L Single Cab Chassis XT	2.2L Single Cab Chassis XT	3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR	
Powertrain			Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	
Engine type			cylinder 16 valve led turbo diesel	3.2 litre in-line 5 cylinder 20 valve DOHC intercooled turbo diesel					
Engine capacity		2,198 cc				3,198 cc			
Bore and stroke		86.0 mm x 94.6 mm			{	39.0 mm x 100.7	mm		
Compression ratio		15.	5:1			15.5 : 1			
Maximum power		110 kW @	3,700 rpm		14	47 kW @ 3,000 r	rpm		
Maximum torque		375 Nm @ 1,500 - 2,500 rpm			470 N	lm @ 1,750 - 2,5	00 rpm		
Throttle control		Electronic (d	drive-by-wire)		Elec	ctronic (drive-by	-wire)		
Fuel system		Common-rail, electronic direct injection			ele				
Fuel tank capacity		80 I	itres			80 litres -			
Recommended fuel		Diesel				Diesel			
Fuel consumption*	man (combined)	8.0 litres per 100 km	-			8.9 litres per 10	0 km		
	auto (combined)	-	8.6 litres per 100 km	9.3 litres per 100 km					
Emissions standard		Euro :	stage V	Euro stage V					
Alternator		12 volts	- 110 amps	12 volts - 110 amps					
Manual transmission		6-speed	-			6-speed			
Automatic transmission		-	6-speed	-		(	6-speed		
Gear ratio - man/auto	1st	5.441 / -	- / 4.171	5.441 / -		5.4	141 / 4.171		
	2nd	2.839 / -	- / 2.342	2.839 / -		2.83	39 / 2.342		
	3rd	1.721 / -	- / 1.521	1.721 / -		1.7	21 / 1.521		
	4th	1.223 / -	- / 1.143	1.223 / -		1.22	23 / 1.143		
	5th	1.000 / -	- / 0.867	1.000 / - 1.000 / 0.867					
	6th	0.794 / -	- / 0.691	0.794 / - 0.794 / 0.691					
	reverse	4.935 / -	- / 3.403	4.935 / - 4.935 / 3.403					
	final drive	3.310 / -	-/3.550	3.550 / - 3.550 / 3.730					
Weights and capacities									
Axle capacity	front	1,324 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	
	rear	1,752 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	
Gross Combined Mass $(GCM)^{\infty}$	man	5,425 kg	-	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	
	auto	-	6,000 kg	-	6,000 kg	6,000 kg	6,000 kg	6,000 kg	
Gross Vehicle Mass (GVM) <sup>  </sup>	man	2,925 kg	-	3,200 kg	3,200 kg	3,200 kg	3,200 kg	3,200 kg	
	auto	-	3,200 kg	-	3,200 kg	3,200 kg	3,200 kg	3,200 kg	
Kerb weight <sup>¬</sup>	man	1,622 kg	-	1,695 kg	1,773 kg	1,832 kg	1,922 kg	1,988 kg	
	auto	-	1,667 kg	-	1,798 kg	1,849 kg	1,939 kg	2,005 kg	
Kerb weight when fitted with	man	1,765 kg	-	1,839 kg	1,898 kg	1,946 kg	-	-	
Mazda Standard Alloy Tray	auto	-	1,811 kg	-	1,923 kg	1,963 kg	-	-	
Payload <sup>≈</sup>	man	1,303 kg	-	1,505 kg	1,427 kg	1,368 kg	1,278 kg	1,212 kg	
	auto	-	1,533 kg	-	1,402 kg	1,351 kg	1,261 kg	1,195 kg	
Payload when fitted with	man	1,160 kg	-	1,361 kg	1,302 kg	1,254 kg	-	-	
Mazda Standard Alloy Tray <sup>≈</sup>	auto	-	1,389 kg	-	1,277 kg	1,237 kg	-	-	
Seating capacity	man	3	-	3	4	5	5	5	
	auto	-	2	-	4	5	5	5	
Tow ball download $^{\circ}$	maximum	250 kg	350 kg	350 kg	350 kg	350 kg	350 kg	350 kg	
Towing capacity $^{\Upsilon}$	braked	2,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	
	unbraked	750 kg	750 kg	750 kg	750 kg	750 kg	750 kg	750 kg	

<sup>– =</sup> Not available.

- \* Combined fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.
- ∞ Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel and cargo.
- Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.
- $\neg$  Kerb Weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.
- ≈ Maximum payload weight is calculated as the difference between GVM and Kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.
- γ When fitted with a Mazda Genuine Towing kit. Subject to State and Territory regulations.

4x4		3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Freestyle Cab Utility XTR	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR	3.2L Dual Cab Utility GT	
Powertrain									
Engine type			3.2	litre in-line 5 cylin	der 20 valve DO	HC intercooled tur	bo diesel		
Engine capacity					3,198 cc -				
Bore and stroke					89.0 mm x 100.7	7 mm			
Compression ratio					15.5 : 1				
Maximum power					147 kW @ 3,000	rpm			
Maximum torque				470	Nm @ 1,750 - 2	,500 rpm			
Throttle control				Ele	ectronic (drive-b	oy-wire)			
Fuel system				Common-	rail, electronic d	lirect injection			
Fuel tank capacity					80 litres -				
Recommended fuel					Diesel				
Fuel consumption*	man (combined)	n (combined) 9.7 litres per 100 km							
	auto (combined)			1	10.0 litres per 10	0 km			
Emissions standard					Euro stage '	V			
Alternator					12 volts - 110 a	mps			
Manual transmission					6-speed				
Automatic transmission					6-speed				
Gear ratio - man/auto	1st				5.441 / 4.17	1			
	2nd				2.839 / 2.34	42			
	3rd				1.721 / 1.52	1			
	4th				1.223 / 1.143	3			
	5th				1.000 / 0.8	67			
	6th				0.794 / 0.69	91			
	reverse	4,935 / 3,403							
	final drive				3.550 / 3.73	0			
Transfer gear	high	1.000							
	low				2.718				
Weights and capacities									
Axle capacity	front	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	1,480 kg	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	rear	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	1,850 kg	
Gross Combined Mass (GCM) <sup>∞</sup>	man	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	
S. SSS SSINDING MGSS (OCM)	auto	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	
		2,0009	2,000.19	-,0009	2,0009	0,000.19	0,0009	C,CCC Ng	

3,200 kg

1,792 kg

1,820 kg

1,936 kg

1,964 kg

1,408 kg

1,380 kg

1,264 kg

1,236 kg

350 kg

3,500 kg

750 kg

auto

man auto

man

auto

auto

man

auto

maximum

unbraked

braked

3,200 kg

1,860 kg

1,885 kg

1.985 ka

2,010 kg

1,340 kg

1,315 kg

1,215 kg

1,190 kg

4

350 kg

3,500 kg

750 kg

3,200 kg

2,042 kg

2,056 kg

1,158 kg

1,144 kg

4

350 kg

3,500 kg

750 kg

3,200 kg

1,932 kg

1,946 kg

2,046 kg

2,060 kg

1,268 kg

1,254 kg

1,154 kg

1,140 kg

350 kg

3,500 kg

750 kg

Kerb weight

Payload≈

Kerb weight when fitted with man

Mazda Standard Alloy Tray

Payload when fitted with

Seating capacity

Tow ball download  ${}^{\gamma}$ 

Towing capacity $^{\gamma}$ 


Mazda Standard Alloy Tray≈

<sup>– =</sup> Not available.

# **SPECIFICATIONS**


4x2		(A) 2.2L Single Cab Chassis XT	B 2.2L Single Cab Chassis XT	© 3.2L Single Cab Chassis XT	(D) 3.2L Freestyle Cab Chassis XT	© 3.2L Dual Cab Chassis XT	F 3.2L Dual Cab Utility XT	© 3.2L Dual Cab Utility XTR		
Chassis			Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider		
Brake diameter	front				302 mm					
	rear				270 mm					
Brake type	front				Ventilated disc -					
	rear				Drum					
Steering type		Rack and pinion hydraulic power assist steering								
Suspension type	front		Indep	endent double wi	shbone with coil ove	er dampers and a	inti-roll bar			
	rear			Rigid (	live) rear axle with	leaf springs				
Turning circle	kerb to kerb	11.8 m	12.4 m	12.4 m	12.4 m	12.4 m	12.4 m	12.4 m		
Tyre size		215/70 R16C	255/70 R16	255/70 R16	255/70 R16	255/70 R16	255/70 R16	265/65 R17		
Tyre index		106/108S	111T	111T	111T	111T	111T	112T		
Wheel size		16 x 6.5 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	17 x 8.0 J		
Wheel type		Steel	Steel	Steel	Steel	Steel	Alloy	Alloy		
Wheel size (spare)		16 x 6.5 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	16 x 7.0 J	17 x 7.5 J		
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel	Steel		
Dimensions										
Cargo box floor height to ground		-	-	-	-	-	835 mm	841 mm		
Cargo box floor length		-	-	-	-	-	1,549 mm	1,549 mm		
Cargo box floor width		-	-	-	-	-	1,560 mm	1,560 mm		
Cargo box height		-	-	-	-	-	513 mm	513 mm		
Cargo box tailgate openi	ng width	-	-	-	-	-	1,330 mm	1,330 mm		
Cargo box top length		-	-	-	-	-	1,485 mm	1,485 mm		
Cargo box top width		-	-	-	-	-	1,500 mm	1,500 mm		
Cargo box width between	n wheel arches	-	-	-	-	-	1,139 mm	1,139 mm		
Ground clearance	laden	135 mm	200 mm	200 mm	200 mm	200 mm	200 mm	205 mm		
	unladen	201 mm	232 mm	232 mm	232 mm	232 mm	232 mm	237 mm		
Overall height		1,703 mm	1,800 mm	1,800 mm	1,804 mm	1,815 mm	1,815 mm	1,821 mm		
Overall length		5,124 mm	5,124 mm	5,124 mm	5,124 mm	5,124 mm	5,373 mm	5,365 mm		
Overall width		1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm		
Overhang	front	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm		
	rear	985 mm	985 mm	985 mm	985 mm	985 mm	1,234 mm	1,226 mm		
Track	front	1,590 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm		
	rear	1,590 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm		
Wading depth		600 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm		
Wheelbase		3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm		
Approach angle		22.00	27.60	27.60	27.60	27.6°	27.60	28.20		
Departure angle		24.00	28.40	28.40	28.4°	28.40	27.10	26.4°		
Ramp breakover angle		17.0°	24.40	24.40	24.40	24.40	24.40	25.0°		


<sup>– =</sup> Not available.




4x4		(H) 3.2L Single Cab Chassis XT	(1) 3.2L Freestyle Cab Chassis XT	3.2L Freestyle Cab Utility XTR	(K) 3.2L Dual Cab Chassis XT	(L) 3.2L Dual Cab Utility XT	(M) 3.2L Dual Cab Utility XTR	(N) 3.2L Dual Cab Utility GT	
Chassis	front				202				
Brake diameter	front								
	rear								
Brake type	front								
o	rear								
Steering type						-			
Suspension type	front		Indepe						
	rear	Rigid (live) rear axle with leaf springs							
Turning circle	kerb to kerb								
Tyre size		255/70 R16	255/70 R16	265/65 R17	255/70 R16	255/70 R16	265/65 R17	265/65 R17	
Tyre index		111T	111T	112T	111T	111T	112T	112T	
Wheel size		16 x 7.0 J	16 x 7.0 J	17 x 8.0 J	16 x 7.0 J	16 x 7.0 J	17 x 8.0 J	17 x 8.0 J	
Wheel type		Steel	Steel	Alloy	Steel	Alloy	Alloy	Alloy	
Wheel size (spare)		16 x 7.0 J	16 x 7.0 J	17 x 7.5 J	16 x 7.0 J	16 x 7.0 J	17 x 7.5 J	17 x 7.5 J	
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel	Steel	
Dimensions									
Cargo box floor height to ground		-	-	841 mm	-	835 mm	841 mm	841 mm	
Cargo box floor length		-	-	1,847 mm	-	1,549 mm	1,549 mm	1,549 mm	
Cargo box floor width		-	-	1,560 mm	-	1,560 mm	1,560 mm	1,560 mm	
Cargo box height		-	-	513 mm	-	513 mm	513 mm	513 mm	
Cargo box tailgate openi	ng width	-	-	1,330 mm	-	1,330 mm	1,330 mm	1,330 mm	
Cargo box top length		-	-	1,783 mm	-	1,485 mm	1,485 mm	1,485 mm	
Cargo box top width		-	-	1,500 mm	-	1,500 mm	1,500 mm	1,500 mm	
Cargo box width betweer	n wheel arches	-	-	1,139 mm	-	1,139 mm	1,139 mm	1,139 mm	
Ground clearance	laden	200 mm	200 mm	205 mm	200 mm	200 mm	205 mm	205 mm	
	unladen	232 mm	232 mm	237 mm	232 mm	232 mm	237 mm	237 mm	
Overall height		1,800 mm	1,804 mm	1,810 mm	1,815 mm	1,815 mm	1,821 mm	1,821 mm	
Overall length		5,124 mm	5,124 mm	5,365 mm	5,124 mm	5,373 mm	5,365 mm	5,365 mm	
Overall width		1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	1,850 mm	
Overhang	front	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm	919 mm	
	rear	985 mm	985 mm	1,226 mm	985 mm	1,234 mm	1,226 mm	1,226 mm	
Track	front	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	
	rear	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	1,560 mm	
Wading depth		800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	
Wheelbase		3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	3,220 mm	
Approach angle		27.6°	27.6°	28.2°	27.6°	27.6°	28.2°	28.2°	
Departure angle		28.40	28.40	26.4°	28.40	27.10	26.40	26.4°	
Ramp breakover angle		24.40	24.40	25.0°	24.40	24.40	25.0°	25.0°	
,									


<sup>– =</sup> Not available.






200-205 mm







39

4x2		2.2L Single Cab Chassis XT	2.2L Single Cab Chassis XT	3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR
Exterior			Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider	Hi-Rider
Cargo box	double wall construction	-	-	-	-	-	•	•
features	interior rope hooks (6) lockable centre tailgate	-	-	-	-	-	•	-
	release (black) lockable centre tailgate	-	-	_	-	_	-	•
	release (chrome)							
	Remote tailgate lock	-	-	-	-	-	-	-
	12V smart socket with light	-	-	-	-	-	-	-
Door handles (bla	Tub liner	-	-	-	-	-	-	-
Door handles (chr		-		-	-	-		_
Fog-lamps (front)	ome,	-	_	_	_	_	_	
Freestyle door sys	tem	-	_	_	•	_	_	-
Front bumper (boo		•	•	•	•	•	•	•
Fuel filler cap (loc		•	•	•	•	•	-	-
	screen, side and rear windows	•	•	•	•	•	•	•
Headlamps (Halog		•	•	•	•	•	•	•
Metallic/Mica pain		0	0	0	0	0	0	0
Mudflaps (front)		•	•	•	•	•	•	•
Mudflaps (rear)		-	-	-	-	-	•	•
Power mirrors (bla	ack)	•	•	•	•	•	•	-
Power mirrors (ch		-	-	-	-	-	-	•
	rome, folding function, heated)	-	-	-	-	-	-	-
Power windows		•	•	•	•	•	•	•
Privacy glass		-	-	-	-	-	-	-
Rear step bumper	(black)	-	-	-	-	-	•	-
Rear step bumper	(chrome)	-	-	-	-	-	-	•
Side steps (tubula	r, polished)	-	-	-	-	-	-	•
Sports bar (polish	ed)	-	-	-	-	-	-	-
Tailgate (lockable)		-	-	-	-	-	•	•
Under-body impac	t protection	-	-	-	-	-	-	-
Interior								
Air-conditioning			•	•		•	•	_
	dual-zone climate control)	_	_	_	_	_	_	
Ambient temperat		_	_	_	_	_	_	
Auxiliary 12 volt po		•	•	•	•	•	•	•
	nsole with dual compartments	-	•	_	•	•	•	•
	varning lights/chimes	•	•	•	•	•	•	•
Cruise control		•	•	•	•	•	•	•
Cupholders		•	•	•	•	•	•	•
Door pockets		•	•	•	•	•	•	•
Driver's left footre	est	•	•	•	•	•	•	•
Floor covering	carpet	-	-	-	-	-	-	•
	vinyl	•	•	•	•	•	•	-
Glove box (lockabl	le and illuminated)	•	•	•	•	•	•	•
Headlamps auto o	n/off function	-	-	-	-	-	-	•
	system with delayed fade	•	•	•	•	•	•	•
Instrument panel	light dimmer	•	•	•	•	•	•	•
Interior	dome lamp	-	-	-	•	•	•	•
illumination	map reading spot lamps	•	•	•	•	•	•	•
	power window switch (driver)	•	•	•	•	•	•	•
Leather-wrapped	gear shift knob	-	-	-	-	-	-	•
	steering wheel	-	-	-	-	-	-	•
Low fuel warning	light	•	•	•	•	•	•	•
One touch (up and	d down) power window (driver)	•	•	•	•	•	•	•
Overhead sunglas	s storage box	•	•	•	•	•	•	•
Passenger assist o	grips	•	•	•	•	•	•	•
Rear-view mirror v	with auto dimming function	-	-	-	-	-	-	•
Tachometer and e	lectronic odometer/tripmeter	•	•	•	•	•	•	•
Tilt-adjustable ste	ering wheel	•	•	•	•	•	•	•
Trip computer (cu consumption, dist vehicle speed)	urrent and average fuel ance to empty and average	•	•	•	•	•	•	•
Vanity mirror (fro	nt passenger)	•	•	•	•	•	•	•
		•	•	•	•	•	•	•
Window demister (rear)		-	_					
Wipers (front) 2-sp	peed with rain-sensing function						_	

ullet = Standard Feature, - = Not available,  $\bigcirc$  = No Cost Option.

Headlamps (Halogo Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr	tem ly coloured) sable) screen, side and rear windows en)		Chassis XT	Utility XTR	Chassis XT	Utility XT	Utility XTR	Utility GT
Cargo box deatures  Door handles (blac Door handles (chro Fog-lamps (front) Freestyle door syst Front bumper (bod Fuel filler cap (lock Green tinted winds Headlamps (Halogo Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chro With turn indicator	interior rope hooks (6) lockable centre tailgate release (black) lockable centre tailgate release (chrome) Remote tailgate lock 12V smart socket with light Tub liner kk) ome) tem ly coloured) sable) screen, side and rear windows en)	- - - - - - - - -	- - - - - - - -	•	-	• • •	•	•
Door handles (blac Door handles (chro Fog-lamps (front) Freestyle door syst Front bumper (bod Fuel filler cap (lock Green tinted winds Headlamps (Halog Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chro With turn indicator	interior rope hooks (6) lockable centre tailgate release (black) lockable centre tailgate release (chrome) Remote tailgate lock 12V smart socket with light Tub liner kk) ome) tem ly coloured) sable) screen, side and rear windows en)	- - - - - - - - -	- - - - - - - -	•	-	- - - - -	•	•
Coor handles (chrofog-lamps (front) Freestyle door syst Front bumper (bod Fuel filler cap (lock Green tinted winds Headlamps (Halogo Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr With turn indicator	lockable centre tailgate release (black) lockable centre tailgate release (chrome) Remote tailgate lock 12V smart socket with light Tub liner kk) bome)  tem ly coloured) sable) screen, side and rear windows en)	- - - - - - -	- - - - - - -	-	-	- - - - -	- - - - -	•
coor handles (chro cog-lamps (front) freestyle door syst front bumper (bod duel filler cap (lock freen tinted winds deadlamps (Halogi Metallic/Mica paint Mudflaps (front) Mudflaps (front) Power mirrors (bla Power mirrors (chro with turn indicator	release (black) lockable centre tailgate release (chrome) Remote tailgate lock 12V smart socket with light Tub liner kk) bome) tem ly coloured) sable) screen, side and rear windows en)	- - - - - - -	- - - - -	• • • • • • • • • • • • • • • •	-	- - - - -	- - - -	•
coor handles (chro cog-lamps (front) freestyle door syst front bumper (bod duel filler cap (lock freen tinted winds deadlamps (Halogi Metallic/Mica paint Mudflaps (front) Mudflaps (front) Power mirrors (bla Power mirrors (chro with turn indicator	release (chrome)  Remote tailgate lock  12V smart socket with light  Tub liner  (k)  ome)  tem  (y coloured)  table)  screen, side and rear windows  en)	- - - - - - -	- - - - -	- - - - •	-		- - - -	•
coor handles (chro cog-lamps (front) freestyle door syst front bumper (bod duel filler cap (lock freen tinted winds deadlamps (Halogi Metallic/Mica paint Mudflaps (front) Mudflaps (front) Power mirrors (bla Power mirrors (chro with turn indicator	Remote tailgate lock  12V smart socket with light  Tub liner  (k)  (c)  (c)  (d)  (d)  (d)  (d)  (d)  (e)  (e)  (e	- - - - - •	- - - - -	-	-	- - - •	- - - -	
Coor handles (chrofog-lamps (front) Freestyle door syst Front bumper (bod Fuel filler cap (lock Green tinted winds Headlamps (Halogo Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr With turn indicator	12V smart socket with light Tub liner (k) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	- - - - - •	- - - - -	-	- - - -	- - - -	- - - -	
coor handles (chrofog-lamps (front) freestyle door syst front bumper (bod fuel filler cap (lock freen tinted winds fleadlamps (Halogo fletallic/Mica paint fludflaps (front) fludflaps (rear) fludflaps (rear) fludflaps (chrofog)	Tub liner  ck)  chem  ly coloured)  cable)  ccreen, side and rear windows  en)	- - - - - •	- - - - -	- - - •	- - - -	- - - -	- - -	-
coor handles (chro cog-lamps (front) freestyle door syst front bumper (bod duel filler cap (lock freen tinted winds deadlamps (Halogi Metallic/Mica paint Mudflaps (front) Mudflaps (front) Power mirrors (bla Power mirrors (chro with turn indicator	ck) pme)  tem  ly coloured) sable) screen, side and rear windows en)	- - - •	- - - •	- - •	- • -	- • -	- - •	-
coor handles (chro cog-lamps (front) freestyle door syst front bumper (bod duel filler cap (lock freen tinted winds deadlamps (Halogi Metallic/Mica paint Mudflaps (front) Mudflaps (front) Power mirrors (bla Power mirrors (chro with turn indicator	tem ly coloured) sable) screen, side and rear windows en)	- - - •	• - • •	•	• - -	-	•	•
Fog-lamps (front) Freestyle door syst Front bumper (bod Fuel filler cap (lock Freen tinted winds Headlamps (Halogo Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr With turn indicator	tem ly coloured) (able) screen, side and rear windows en) t	- • •	-	•	-	-	•	•
reestyle door syst ront bumper (bod uel filler cap (lock Green tinted winds Headlamps (Halogi Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr with turn indicator	ly coloured) (able) (creen, side and rear windows en) t	- • •	•	•	-	-	•	
ront bumper (bod fuel filler cap (lock freen tinted winds feadlamps (Halogi Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr with turn indicator	ly coloured) (able) (creen, side and rear windows en) t	•	•	•	_		_	•
uel filler cap (lock Green tinted winds Headlamps (Halogi Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr With turn indicator	sable) screen, side and rear windows en) t	•	•	•		-	-	-
Green tinted winds Headlamps (Halogi Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr With turn indicator	screen, side and rear windows en) t	•	•		•	•	•	•
Headlamps (Halogo Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr With turn indicator	en) t	•	•	-	•	-	-	-
Metallic/Mica paint Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr Power mirrors (chr with turn indicator	t			•	•	•	•	•
Mudflaps (front) Mudflaps (rear) Power mirrors (bla Power mirrors (chr Power mirrors (chr vith turn indicator		~	•	•	•	•	•	•
Mudflaps (rear) Power mirrors (bla Power mirrors (chr Power mirrors (chr Power mirrors (chr Power mirrors (chr	ck)	0	0	0	0	0	0	0
Power mirrors (bla Power mirrors (chr Power mirrors (chr vith turn indicator	ck)	•	•	•	•	•	•	•
Power mirrors (chr Power mirrors (chr vith turn indicator	ck)	-	-	•	-	•	•	•
Power mirrors (chr vith turn indicator		•	•	-	•	•	-	-
vith turn indicator		-	-	•	-	-	•	•
	rome, folding function, heated)	-	-	-	-	-	-	•
		•	•	•	•	•	•	•
Privacy glass	/h ( 1.)	_	-	-	_	_	-	•
Rear step bumper			-	-	_	•	_	-
Rear step bumper		-	-	•	_	-	•	•
Side steps (tubular		-	-	•	-	-	•	•
Sports bar (polishe	ed)	-	-	-	-	_	-	•
Failgate (lockable)		-	-	•	_	•	•	•
Jnder-body impact	t protection	•	•	•	•	•	•	•
nterior								
Air-conditioning		•	•	-	•	•	-	-
Air-conditioning (d	ual-zone climate control)	-	-	•	-	-	•	•
Ambient temperati		-	-	•	-	-	•	•
Auxiliary 12 volt po		•	•	•	•	•	•	•
	nsole with dual compartments	-	•	•	•	•	•	•
	arning lights/chimes	•	•	•	•	•	•	•
Cruise control		•	•	•	•	•	•	•
Cupholders		•	•	•	•	•	•	•
oor pockets		•	•	•	•	•	•	•
Priver's left footres	st	•	•	•	•	•	•	•
Toor covering	carpet	-	-	•	-	-	•	•
	vinyl	•	•	-	•	•	-	-
love box (lockable	•	•	•	•	•	•	•	•
leadlamps auto or		-	_	•	-	_	•	•
	ystem with delayed fade	•	•	•	•	•	•	•
nstrument panel li		•	•	•	•	•	•	•
nterior	dome lamp	-	•	•	•	•	•	•
lumination	map reading spot lamps	•	•	•	•	•	•	•
	power window switch (driver)	•	•	•	•	•	•	•
eather-wrapped.	gear shift knob	_	_	•	-	_		•
.camer wrapped	steering wheel	_	_	•	_	_		
ow fuel warning li	· ·	•			•			
-	down) power window (driver)	•			•			
verhead sunglass	·	•			•			
assenger assist g					•			
	rips vith auto dimming function	-	_	•	-	_		
		•						•
	ectronic odometer/tripmeter	•						
	ering wheel rent and average fuel ance to empty and average	•	•	•	•	•	•	•
anity mirror (fron	t passenger)	•	•	•	•	•	•	•
/indow demister (			•	•	•			
	rear) leed with rain-sensing function	-	-	•	_	_		•
Vipers (front) 2-sp Vipers (front) 2-sp	•	•		•		-	_	

<sup>● =</sup> Standard Feature, - = Not available, ○ = No Cost Option.

38

		2.2L Single Cab Chassis XT	2.2L Single Cab Chassis XT	3.2L Single Cab Chassis XT	3.2L Freestyle Cab Chassis XT	3.2L Dual Cab Chassis XT	3.2L Dual Cab Utility XT	3.2L Dual Cab Utility XTR
Seats		ΧI	X I Hi-Rider	XI Hi-Rider	XI Hi-Rider	Х I Hi-Rider	ХІ Hi-Rider	XIR Hi-Rider
Front seat (driver	8-way power adjustment	-	-	-	-	-	-	-
bucket) with:	adjustable head restraint	_	•	•	•	•	•	•
	height and lumbar adjustment	_	•	_	•	•	•	•
	rake and slide adjustment	•	•	•	•	•	•	•
Front soat		•	_		_	_	_	_
Front seat (passenger bench) with:	adjustable head restraint	•	-	•	-	_	_	_
Front seat	adjustable head restraint	_	•	_	•	•	•	•
(passenger	rake and slide adjustment	_		_				
bucket) with:	seat back pocket	_		_				
Rear seat (bench)	·	_	_	_		•	•	•
with:	adjustable head restraints centre armrest	_			_		•	•
	foldable seat base and under-seat storage	-	-	-	-	•	•	•
Rear seat (jump) with:	removable seat base and under-seat storage	-	-	-	•	-	-	-
Seat trim:	black cloth	•						
	black cloth black leather#	_	_	-	-	_	_	_
Seat trim:	הומנת וכמנוופו							
Infotainment								
7-inch full colour t	ouch screen display	•	•	•	•	•	•	-
	touch screen display	-	-	-	-	-	-	•
AM/FM tuner		•	•	•	•	•	•	•
Apple Carplay® an	nd Android® Auto	•	•	•	•	•	•	•
DAB+ digital radio		•	•	•	•	•	•	•
	out jack (3.5mm mini-stereo)	•	•	•	•	•	•	•
Auxiliary input jac	•	•	•	•	•	•	•	•
	-free phone and audio capability§	•	•	•	•	•	•	•
	n with TMC live traffic updates	-	-	-	-	-	-	•
Speakers (4)		•	•	•	•	-	-	-
Speakers (6)		_	-	-	-	•	•	•
Steering wheel-me	ounted audio controls	•	•	•	•	•	•	•
	ort (iPod compatible)	•	•	•	•	•	•	•
Safety and Secur	ity							
Airbags SRS	curtain (front)	•	•	•	_	_	-	-
	curtain (front and rear)	-	-	-	•	•	•	•
	front (driver and passenger)	•	•	•	•	•	•	•
						_	_	
	side (front)	-	-	-	•	•	•	•
Anti-lock Braking		•	•	•	•	•	•	•
Anti-lock Braking Child restraint and	System (ABS)	•	•	•	•	•		•
	System (ABS) thor points (2)	•	- • -	- • -	•	•	•	•
Child restraint and Childproof rear do	System (ABS) thor points (2)	- - -	- - -	- - -	•	•		•
Child restraint and Childproof rear do Dynamic Stability	System (ABS) chor points (2) oor locks	- - -	- - -	- - -	•			•
Child restraint and Childproof rear do Dynamic Stability	System (ABS) chor points (2) for locks Control (DSC) – switchable on/off orce Distribution (EBD)	-	- - - -	- - - -	•			
Child restraint and Childproof rear do Dynamic Stability Electronic Brake-f	System (ABS) chor points (2) or locks Control (DSC) – switchable on/off orce Distribution (EBD) Assist (EBA)	-	- - - • •	- - - •	• • • • •	•		
Child restraint and Childproof rear do Dynamic Stability Electronic Brake-f Emergency Brake Emergency Stop S	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Signal (ESS)	-	-	-	-			
Child restraint and Childproof rear do Dynamic Stability Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Signal (ESS)	-	-	-	• • • • • •			
Child restraint and Childproof rear do Dynamic Stability Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise High mount stop I	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Signal (ESS) er amp	-	- - - • •	-	-			
Child restraint and Childproof rear do Dynamic Stability i Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise High mount stop I Hill Descent Contr	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Signal (ESS) er amp ol (HDC)		- - - • •	-				
Child restraint and Childproof rear do Dynamic Stability i Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise High mount stop I Hill Descent Contr Hill Launch Assist	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) cignal (ESS) er amp ol (HDC) (HLA)	-	-	-				
Child restraint and Childproof rear do Dynamic Stability i Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise High mount stop I Hill Descent Contr Hill Launch Assist Intrusion-minimisi	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) cignal (ESS) er amp ol (HDC) (HLA) ing brake pedal	- - •	-	-				
Child restraint and Childproof rear do Dynamic Stability i Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise High mount stop I Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) cignal (ESS) er amp fol (HDC) (HLA) ing brake pedal ervex (wide angle) exterior mirror	-	- - - 0 0	-				
Child restraint and Childproof rear do Dynamic Stability in Electronic Brake-femergency Brake Emergency Stop Sengine immobilise High mount stop I Hill Descent Controll Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Collocking Rear Differ Childproof rear description of the collocking Rear Differ Colloc	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) cignal (ESS) er amp ol (HDC) (HLA) ing brake pedal nvex (wide angle) exterior mirror ntrol (LAC) erential (LRD) - switchable on/off	-	-	-				
Child restraint and Childproof rear do Dynamic Stability Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise High mount stop I Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Col Locking Rear Diffe Remote central lo (2 transmitters wi	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) cignal (ESS) er amp ol (HDC) (HLA) ing brake pedal nvex (wide angle) exterior mirror ntrol (LAC) erential (LRD) - switchable on/off	-	- - - - - - - - -	-				
Child restraint and Childproof rear do Dynamic Stability Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise High mount stop I Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Lood Adaptive Cor Locking Rear Diffe Remote central lo (2 transmitters wi Reverse camera	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) cignal (ESS) er amp ol (HDC) (HLA) ing brake pedal envex (wide angle) exterior mirror entrol (LAC) erential (LRD) - switchable on/off cking th retractable key)	-	- - - - - - - - - -	-				
Child restraint and Childproof rear do Dynamic Stability Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise High mount stop I Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Locking Rear Diffe Remote central lo (2 transmitters wi Reverse camera Roll Stability Cont	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Gignal (ESS) er amp ol (HDC) (HLA) ing brake pedal envex (wide angle) exterior mirror entrol (LAC) erential (LRD) - switchable on/off cking th retractable key) rol (RSC)	-	- - - - - - - - - -	- - - - - - - - - -				
Child restraint and Childproof rear do Dynamic Stability Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise High mount stop I Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Col Locking Rear Diffe Remote central lo (2 transmitters wi Reverse camera Roll Stability Cont Seat-belt warning	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Gignal (ESS) er amp ol (HDC) (HLA) ing brake pedal envex (wide angle) exterior mirror entrol (LAC) erential (LRD) - switchable on/off cking th retractable key) rol (RSC) audible and visual (driver)	-	- - - - - - - - - -	-				
Child restraint and Childproof rear do Dynamic Stability in Electronic Brake-femergency Brake Emergency Stop Sengine immobilise High mount stop I Hill Descent Control Hill Launch Assist Intrusion-minimisi Left-hand-side cor Locking Rear Diffe Remote central loc (2 transmitters wire Reverse camera Roll Stability Cont Seat-belt warning	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Gignal (ESS) er amp ol (HDC) (HLA) ing brake pedal envex (wide angle) exterior mirror entrol (LAC) erential (LRD) - switchable on/off cking th retractable key) rol (RSC)	-	- - - - - - - - - - -	- - - - - - - - - -				
Child restraint and Childproof rear do Dynamic Stability in Electronic Brake-femergency Brake Emergency Brake Emergency Stop Sengine immobilise High mount stop I Hill Descent Control Hill Launch Assist Intrusion-minimisi Left-hand-side cort Load Adaptive Colucking Rear Differ (2 transmitters wie Remote central loo (2 transmitters wie Reverse camera Roll Stability Cont Seat-belt warning Seat-belt warning (front passenger)	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Signal (ESS) er amp ol (HDC) (HLA) ing brake pedal nvex (wide angle) exterior mirror ntrol (LAC) erential (LRD) - switchable on/off cking th retractable key) rol (RSC) audible and visual (driver) audible and visual	- - - - - -	- - - - - - - - - -					
Child restraint and Childproof rear do Dynamic Stability in Electronic Brake-femergency Brake Emergency Brake Emergency Stop Sengine immobilise High mount stop I Hill Descent Control Hill Launch Assist Intrusion-minimisi Left-hand-side cort Load Adaptive Colucking Rear Differ Remote central loc (2 transmitters will reverse camera Roll Stability Cont Seat-belt warning Seat-belt warning (front passenger) Seat-belts 3-point	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Signal (ESS) or amp ol (HDC) (HLA) ing brake pedal nvex (wide angle) exterior mirror ntrol (LAC) erential (LRD) - switchable on/off cking th retractable key) rol (RSC) audible and visual lap-sash (all seats)		- - - - - - - - - - -	- - - - - - - - - -				
Child restraint and Childproof rear do Dynamic Stability of Electronic Brake-femergency Brake Emergency Stop Sengine immobilise High mount stop of Hill Descent Control Hill Launch Assist Intrusion-minimisi Left-hand-side cor Load Adaptive Col Locking Rear Differ Remote central lo (2 transmitters wire Reverse camera Reverse camera Coll Seat-belt warning Seat-belt warning (front passenger) Seat-belts 3-point Se	System (ABS) chor points (2) chor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Gignal (ESS) er amp ol (HDC) (HLA) ing brake pedal nvex (wide angle) exterior mirror ntrol (LAC) erential (LRD) - switchable on/off cking th retractable key)  rol (RSC) audible and visual lap-sash (all seats) height adjustable shoulder anchorages	- - - - - -	- - - - - - - - - - - - -	-				
Child restraint and Childproof rear do Dynamic Stability   Electronic Brake-f Emergency Brake   Emergency Brake   Emergency Stop S   Engine immobilise   High mount stop   Hill Descent Contr   Hill Launch Assist   Intrusion-minimisi   Left-hand-side cor   Looking Rear Diffe   Remote central lo (2 transmitters wi   Reverse camera   Roll Stability Cont   Seat-belt warning (front passenger)   Seat-belts 3-point   Seat-belts   Seat-belts (front) with	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Gignal (ESS) er amp ol (HDC) (HLA) ing brake pedal envex (wide angle) exterior mirror entrol (LAC) erential (LRD) - switchable on/off cking th retractable key) rol (RSC) audible and visual (driver) audible and visual lap-sash (all seats) height adjustable shoulder anchorages pretensioners and load limiters		- - - - - - - - - - -	- - - - - - - - - - -				
Child restraint and Childproof rear do Dynamic Stability Electronic Brake-f Emergency Brake Emergency Stop S Engine immobilise High mount stop I Hill Descent Contr Hill Launch Assist Intrusion-minimisi Left-hand-side cor Locking Rear Diffe Remote central loo (2 transmitters wi Reverse camera Roll Stability Cont Seat-belt warning (front passenger)	System (ABS) chor points (2) cor locks Control (DSC) - switchable on/off orce Distribution (EBD) Assist (EBA) Gignal (ESS) er amp ol (HDC) (HLA) ing brake pedal evex (wide angle) exterior mirror extrol (LAC) erential (LRD) - switchable on/off cking th retractable key) rol (RSC) audible and visual (driver) audible and visual lap-sash (all seats) height adjustable shoulder anchorages pretensioners and load limiters beams	- - - - - -	- - - - - - - - - - -	- - - - - - - - - -				

<sup>#</sup> Leather interior includes some Maztex material on selected high impact surfaces.

4x4		3.2L	3.2L	3.2L	3.2L	3.2L	3.2L	3.2L
4		Single Cab Chassis XT	Freestyle Cab Chassis XT	Freestyle Cab Utility XTR	Dual Cab Chassis XT	Dual Cab Utility XT	Dual Cab Utility XTR	Dual Cab Utility GT
Seats								
Front seat (driver	8-way power adjustment	-	-	-	-	-	-	•
bucket) with:	adjustable head restraint	•	•	•	•	•	•	•
	height and lumbar adjustment	<b>A</b>	•	•	•	•	•	•
	rake and slide adjustment	•	•	•	•	•	•	•
Front seat (passenger bench) with:	adjustable head restraint		-	-	-	-	-	-
Front seat	adjustable head restraint	<b>A</b>	•	•	•	•	•	•
(passenger	rake and slide adjustment	<b>A</b>	•	•	•	•	•	•
bucket) with:	seat back pocket	<u> </u>	•	•	•	•	•	•
Rear seat (bench)	adjustable head restraints	_	_	_	_	•	•	•
with:	centre armrest	_	_	_	_	_	•	•
	foldable seat base and under-seat storage	-	-	-	-	•	•	•
Rear seat (jump) with:	removable seat base and under-seat storage	-	-	•	•	-	-	-
Seat trim:	black cloth	•	•	•	•	•	•	-
Seat trim:	black leather#	-	-	-	-	-	-	•
								-
Infotainment								
7-inch full colour to	ouch screen display	•	•	-	•	•	-	-
B-inch full colour t	ouch screen display	-	-	•	-	-	•	•
AM/FM tuner		•	•	•	•	•	•	•
Apple Carplay® an	d Android® Auto	•	•	•	•	•	•	•
DAB+ digital radio		•	•	•	•	•	•	•
Auxiliary audio inp	out jack (3.5mm mini-stereo)	•	•	•	•	•	•	•
Auxiliary input jacl	k (HDMI)	•	•	•	•	•	•	•
Bluetooth® hands-	free phone and audio capability§	•	•	•	•	•	•	•
Satellite navigation	n with TMC live traffic updates	_	_		_			
and off-road maps		_	_	•	_	_	•	•
Speakers (4)		•	•	-	-	-	-	-
Speakers (6)		-	-	•	•	•	•	•
Steering wheel-mo	ounted audio controls	•	•	•	•	•	•	•
JSB-audio input p	ort (iPod compatible)	•	•	•	•	•	•	•
S-6-4 4 S								
Safety and Secur		_						
Airbags SRS	curtain (front)	•	-	_	_		_	
	curtain (front and rear)	-	•	•	•	•	•	•
	front (driver and passenger)	•	•	•	•	•	•	•
	side (front)	-	•	•	•	•	•	•
Anti-lock Braking S	•	•	•	•	•	•	•	•
Child restraint and		-	•	•	•	•	•	•
Childproof rear do		-	-	-	•	•	•	•
	Control (DSC) - switchable on/off	•	•	•	•	•	•	•
	orce Distribution (EBD)	•	•	•	•	•	•	•
Emergency Brake	Assist (EBA)	•	•	•	•	•	•	•
Emergency Stop S		•	•	•	•	•	•	•
Engine immobilise	r	•	•	•	•	•	•	•
High mount stop la	amp	-	-	•	-	•	•	•
Hill Descent Contro	ol (HDC)	•	•	•	•	•	•	•
Hill Launch Assist	(HLA)	•	•	•	•	•	•	•
ntrusion-minimisi	ng brake pedal	•	•	•	•	•	•	•
_eft-hand-side con	ovex (wide angle) exterior mirror	•	•	•	•	•	•	•
oad Adaptive Cor	ntrol (LAC)	•	•	•	•	•	•	•
ocking Rear Diffe	rential (LRD) - switchable on/off	•	•	•	•	•	•	•
Remote central loc 2 transmitters wit	cking ch retractable key)	•	•	•	•	•	•	•
Reverse camera		•	•	•	•	•	•	•
Roll Stability Contr	rol (RSC)	•	•	•	•	•	•	•
	audible and visual (driver)	•	•	•	•	•	•	•
	audible and visual	-	•	•	•	•	•	•
front passenger)								
Seat-beits 3-point	lap-sash (all seats) height adjustable shoulder	_	-	-	•	•	•	•
(front) with	anchorages							•
	pretensioners and load limiters	•	•	•		•	•	•
Side impact door b		•	•	•	•	•	•	•
Traction Control S	ystem (TCS)	•	•	•	•	•	•	•
T : 1 C C t	-1 (TCC)	_		_	•		•	_

Trailer Sway Control (TSC) 

● 

● 

●

<sup>§</sup> Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. Visit www.mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.

ullet = Standard Feature, - = Not available,  $\blacksquare$  = Manual only,  $\triangle$  = Automatic only.

# **ENJOY MAZDA BT-50 WITH CONFIDENCE**

# MAZDA BT-50 COLOUR AND TRIM





# REST ASSURED - YOUR WARRANTY

The quality built into Mazda BT-50 is backed up by a 5 year, unlimited kilometre factory warranty and 6 year panel protection warranty.\*



# MAZDA BT-50 FOR YOUR BUSINESS

The Mazda BT-50 Fleet program offers tailored deals for businesses of any size. Contact your local Dealer for more information.



# MAINTAIN THAT ZOOM-ZOOM

Your Mazda BT-50 deserves the best in care. Servicing with Mazda Service Select gives your vehicle the advantage of factory-trained Service Technicians and advanced computer diagnostic systems. As well as maintaining your Mazda in A1 condition, you'll also be protecting your vehicle's outstanding resale value.

# HELP IS AT HAND - MAZDA ROADSIDE ASSISTANCE

Flat batteries, running out of fuel, flat tyres – everyone faces hiccups from time to time. When the unexpected happens, Mazda Roadside Assistance is there to keep you moving. You'll be covered 24 hours a day, 365 days a year, all around Australia. Better still, your Mazda will only be worked on by Mazda-approved technicians. Choose a Standard policy offering everything needed to get going again, or Premium with extras like accommodation, a rental car and vehicle recovery. Either can be purchased across the entire Mazda range. (Terms and conditions apply.)

# BODY COLOURS










Titanium Flash Mica

Deep Crystal Blue Mica

Jet Black Mica

# INTERIOR TRIMS



All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from State to State and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170. iPod is a trademark of Apple Inc., registered in the U.S. and other countries. Due to the nature of the printing process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample.

42

<sup>\*</sup> New 5 year unlimited kilometre warranty available on all brand new vehicles purchased from 1 August 2018. For full terms and conditions please visit https://www.mazda.com.au/owners/warranty/

<sup>#</sup> Leather interior includes some Maztex material on selected high impact surfaces.







Twitter.com/ MazdaAus



Instagram.com/ MazdaAus

Published December 2018. MAZ13975 129.631

For further information visit mazda.com.au or Freecall 1800 034 411

Mazda GENUINE **ACCESSORIES** 

*BT-50* 







# MAKE YOUR MAZDA EVEN MORE REWARDING

The powerful Mazda BT-50 can take you on any adventure. Combining durability with superior passenger comfort, it's now even more impressive, with a refreshed exterior for a tough new look. Personalise and protect your BT-50 with Mazda Genuine Accessories that deliver superb design, quality and safety, all backed by a Genuine Mazda Warranty. Mazda Genuine Accessories give you even more Zoom-Zoom.

### BOSS SPORTS PACK

Prepare your BT-50 for some serious off-road fun and don't be afraid to go hard with tough-looking gear that guards against damage.

Hard tonneau cover

\_ightforce driving lights

Polished alloy bull ba

Polished sports bar

17-inch 5-spoke allov wheels



# BOSS TOURING PACK

These tough and stylish accessories will make you want to hit the road more often.

### Canon

Electronic brake controller



4x4 Dual Cab Utility GT fitted with Boss Touring Pack



# HARD TONNEAU COVER

Keep your cargo secure with the lockable protection of a durable hard tonneau cover. Available exclusively for utilities, with or without sports bar fitted.



# BLACK SPORTS BAR & SOFT TONNEAU COVER

Add sports appeal and keep your BT-50's load compartment secure with this durable soft tonneau cover and black sports bar. Available exclusively for utilities. Polished sports bar also available.



# POLISHED LADDER RACK FOR SPORTS BAR

Transport ladders and other long items securely with a rack that's made for the job. Holds up to 75kg. Also available in black. (Utilities only)



# BLACK NUDGE BAR

Enhances the look of your BT-50 while adding extra protection. Features mounting for optional Lightforce driving lights.



# POLISHED NUDGE BAR

Toughen up the front of your BT-50. Offers extra protection and incorporates mounts for optional Lightforce driving lights.



# FRONT PARKING SENSORS

Manoeuvre your BT-50 into tight spaces with front sensors that give you audible guidance.



# REVERSE PARKING SENSORS

Park your BT-50 with ease with this four-sensor system. A warning tone helps prevent bumper damage by alerting you to obstacles. (Utilities only)



# SNORKEL

Allows the engine to breathe in dusty conditions or through water crossings.



# FENDER FLARES

Protect your BT-50's bodywork from rocks and road debris while drawing attention to its impressive wheel arches. Fender flares are available in matte black or body colour. (Front only or front and rear available)

# FINKE PACK

You'll rule the road (and off road) with this sleek pack that's built as tough as it looks.

Black steel bull bar

Black sports bar

Soft tonneau cov





# CANOPY

Cover your gear securely with this spacious canopy made from tough ABS plastic. Complete with a lockable rear door that lifts for easy access. Available with 3 window variations. (Dual Cab Utilities only)



CAB CHASSIS TRAY MAT

Protect the surface of your BT-50's tray with this tailor-made non-slip mat. (Single Cab Chassis only)



RETRACTABLE BLACK TONNEAU COVER

Made from durable aluminium, this easily-accessible tonneau cover has multiple locking positions and can be operated with the pull strap. (Dual Cab Utilities only)



CANOPY ROOF RACKS

Increase your carrying capacity up to an extra 150kgs with these durable, light and aerodynamic canopy roof racks.



SLIMLINE ROOF RAILS FOR CANOPY

Carry more with these sleek, but durable BT-50 Slimline Canopy Roof Rails with a load capacity of 75kgs.



# UTILITY TRAY MAT WITH TUB ILLUMINATION

A protective non-slip surface for your tray with handy lighting embedded into the tub's lip. (Utilities only)



# TUB AND TAILGATE LINER

Surface protection tailored to your BT-50. This durable liner is highly resistant to UV light and withstands exposure to chemicals like paint and fuel. (Utilities only)



# DUAL BATTERY KIT

Run powerful electrical equipment from this unit without the risk of draining your BT-50's main battery. Fitted with one standard 12V and one Merit socket. (Utilities only)



# DOUBLE 12-VOLT AUXILIARY SOCKET

Power electrical appliances with two in-built, 15-amp sockets with smart circuit, battery protection and handy touch light. Fitted with one standard 12V and one Merit socket.



MATTE BLACK BONNET PROTECTOR Keep your paintwork safe from chips and dents.



CLEAR BONNET PROTECTOR Protect your BT-50's bonnet from costly damage.



WEATHERSHIELDS Made from UV-resistant acrylic, weathershields let fresh air in while keeping the elements out. (Front only)



RUBBER FLOOR MATS Heavy-duty mats custom-made for complete coverage.



FRONT SEAT COVERS

Keep your front seats grime-free with these durable, customised covers. Made from waterproof neoprene, they're fully airbag compatible.



HEADLIGHT PROTECTORS

Protect your BT-50's headlamps from damage caused by road debris.



MOBILE PHONE HOLDER

Safe, stylish and compatible with many phones, this holder gives drivers easy phone visibility and access. Allows for portrait and landscape use.



Prolong the life of your rear seats with this lightweight, waterproof cover.

Shields from dirt, spills, pets and everyday wear and tear. (Dual Cab only)

UHF RADIO

CARPET FLOOR MATS

REAR SEAT COVER

mats include a heel pad for the driver's side.

Customised mats to prolong the life of your carpets. These durable

Stay connected and safe in remote areas with this reliable 80 channel UHF radio unit.



SLIMLINE WEATHERSHIELDS

Allow fresh air into the cabin whatever the weather, allowing heat to escape and preventing windows from fogging. (Set of two or four)



# SCUFF PLATES

Protect door sills from scratching and scuffs with this stylish addition  $\label{eq:control_eq} % \begin{center} \begin{cente$ to your BT-50.



SAFETY PACK

Attract attention in an emergency situation and warn of hazards with this safety kit featuring lights, reflective vest and triangular road sign.



### STANDARD MAZDA ALLOY TRAY

This tough alloy tray comes equipped with an angled headboard, 255mm medium-duty drop sides, internal load restraint rails and rope rails. It also features Mazda-branded tailgate decals and mudguards. Available on Single Cab, Freestyle Cab and Dual Cab Chassis models.




### TAILGATE DUST SEAL

Fits to the inside of your BT-50's tailgate to restrict the entry of dust and water



### PREMIUM MAZDA ALLOY TRAY

Features additional to the Standard Alloy Tray include a tubular headboard, tail light protector, wiring guards, tubular ladder rack, 23L water tank, slimline toolbox and rear window protector. Available on Single Cab, Freestyle Cab and Dual Cab Chassis models.



### TOW BAR

A custom tow bar made specifically to accommodate the BT-50's impressive braked towing capacity of 3,500kg and 350kg maximum tow ball download (Hi-Rider models only), or 2,500kg braked towing capacity and a 250kg maximum tow ball download\* (2.2L manual model only).



# ELECTRONIC BRAKE CONTROLLER AND TRAILER BREAK-AWAY HARNESS

Electronic brakes seamlessly integrates with your BT-50's braking system to help control your trailers electronic brakes. The Trailer Break-Away Harness supplies power to the trailer breakaway system on the trailer should it come free from your BT-50.

# ALSO AVAILABLE:

Audio retractable Lightning cable

Audio retractable Micro USB cable

Audio retractable port C cable

Black or polished tubular side steps

(Freestyle models)

Boss Tray kit

Dual battery kit (for tub and tailgate liners

and Cab Chassis models)

Front and rear parking sensors kit

Lightforce anti-theft kit

Railguards (Utilities only)

Remote keyless entry for hard tonneau cover

Retractable audio cable (3.5mm male-to-male)

12V single smart socket

Soft tonneau cover (Freestyle models)

Tailgate central locking

Tow ball

Tow ball cover

Trailer wiring harness

Tray mat (Freestyle models)

Tray Upgrade kit

Tub and tailgate liner

(Freestyle models)

16-inch 5-spoke alloy wheels

16-inch 8-spoke black alloy wheels

Polished alloy side steps

# SEE THE FULL RANGE OF MAZDA GENUINE ACCESSORIES AT MAZDA.COM.AU

\* Tow ball and wiring loom sold separately. Subject to State or Territory regulations.

All care is taken to ensure the accuracy of this brochure and availability of items at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any products in the brochure from the market. Equipment shown in the brochure is for illustrative purposes only and does not come standard with the vehicle, or as Mazda Genuine Accessories. Specifications, features and availability may vary from State to State and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on availability, specifications, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804, 211A Wellington Road, Mulgrave, Victoria 3170. Mazda Genuine Accessories fitted at the point of sale of a new Mazda BT-50 are covered under the Mazda 5 year, unlimited kilometre factory warranty. Mazda Genuine Accessories fitted after the sale of a new Mazda vehicle are covered by the Mazda 2 year or 40,000-kilometre warranty (whichever should occur first). For full terms and conditions please visit https://www.mazda.com.au/owners/warranty/Published December 2018. MAZ13919 129.920