

2025.25MY

# Everest Wildtrak

*Ford*





|   | Wildtrak                          |
|---|-----------------------------------|
|   | 4WD                               |
| Engine  | 3.0L V6 Turbo Diesel <sup>1</sup> |
| Number of cylinders                                 | 6                                 |
| Maximum Power                                       | 184kW @ 3250rpm                   |
| Maximum Torque                                      | 600Nm @ 1750 - 2250rpm            |
| Transmissions                                       |                                   |
| 10-speed automatic transmission                     | S                                 |
| Driveline   |                                   |
| Full-time 4WD                                       | S                                 |
| Selectable Drive Modes <sup>2</sup>                 |                                   |
| - Normal  | S                                 |
| - Eco   | S                                 |
| - Tow / Haul  | S                                 |
| - Slippery  | S                                 |
| - Mud / Ruts <sup>3</sup>                           | S                                 |
| - Sand <sup>4</sup>                                 | S                                 |
| Fuel  |                                   |
| Combined Fuel Economy (L/100km)(Auto) <sup>5</sup>  | 8.5                               |
| CO <sup>2</sup> Emissions (g/km)(Auto) <sup>5</sup> | 224                               |
| Fuel Tank Capacity (L)                              | 80                                |
| Fuel Type   | Diesel                            |
| Vehicle Masses (kg)                                 |                                   |
| Kerb Weight - Total (kg) <sup>6</sup>               | 2488                              |
| Payload (based on Kerb Weight) (kg) <sup>6</sup>    | 662                               |
| Gross Vehicle Mass (kg)                             | 3150                              |
| Gross Combined Mass (kg)                            | 6250                              |
| Maximum Front Axle Load                             | 1470                              |
| Maximum Rear Axle Load                              | 1770                              |
| Exterior Dimensions <sup>7</sup> (mm)               |                                   |
| Length - without tow receiver                       | 4914                              |
| Length - with tow receiver                          | 4978                              |
| Width - exterior mirrors extended                   | 2207                              |
| Width - exterior mirrors folded                     | 2015                              |
| Width - excluding mirrors                           | 1923                              |
| Height - To top of antenna base                     | 1837                              |
| Overhang - Front                                    | 871                               |
| Overhang - Rear                                     | 1143                              |
| Track - Front and Rear                              | 1620                              |
| Wheelbase   | 2900                              |

| Exterior Dimensions <sup>7</sup> (mm) (continued)         |      |
|---|------|
| Ground Clearance (unladen, mm)                            | 226  |
| Wading Depth (mm)   | 800  |
| Approach Angle (unladen, degrees)                         | 30.2 |
| Departure Angle (unladen, degrees)                        | 25.0 |
| Ramp Breakover Angle (degrees)                            | 21.9 |
| Turning Circle - Kerb to Kerb (m)                         | 11.8 |
| Interior Dimensions <sup>7</sup> (mm)                     |      |
| Front Headroom  | 972  |
| Front Legroom   | 1057 |
| Front Shoulder Room                                       | 1450 |
| 2nd Row Headroom  | 953  |
| 2nd Row Legroom   | 912  |
| 2nd Row Shoulder Room                                     | 1443 |
| 3rd Row Headroom  | 923  |
| 3rd Row Legroom   | 806  |
| 3rd Row Shoulder Room                                     | 1328 |
| Cargo Capacities (L)                                      |      |
| Cargo Volume behind First Row (2-seat mode) <sup>8</sup>  | 1818 |
| Cargo Volume behind Second Row (5-seat mode) <sup>8</sup> | 898  |
| Cargo Volume behind Third Row (7-seat mode) <sup>8</sup>  | 259  |
| Chassis & Suspension                                      |      |
| Front and rear vented discs with electronic Brake Booster | S    |
| Electrical Power Assisted Steering                        | S    |
| Locking Rear Differential                                 | S    |

**S** = Standard    **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost

**P** = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

**Disclaimer:**

**1.** AdBlue® diesel exhaust fluid is required. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V.   **2.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **3.** Mud/Rut Mode intended for off-road use only.   **4.** Sand Mode intended for off-road use only. **5.** Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use.   **6.** Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. Payload is calculated by deducting the vehicle's Kerb Weight from its Gross Vehicle Mass (GVM). Payload (based on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) are not exceeded.   **7.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value.   **8.** Measured laden to roof, using VDA methodology.

| Wheels  |  |   |
|---|--|---|
| 20" Alloy All-Season Tyres  |  | S |
| Spare Wheel - 20" Alloy   |  | S |
| Exterior Lighting   |  |   |
| Headlamps - LED   |  | S |
| Daytime Running Lamps - LED   |  | S |
| Front Fog Lamps - LED   |  | S |
| Taillamps - LED   |  | S |
| Zone Lighting <sup>9</sup>  |  | S |
| Exterior  |  |   |
| Acoustic Laminated Windscreen   |  | S |
| Body Colour Roof  |  | S |
| Exterior Mirrors - Power Adjustable   |  | S |
| Exterior Mirrors - Power Folding  |  | S |
| Exterior Mirrors - Puddle Lamps   |  | S |
| Front Recovery Hook   |  | 2 |
| Liftgate - Power push button operated   |  | S |
| Mud Flaps (Front and Rear)  |  | S |
| Panoramic roof and power blind  |  | S |
| Roof Rails - Chrome Stand off   |  | S |
| Steel Underbody Protection  |  | S |
| Side Steps  |  | S |
| Interior, Seating and Door Trim   |  |   |
| 2nd Row 60/40 split   |  | S |
| 3rd Row 50/50 split   |  | S |
| 7 seats   |  | S |
| Vinyl Wrapped Steering Wheel  |  | S |
| Steering Wheel Reach & Height Adjust  |  | S |
| Electronic Parking Brake  |  | S |
| e-Shifter   |  | S |
| Seat Material - Leather Accented WILDTRAK embossed front seats (Excludes 3rd row) <sup>10</sup> |  | S |
| Driver Seat - Heated & Ventilated   |  | S |
| Driver Seat - 10-Way Power with memory setting  |  | S |
| Front Passenger Seat - Heated & Ventilated  |  | S |
| Front Passenger Seat - 8-Way Power  |  | S |
| Child Seat Upper Anchorage Points   |  | 5 |
| Child Seat ISOFIX Anchorage Points  |  | 2 |
| Floor Mats - Driver & Front Passenger   |  | S |

| Comfort and Convenience                                |   |
|--|---|
| 400W Power Inverter                                    | S |
| Ambient Lighting                                       | S |
| Centre Console with Single Lid and 2 Cup Holders       | S |
| Instrument Panel Cup Holders                           | S |
| Charging   |   |
| - Auxiliary 12V Power Outlet - Centre Console Bin      | S |
| - Auxillary 12V Power Outlet - 3rd row                 | S |
| - Auxillary 12V Power Outlet - Rear Cargo              | S |
| - USB Ports 1st row                                    | 3 |
| - USB Ports 2nd row                                    | 2 |
| - Wireless Charging <sup>11</sup>                      | S |
| Climate Control - Dual-Zone                            | S |
| 3rd Row Rear Air Vent Registers                        | S |
| Auto Headlamp on-off                                   | S |
| Front Power Windows                                    | S |
| Rear Power Windows                                     | S |
| Rain Sensing Windscreen Wipers                         | S |
| Sunglasses holder overhead console                     | S |
| Sunvisor - Drive and Passenger with illuminated mirror | S |
| Electrochromatic Rear View Mirror                      | S |

**S** = Standard    **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost  
**P** = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost

**Disclaimer:**  
**9.** Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. **10.** Leather accented refers to seats with a combination of real and artificial leather. No leather in 2nd row middle seat or 3rd row seats **11.** Wireless Charging only available with compatible phones.

Ford Everest | Wildtrak 2025.25MY Specifications

| Audio And Communication   |    |   |
|---|----|---|
| Embedded Modem  |    | S |
| FordPass Connect <sup>12</sup>  |    | S |
| Colour Digital Instrument Cluster with Configurable Display - 8-inch  |    | S |
| Colour Multi-Function Touch Screen Display - 12-inch  |    | S |
| Speakers  | 12 |   |
| Digital Audio (DAB+)  |    | S |
| Bluetooth® with Phone / Audio Streaming <sup>13</sup>   |    | S |
| Built-In Satellite Navigation with one year of Connected Navigation Services included <sup>14</sup>   |    | S |
| SYNC®4A with Voice-Activated Controls <sup>15</sup>   |    | S |
| Steering Wheel Audio/Function Control   |    | S |
| Wireless Apple CarPlay™ <sup>16</sup> & Android Auto™ <sup>16</sup>   |    | S |
| Safety and Security   |    |   |
| Perimeter Alarm System  |    | S |
| Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag   |    | S |
| 3 Point Lap Sash Seat Belt - All Positions  |    | S |
| Child Proof Rear Door Locks   |    | S |
| Emergency Assistance <sup>17</sup>  |    | S |
| Power Door Locks  |    | S |
| Smart Keyless Entry with Push Button Start  |    | S |
| Driver Assistance <sup>18</sup>   |    |   |
| Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centering <sup>19</sup>   |    | S |
| Intelligent Speed Assist <sup>18</sup>  |    | S |
| Auto Headlamp   |    | S |
| Blind Spot Monitoring with Cross Traffic Alert <sup>20</sup>  |    | S |
| Blind Spot Monitoring Trailer Coverage <sup>20</sup>  |    | P |
| Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Hill Descent Control (4WD only), Load Adaptive Control, Roll Over Mitigation, Traction Control & Trailer Sway Control <sup>21</sup> |    | S |
| Evasive Steer Assist <sup>22</sup>  |    | S |
| Lane Keeping Aid with Road Edge Detection and Driver Alert System <sup>23</sup>   |    | S |
| Post Impact Braking <sup>18</sup>   |    | S |
| Pre-Collision Assist with Autonomous Emergency Braking (AEB) and Intersection Assist <sup>24</sup>  |    | S |
| Reverse Brake Assist <sup>25</sup>  |    | S |
| Parking Sensors - Front <sup>18</sup>   |    | S |
| Parking Sensors - Rear <sup>18</sup>  |    | S |
| Rear View Camera - Integrated Digital <sup>18</sup>   |    | S |
| 360-Degree Camera <sup>18</sup>   |    | S |
| Traffic Sign Recognition <sup>26</sup>  |    | S |
| Tyre Pressure Monitoring System   |    | S |

Indicative pre-production vehicle specifications shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

| Towing   |       |
|--|-------|
| Maximum Braked Towing Capacity (kg) <sup>27</sup>  | 3,500 |
| Tow Bar with Integrated Trailer Brake Controller <sup>28</sup>   | P     |
| Tow Haul Mode (part of Selectable Drive Modes) <sup>18</sup>   | S     |
| Factory Options  |       |
| 18" Alloy Wheels with All-Terrain Tyres <sup>29</sup>  | NCO   |
| Prestige Paint <sup>30</sup>   | O     |
| Premium Towing Pack – Tow Bar & Integrated Trailer Brake Controller, Blind Spot Monitoring Trailer Coverage, Pro Trailer Backup Assist <sup>18</sup> | O     |

S = Standard    O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost  
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost    NCO = Non Cost Option

Disclaimer:

**12.** Use of FordPass is subject to the FordPass Terms and Privacy Policy available on [ford.com.au/fordpass](https://ford.com.au/fordpass) and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings.    **13.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible.    **14.** Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on'.    **15.** Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates.    **16.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions.    **17** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off.    **18.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations.    **19.** iACC uses various data to adjust the set speed of the vehicle to the speed limit detected by the system. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. ACC and Lane Centering has a minimum operating speed of 20km/hr. Detection of lower speed limit will result in system entering standby. The Stop and Go functionality of this system operates as low as 0km/hr in traffic jam situations. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system.    **20.** Trailer Coverage system supports conventional trailer dimensions: up to 2.4m wide (measured at trailer front) and up to 10m long from the rear of your vehicle. Drivers will need to create a profile of their trailers in SYNC to support this system. Factory Options can be ordered before a vehicle is manufactured at additional cost.    **21.** Hill Descent Control on 4WD models only. **22.** Evasive Steer Assist does not control steering. See Owner's Manual for details and limitations.    **23.** Designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge.    **24.** Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. It does not replace safe driving. See Owner's Manual for Limitations.    **25.** Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. Please see the Owner's Manual for precautions and limitations.    **26.** Drivers are responsible for maintaining the correct legal speed limit at all times and should not rely solely upon the Traffic Sign Recognition system. **27.** Maximum towing capacity-braked using a Genuine Ford tow pack. Subject to State and Territory regulations. To comply with these limits, occupants and / or luggage may need to be restricted to not exceed the GCM and GVM limits. For further details regarding passenger and luggage restrictions, please consult your authorised Ford Dealer and / or refer to the Owner's Manual. **28.** Factory Options can be ordered before a vehicle is manufactured at additional cost. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit.    **29.** Factory Option that can be ordered before a vehicle is manufactured at no additional cost.    **30.** Factory Options can be ordered before a vehicle is manufactured at additional cost.



**Important information:**

This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Features, designs, materials, colours and other specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.