Hyundai Santa Fe. Specifications.

Shellen .



Engine	3.5 MPi 2WD	2.2 CRDi AWD		
Engine family	Lambda II	Rseries		
Configuration	Transverse front mounted driving front wheels	Transverse front mounted driving front and rear wheels		
Cylinder capacity	3.5 litres (3470 cc)	2.2 litres (2199 cc)		
Number of cylinders	6 v-configuration	4 in-line		
Valve system	24 Valve (MLA)	16 Valve (HLA) Electronic Control variable Geometry Turbocharger		
Intake System Maximum power	3-step variable induction system 206 kW @ 6,300 RPM	(F-VGT) 147 kW @ 3,800 RPM		
Maximum torque	336 Nm @ 5,000 RPM	440 Nm @ 1,750-2,750 RPM		
Fuel system	Multi Point injection (MPi)	Common Rail Direct injection (CRDi)		
Fuel type	91 RON (ULP), E10 compatible	Diesel		
Emissions standard	Euro 5	Euro 5		
Borex stroke Compression ratio	92.0 mm x 87.0 mm 10.6:1	85.4 mm x 96.0 mm 16:1		
Compression ratio				
Transmission	3.5 MPi 2WD	2.2 CRDi AWD		
All Wheel Drive (AWD) System	•	Active on-demand 4WD with 50/50 front & rear lock mode		
Automatic	8 speed automatic	8 speed automatic		
Gear ratio	Automatic	Automatic		
1st 2nd	4.808	4.808		
and	2.901	2.901		
4th	1.424	1.424		
5th	1.219	1.219		
6th	1.000	1.000		
7th	0.799	0.799		
8th	0.648	0.648		
Reverse Final	3.425	3.425 3.320		
Engine/transmission availability	3.5 MPi 2WD	2.2 CRDi AWD		
	Automatic	Automatic		
Active	•	•		
Elite	•	•		
Highlander	•	•		
Steering				
Tra	Pack mounted Motor Driven Power S	topring (P.MORS) rest & nining		
Minimum turning circle diameter between kerbs / walls	Rack mounted Motor Driven Power Steering (R-MDPS), rack & pinion 11.42 m			
Winning the circle diameter between kerbs / waiis	2.53			
Number of steering wheel turns lock to lock				
		2.2 CRDi AWD		
Number of steering wheel turns lock to lock	2.53	2.2 CRDi AWD		
Number of steering wheel turns lock to lock Suspension	3.5 MPi 2WD	2.2 CRDi AWD		
Number of steering wheel turns lock to lock Suspension	3.5 MPi 2WD MacPherso	2.2 CRDi AWD		
Number of steering wheel turns lock to lock Suspension Front Rear	2.53 3.5 MPi 2WD MacPherso Multi-II 3.5 MPi 2WD	2.2 CRDi AWD		
Number of steering wheel turns lock to lock Suspension Front Rear	2.53 3.5 MPi 2WD MacPherso Multi-I	2.2 CRDi AWD nstrut nk 2.2 CRDi AWD Automatic		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes	2.53 3.5 MPi 2WD MacPherso Multi-1 3.5 MPi 2WD Automatic	2.2 CRDi AWD n strut nk 2.2 CRDi AWD Automatic keforce Distribution (EBD) and Brake Assist System (BAS)		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front black type Front black type Front disc dimensions	2.53 3.5 MPi 2WD MacPherso MacPherso Multi-li 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Ventilated 320 mm x2 320 mm x2	2.2 CRDi AWD n strut nk 2.2 CRDi AWD Automatic keforce Distribution (EBD) and Brake Assist System (BAS) disc 19 mm		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Trake type Front disc dimensions Rear brake type	2.53 3.5 MPi 2WD MacPherso Multi-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Veriliated 320 mm x2 Solid di	2.2 CRDi AWD n strut nk 2.2 CRDi AWD Automatic Keforce Distribution (EBD) and Brake Assist System (BAS) disc 19 mm sc		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front brake type Front brake type Rear torake type Rear disc dimensions Rear brake type Rear disc dimensions	2.53 3.5 MPi 2WD MacPherso Multi-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Venilated 320 mm x Solid di 305 mm x	2.2 CRDi AWD nstrut nk 2.2 CRDi AWD Autometic Keforce Distribution (EBD) and Brake Assist System (BAS) disc 99 mm sc 11 mm		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front brake type Front brake type Rear torake type Rear disc dimensions Rear brake type Rear disc dimensions	2.53 3.5 MPi 2WD MacPherso Multi-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Veriliated 320 mm x2 Solid di	2.2 CRDi AWD nstrut nk 2.2 CRDi AWD Kelorce Distribution (EBD) and Brake Assist System (BAS) disc 99 mm sc		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Trake type Front disc dimensions Rear brake type	2.53 3.5 MPi 2WD MacPherso Multi-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Venilated 320 mm x Solid di 305 mm x	2.2 CRDi AWD nstrut nk 2.2 CRDi AWD Autometic Keforce Distribution (EBD) and Brake Assist System (BAS) disc 99 mm sc 11 mm		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front brake type Front brake type Rear brake type Rear disc dimensions Rear brake type Rear disc dimensions	2.53 3.5 MPi 2WD MacPherso MacPherso Multi- 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bro Ventilated 320 mm x2 Solid di 305 mm x 3.5 MPi 2WD	2.2 CRDi AWD n strut nk 2.2 CRDi AWD Automatic Keforce Distribution (EBD) and Brake Assist System (BAS) disc 19 mm sc 11 mm 2.2 CRDi AWD		
Number of steering wheel turns look to look Suspension Front Rear Brakes System Front brake type Front brake type Rear brake type Rear disc dimensions Rear brake type Rear disc dimensions Kerb weight - lightest Kerb weight - heaviest	2.53 3.5 MPi 2WD MacPherso MacPherso Multi-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit,	2.2 CRDi AWD n strut nk C.2 CRDi AWD Autometic keforce Distribution (EBD) and Brake Assist System (BAS) dic gmm sc 11 mm 2.2 CRDi AWD Autometic 1870 kg 1995 kg		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Trake type Front disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - lightest Kerb weight - lightest Gross Vehicle Mass (GVM)	2.53 3.5 MPi 2WD MacPherso Multi-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra UserIsland Solid di 300 mm x: 3.5 MPi 2WD Automatic 1720 kg 1845 kg 2510 kg 2510 kg	2.2 CRDi AWD n stut nk 2.2 CRDi AWD Automatic Seg mn seg 11 mm 2.2 CRDi AWD Automatic 1870 kg 1995 kg 1995 kg 2630 kg		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front brake type Front brake type Rear disc dimensions Rear brake type Rear disc dimensions Rear brake type Rear disc dimensions Kerb weight - lightest Kerb weight - heaviest Gross Vehicle Mass (GYM) Permissible Axle Weight(PAW) - front	2.53 3.5 MPi 2WD Macherso Muti-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split circuit, power assisted with Electronic Bra User diagonal, split diagonal, split diag	2.2 CRDi AWD n strut nk 2.2 CRDi AWD Automatic keforce Distribution (EBD) and Brake Assist System (BAS) disc 99 mm sec 11 mm 2.2 CRDi AWD Automatic 1870 kg 1995 kg 1995 kg 1995 kg 1300 kg 1300 kg		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Trake type Front disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - lightest Kerb weight - lightest Gross Vehicle Mass (GVM)	2.53 3.5 MPi 2WD MacPherso Multi-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra UserIslated 320 mm x: 3.5 MPi 2WD Automatic 1720 kg 1845 kg 2510 kg 2510 kg	2.2 CRDi AWD n stut nk 2.2 CRDi AWD Automatic keforce Dis tribution (EBD) and Brake Assist System (BAS) disc 19 mm sc 2.2 CRDi AWD Automatic 1970 kg 1995 kg 2630 kg		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - Ispitest Kerb weight - Ispitest Gross Vehicle Mass (GVM) Permissble Adel Weight (PAW) - front Permissble Adel Weight (PAW) - rear Roof rack load limit	2.53 3.5 MPI 2WD MacPheso Multi-I 3.5 MPI 2WD Multi-I 3.5 MPI 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Uerstlated 300 mm x2 Solid di 305 mm x 3.5 MPI 2WD Automatic 1720 kg 1845 kg 2510 kg 1395 kg 1395 kg 100 kg 100 kg	2.2 CRDi AWD n strut nk 2.2 CRDi AWD Automatic L2.2 CRDi AWD Automatic sc 9 mm sc 19 mm 2.2 CRDi AWD Automatic 19 mm 2.2 CRDi AWD 1970 kg 1995 kg 2630 kg 1395 kg 1395 kg 1395 kg 100 kg		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front brake type Front brake type Rear brake type Rear brake type Rear disc dimensions Rear brake type Rear disc dimensions Kerb weight - lightest Kerb weight - lightest Kerb weight - lightest Kerb weight - lightest Permissible Adve Weight (PAW) - front	2.53 3.5 MPi 2WD MacPheso Multi- 3.5 MPi 2WD Multi- 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Solid di 305 mm x 3.5 MPi 2WD Automatic 1720 kg 1845 kg 250 kg 1300 kg 1305	2.2 CRDi AWD n strut nk 2.2 CRDi AWD Automatic keforce Distribution (EBD) and Brake Assist System (BAS) disc 9 mm sc 19 mm 2.2 CRDi AWD Automatic 1870 kg 1995 kg 2530 kg 1300 kg 1395 kg		
Number of steering wheel turns look to look Suspension Front Rear Brakes System Frontbrake type Frontbrake type Rear brake type Rear disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - fightest Kerb weight - fightest Kerb weight - haviest Gross Vehicle Mass (GVM) Permissible Ackel Weight (PAW) - front Permissible Ackel Weight (PAW) - rear Roofrack load limit Towing capacity	2.53 3.5 MPI 2WD MacPherso Multi-I 3.5 MPI 2WD Multi-I 3.5 MPI 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Uestilated 300 mm x2 Solid di 303 mm x 3.5 MPI 2WD Automatic 1720 kg 1845 kg 1395 kg 1395 kg 100 kg 3.5 MPi 2WD Automatic Au	2.2 CRDi AWD n strut nk 2.2 CRDi AWD Automatic L2.2 CRDi AWD Automatic P9 mm sc P9 mm Sc 19 mm 2.2 CRDi AWD Automatic 1870 kg 1995 kg 2330 kg 1395 kg 100 kg 1395 kg 100 kg 2.2 CRDi AWD Automatic		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Dake type Front Dake type Front Dake type Rear clisc dimensions Rear brake type Rear clisc dimensions Weight Kerb weight - Ispitest Kerb weight - Ispitest Gross Vehicle Mass (GVM) Permissbile Axte Weight (PAW) - front Permissbile Axte Weight (PAW) -	2.53 3.5 MPi 2WD MacPherso MacPherso Mathema Mathema MacPherso Mathema Mathe	2.2 CRDi AWD n strut nk C.2 CRDi AWD Automatic Reforce Distribution (EBD) and Brake Assist System (BAS) dic 29 mm sc 19 mm Sc 10 m C.2 CRDi AWD Automatic 1870 kg 199 skg 2630 kg 1300 kg 1305 kg 100 kg C.2 CRDi AWD Automatic 2000 kg		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Data System Front Data System Front Data System Rear disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - heaviest Gross Weick Bas (GVM) Permissible Axle Weight (PAW) - front Permissible Axle Weight (PAW) - rear Rear Case Compared The Comp	2.53 3.5 MPi 2WD Macherso Muti-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Userbilated 320 mm xi 320 mm xi 335 MPi 2WD Automatic 1720 kg 1845 kg 32510 kg 1335 kg 100 kg 1305 kg 100	Automatic Automatic Automatic Keforce Distribution (EBD) and Brake Assist System (BAS) disc 91 mm sc 11 mm Automatic 1870 kg 1995 Stg 2630 kg 1300 kg 1300 kg 1395 Stg 100 kg 2630 kg 1300 kg 1395 Stg 100 kg 2000 kg 2000 kg 750 kg		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Take type Front disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - lightest Kerb weight - lightest Kerb weight - haviest Gros Vehicle Mass (GVM) Permissible Axle Weight (PAW) - rear Reaf Jack ad limit Towing capacity Braked Unbraked Maximum towball weight (with genuine Hyundai accessory assist kit)	2.53 3.5 MPi 2WD MacPherso Multi-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power as sisted with Electronic Bra Ventilated 320 mm x1 320 mm x1 335 MPi 2WD Automatic 1720 kg 1845 kg 1300 kg 1390 kg 1390 kg 3.5 MPi 2WD Automatic 3.5 MPi 2WD	Automatic Automatic Automatic Reforce Distribution (EBD) and Brake Assist System (BAS) disc 99 mm ac 11 mm Automatic 1870 kg 1890 kg 1995 kg 1995 kg 1300 kg 1395 kg 100 kg 2000 kg 2000 kg 750 kg 100 kg (150 kg)		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Data System Front Data System Front Data System Rear disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - heaviest Gross Weick Bas (GVM) Permissible Axle Weight (PAW) - front Permissible Axle Weight (PAW) - rear Rear Case Compared The Comp	2.53 3.5 MPi 2WD Macherso Muti-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Userbilated 320 mm xi 320 mm xi 335 MPi 2WD Automatic 1720 kg 1845 kg 32510 kg 1335 kg 100 kg 1305 kg 100	Automatic Automatic Automatic Keforce Distribution (EBD) and Brake Assist System (BAS) disc 91 mm sc 11 mm Automatic 1870 kg 1995 Stg 2630 kg 1300 kg 1300 kg 1395 Stg 100 kg 2630 kg 1300 kg 1395 Stg 100 kg 2000 kg 2000 kg 750 kg		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Discussions System Front Discussions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - lightest Kerb weight - lightest Gross Whick Mass (GVM) Permissible Axte Weight (PAW) - rear Rear Grack Load limit Towing capacity Braked Unbraked Maximum towball weight (with genuine Hyundal accessory assist kit) Fuel consumption*	2.53 3.5 MPi 2WD MacPherso Muti-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Ventilated 320 mm x1 330 mm x2 305 mm x1 305 mm x1 305 MPi 2WD Automatic 1720 kg 1845 kg 2510 kg 1330 kg 1330 kg 1335 kg 1330 kg 1335 kg 1330 kg 1335 kg 1300 kg 100 kg	2.2 CRDi AWD ns trut nk Automatic Automatic Automatic Automatic Automatic Automatic Automatic Automatic 1870 kg 1870 kg 1970 kg Automatic Automatic Automatic		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front brake type Front disc dimensions Rear brake type Rear disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerb weight - heaviest Gross Vehicle Mass (GVM) Fermisable Acte Weight (PAW) - front Permisable Acte Weight (PAW) - rear Reod rack load limit Towing capacity Braked Unbraked Maximum towball weight (with genuine Hyundal accessory assist kit) Fuel consumption* Combined (L/100km)	2.53 3.5 MPI 2WD MacPheso Muti-I 3.5 MPI 2WD Muti-I 3.5 MPI 2WD Muti-I Use diagonal, splt circuit, power assisted with Electronic Bra Ventilated 320 mm x/ 320 mm x/ 335 MPI 2WD Automatic 1720 kg 1845 kg 31395 kg 100 kg 1335 kg 100 kg 33.5 MPI 2WD Automatic 200 kg 730 kg 100	2.2 CRDi AWD n strut nk C.2 CRDi AWD Autometic keforce Distribution (EBD) and Brake Assist System (BAS) disc 97 mm scc 19 mm C.2 CRDi AWD Autometic 1870 kg 1995 kg 2630 kg 2630 kg 2630 kg 1395 kg 100 kg C.2 CRDi AWD Autometic C.3 CRDi AWD Autometic C.3 CRDi AWD Autometic C.3 CRDi AWD Autometic C.3 CRDi AWD C.3 CRDI AWD		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Development Front Development System Front Development System Rear Jose The System Rear Jos	2.53 3.5 MPi 2WD MacPherso Mathematical Automatic Automatic Solid al 305 mm x 3.5 MPi 2WD Automatic Automatic T20 kg 1305 kg 1	2.2 CRDi AWD a strut ak C.2 CRDi AWD Automatic L2.2 CRDi AWD Automatic Parma Se 10 mm C.2 CRDi AWD Automatic 1870 kg 1995 kg 2830 kg 1300 kg 1305 kg 100 kg C.2 CRDi AWD Automatic 2000 kg 100 kg C.2 CRDi AWD Automatic 2000 kg 750 kg 100 kg 750 kg 100 kg 7,5 9,9		
Number of steering wheel turns look to look Suspension Front Rear Brakes System Front Take type Front disc dimensions Rear brake type Rear disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - lightest Kerbs weight - lightest Kerbs weight - haviest Gross Vehicle Mass (GVM) Permissible Axle Weight (PAW) - ront Permissible Axle Weight (PAW) - ront Permissible Axle Weight (PAW) - rear Reof rack Load limit Towing capacity Braked Unbraked Maximum towball weight (with genuine Hyundai accessory assist kit) Fuel consumption* Combined (L/100km) Extra Urban (L/100km)	2.53 3.5 MPi 2WD MacPherso Matcherso	Automatic Automatic Automatic Keforce Distribution (EBD) and Brake Assist System (BAS) disc 97 mm sc 11 mm Automatic 1870 kg 19870 kg 1995 kg 2630 kg 1300 kg 1395 kg 1000 kg 2000 kg 750 kg 100 kg (150 kg) 2.2 CRDi AWD Automatic 1000 kg 2000 kg 750 kg 109 kg 2.2 CRDi AWD Automatic 2000 kg 750 kg 100 kg (150 kg) 2.2 CRDi AWD Automatic 3.9 6.2		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Direke type System Front Direke type Rear disc dimensions Rear brake type Rear disc dimensions Weight Kerb weight - Eightest Kerb weight - Eightest Kerb weight - Eightest Correlia Susses Read Suss	2.53 3.5 MPi 2WD MacPherso Mathematical Automatic Automatic Solid al 305 mm x 3.5 MPi 2WD Automatic Automatic T20 kg 1305 kg 1	2.2 CRDi AWD a strut ak C.2 CRDi AWD Automatic L2.2 CRDi AWD Automatic Parma Se 1 mm 2.2 CRDi AWD Automatic 1870 kg 1995 kg 2830 kg 1300 kg 1300 kg 1308 kg 100 kg C2.2 CRDi AWD Automatic 2000 kg 100 kg C2.2 CRDi AWD Automatic 2000 kg 750 kg 100 kg 750 kg 100 kg 750 kg 100 kg 750 kg 100 kg 755 kg 9.9		
Number of steering wheel turns lock to lock Suspension Front Rear Brakes System Front Beadmensions Rear brake type Front disc dimensions Rear brake type Rear clisc dimensions Rear brake type Rear clisc dimensions Weight Kerb weight - fightest Kerb weight - fightest Kerb weight - fightest Rear Weight (PAW) - front Permissible Ade Weight (PAW) - front Permissible Ade Weight (PAW) - front Permissible Ade Weight (PAW) - rear Roofrack load limit Towing capacity Braked Unbraked Braked Unbraked Combined (L/100km) Urban (L/100km) Urban (L/100km) Ever a	2.53 3.5 MPi 2WD MacPheso Muti-I 3.5 MPi 2WD Automatic Dual-diagonal, split circuit, power assisted with Electronic Bra Uentilated Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit, power assisted with Electronic Bra Control of the split circuit,	2.2 CRDi AWD n strut nk C.2 CRDi AWD Automatic L2.2 CRDi AWD Automatic Primm C.2 CRDi AWD Automatic 1870 kg 1995 kg 2630 kg 1300 kg 1395 kg 1300 kg 1395 kg 100 kg C.2 CRDi AWD Automatic 2000 kg 750 kg 100 kg C.2 CRDi AWD Automatic 2000 kg 750 kg 100 kg		

and weather conditions. ADR 81/02 test results are meant for comparison purposes only.

Dimensions	Active	Elite	Highlander	
Exterior Length		4770 mm		
Width	1890 mm			
Height (with roof rails) Wheelbase		1680 mm (1705 mm) 2765 mm		
Wheel track - front / rear Minimum ground clearance (based on kerb weight)	1643mm / 1652mm 185 mm	1638mm / 1647mm 185 mm	1635mm / 1644mm 185 mm	
Approach / departure / ramp break over angle		18.5° / 21.2° / 20.7°		
Interior Head room front / centre / rear (w/ sunroof)	1016 / 995 / 917 mm (974 / 963 / 917 mm)			
Leg room front / centre/ rear Shoulder room front / centre / rear		1048 - 1120 / 1001 / 746 mm 1500 / 1480 / 1344 mm		
Hip room front / centre / rear		1460 / 1430 / 1568 mm		
Cargo area - VDA (minimum / maximum)	A	547 / 1625 Litres		
Wheels & tyres	Active	Elite	Highlander	
Wheel type Wheel dimensions	Alloy 17 x 7.0J +47	Alloy 18 x 7.5J +49.5	Alloy 19 x 8.0J +51	
Tyre dimensions	235/65 R17 104H	235/60 R18 107V	235/55 R19 101V (Continental ContiSportContact™ 5)	
Spare wheel type	Full size alloy	Full size alloy	Full size alloy	
Driving convenience	Active	Elite	Highlander	
Electronic Parking Brake (EPB) (with auto hold function) Hyundai Auto Link	•	•	•	
Hyundai Auto Link Premium Integrated Memory System (IMS) - driver's seat	-	-	•	
One touch turn signal - 3, 5, or 7 flashes	•	•	•	
Rain sensing wipers Rear wiper - 2-stage, with auto wipe on reverse	-	•	•	
Smart Key with push button start	-	•	•	
Steering wheel mounted controls - audio, phone, cruise control & trip computer Tilt & telescopic steering column	•	•	•	
Driving engagement	Active	Elite	Highlander	
Drive Mode - 4 settings (Comfort, Eco, Sport, Smart)	•	•	•	
Paddle shifters	-	•	•	
Active safety	Active	Elite	Highlander	
Electronic Stability Control (ESC) Including; Anti-lock Braking System (ABS)	•	•	•	
Brake Assist System (BAS)	•	•	•	
Electronic Brakeforce Distribution (EBD) Downhill Brake Control (DBC)	•	•	•	
Hill-start Assist Control (HAC)	•	•	•	
Traction Control System (TCS) Vehicle Stability Management (VSM)	•	•	•	
Hyundai SmartSense ™ including; Advanced Smart Parking Assist System (ASPAS)			•	
Blind-Spot Collision-Avoidance Assist - Rear (BCA-R)	•	•	•	
Driver Attention Warning (DAW) Forward Collision-Avoidance Assist (FCA) - City/Urban/Interurban/Pedestrian/Cyclist (camera & radar)	•	•	•	
High Beam Assist (HBA) Lane Keeping Assist - Line/Road-Edge (LKA-L/R)	•	•	•	
Rear Cross-Traffic Collision-Avoidance Assist (RCCA)	•	•	•	
Rear Occupant Alert (ROA) Rear Occupant Alert (ROA) - Advanced	•	•	•	
Safe Exit Assist (SEA)	-	•	•	
Smart Cruise Control (SCC) with Stop & Go Surround View Monitor (SVM)	•	•	•	
Other features Emergency Stop Signal (ESS)	•	•	•	
Parking Distance Warning-Front (PDW-F) - 4 sensors, with guidance display	-	•	-	
Parking Distance Warning-Reverse (PDW-R) - 4 sensors, with guidance display Parking Distance Warning-Front (PDW-F) - 6 sensors, with guidance display	•	•	•	
Parking Distance Warning-Reverse (PDW-R) - 6 sensors, with guidance display Rear view camera with dynamic guide lines	•	•	•	
Speed limiter	•	•	•	
Tyre Pressure Monitoring System (TPMS) - individual tyre pressure readout	•	•	•	
Passive safety	Active	Elite	Highlander	
Airbegs Front airbags - driver & front passenger	•	•	•	
Side (thorax) airbags - driver & front passenger Side curtain airbags - 1st& 2nd rows	•	•	•	
Roll-over Sensor	•	•	•	
Doons Impact sensing auto door unlock	•	•	•	
Rear door child safety locks Electronic child safety lock system	•		•	
Seatbelts				
Pretensioners, load limiters & height adjustable upper mounts on front seat belts Pretensioners & load limiters on rear (outboard) seat belts - 2nd row	•	•	•	
Seat belt reminder - front & rear seatbelts Seat belt holder - 2nd & 3rd rows	•	•	•	
Seating				
Height adjustable front head restraints with tilt function Height adjustable rear head restraints	•	•	•	
ISOFIX child restraint anchors (rear outboard seats) - 2nd row	•	•	•	
Top tether child restraint anchors (rear) - 3 anchors - 2nd row Smart one touch flat folding (switch operated) - 2nd row	•	•	•	
Security	Active	Elite	Highlander	
Security system				
Active lock/unlock operation (user configurable) Anti-theft alarm	•	•	•	
Central locking	•	•	•	
Engine immobiliser Remotes	•	•	•	
Keyless entry remote - 2x Smart Key remote - 2x	•	•	•	
and an and a second sec	-	-	-	

Multimedia system	Active	Elite	Highlander
Functions	•	•	•
Apple CarPlay' & Android Auto ² compatibility Bluetooth phone connectivity	•	•	•
Satellite navigation SUNA™ Live Traffic Updates		•	•
Touch screen - 7° display Touch screen - 8° display	•	•	•
Speakers			
Audio system - 6 speakers Infinity™ premium audio system - 10 speakers with external amplifier	• -	•	•
Audio/media sources AM / FM radio	•	•	•
Digital radio (DAB+) Radio Data System (RDS)	- •	•	•
AUX / USB audio input with iPod® compatibility	•	•	•
Bluetooth audio streaming	• A stius	• Elite	• Highlandar
Occupant comfort & convenience	Active	Elite	Highlander
Upholstary/Vim Leather ³ appointed interior - steering wheel & gear knob	•	-	-
Leather ³ appointed interior - seats, steering wheel & gear knob Carpet floor mat - cargo compartment	-	•	•
Front seats Driver's seat - height adjustable	•	•	•
Driver's seat - manually adjustable (including 2-way lumbar support)	•	-	-
Driver's seat - power adjustable - 10-way (including 2-way lumbar support) Driver's seat - power adjustable - 14-way (including 4-way lumbar support and drivers cushion extension)	-	•	•
Passenger's seat - power adjustable - 8-way Passenger's seat - walk-in switch - drivers control for slide and recline	-	•	•
Front centre console storage cubby - power outlets - 1 x 12V outlet Front centre console storage cubby - power outlets - 1 x USB charger	•	•	•
Front centre console - wireless charging pad (Qi standard) ⁴	-	-	•
Grip handles - 1x (passenger) Rear seats	•	•	•
Centre fold down armrest Rear centre console power outlets - 2 x USB charger outlets	•	•	•
Grip handles - 2x	•	•	:
Walk-in switch - control for slide function to access 3rd row Windows/shades	•	•	•
Acoustic laminated windshield glass Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind	-	-	•
Power windows - front & rear One touch window up & down function with anti-pinching safety feature - driver's window	•	•	•
Rear door window sunshades	-	•	•
Solar control glass Rear privacy glass	-	•	•
Sunvisor (extendable) - driver and front passenger Doors/boot/tailgate	•	•	•
Luggage area power outlet - 1 x 12V outlet	•	•	•
Smart Tailgate (rear power tailgate with hands-free opening) - Speed adjustable	-	•	•
	Active		
Smart Tailgate (rear power tailgate with hands-free opening) - Speed edjustable Vision & sight Interior miror Electro-chromatic Mirror (ECM) - auto-dimming with Integrated compass	-	•	•
Smart Tailgate (rear power tailgate with hands-free opening) - Speed adjustable Vision & sight Interformiror Electro-chromatic Mirror (ECM) - auto-dimming with integrated compass Extendor mirros Heated	Active	• Elite •	• Highlander
Smart Tailgate (rear power tailgate with hands-free opening) - Speed adjustable Vision & sight Interior minor Electro-chromatic Mirror (ECM) - auto-dimming with integrated compass Eduator minors Heated Power adjustable Power adjustable with auto-dip on reverse function	Active	• Elite • •	• Highlander • • •
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior mirror Electro-chromatic Mirror (ECM) - auto-dimming with integrated compass Edution mirros Heated Power adjustable Power adjustable	Active	• Elite • •	• Highlander •
Smart Tailgate (rear power tailgate with hands-free opening) - Speed edjustable Vision & sight Interior miror Electro-chromatic Mirror (ECM) - auto-dimming with Integrated compass Extender mirors Heated Power adjustable Power adjustable Power adjustable with auto-dip on reverse function Power dolding with auto-dip on reverse function Power dolding with auto-dip on reverse function Heated-Up Display (HUD)	Active	• Elite • • •	• Highlander • • •
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Intenior miroc Electro-chromatic Mirror (ECM) - auto-dimming with integrated compass Extendor miroc Heated Power adjustable Power adjustable with auto-dip on reverse function Power folding with auto-fold function Instrument cluster/driving displays	Active	• Elite • • • •	• Highlander • • • • •
Smart Tailgate (rear power tailgate with hands-free opening) - Speed adjustable Vision & sight Intarior mirror Electro-chromatic Mirror (ECM) - auto-dimming with integrated compass Edenior mirron Heated Power adjustable Power adjustable Power adjustable with auto-dip on reverse function Power folding with auto-dip on reverse function Power folding with auto-dip displays Head-Up Display (HUD) Instrument Custer - 3.5° TFT LCD with trip computer & digital speedometer	Active	• Elite • • • • • • • •	• Highlander • • • • • •
Smart Tailgate (rear power tailgate with hands-free opening) - Speed adjustable Vision & sight Interior minor Electro-chromatic Mirror (ECM) - auto-dimming with integrated compass Extender minor Heated Power adjustable Power adjustable Power adjustable with auto-dip on reverse function Power distable with auto-dip on reverse function Power distable with auto-dip on reverse function Power distable with auto-dip on reverse function Instrument cluster/driving displays Head-Up Display (HUD) Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 7" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning	Active Active	• Elite • • • • • • • • • • • • • • • • • • •	• Highlander • • • • • • • • • • • • • • • • • • •
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miror Electro-chromatic Mirror (ECM) - auto-dimming with Integrated compass Extender miros Heated Power adjustable with auto-dip on reverse function Power folding with auto for on reverse function Power folding with auto for on reverse function Instrument duster - 3:5" TFTLCD with trip computer & digital speedometer Supervision cluster - 7" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Air conditioning Climate control - dual zone with auto delog function Manual controls	Active Active Active Active Active	· Elite · · · · · · · · · · · · · · · · · · ·	Highlander Highlander Highlander Highlander Highlander
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior mirror Electro - chromatic Mirror (ECM) - auto - dimming with integrated compass Extender mirror Heated Power adjustable with auto - dip on reverse function Power folding with auto fold function Instrument cluster / divide displays Head-tup Display (HUD) Instrument cluster - 3*" TFT LCD with trip computer & digital speedometer Supervision cluster - 3*" TFT LCD with trip computer & digital speedometer Ventilation & heating Ar conditiong Climate control - dual zone with auto defog function	Active	Elite Elite Elite Elite	• Highlander • • • • • • • • • • • • • • • • • • •
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miros Electro - chromatic Mirror (ECM) - auto-dimming with Integrated compass Extender miros Heated Power adjustable Power adjustable with auto-dip on reverse function Power folding with auto-dip on reverse function Power folding with auto-dip on reverse function Instrument Cutser - 3.5° TFT LCD with trip computer & digital speedometer Supervision cluster - 7° TFT Colour LCD with trip computer & digital speedometer Ventilation & heating Climate control - dual zone with auto delog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - 2nd row	Active Active Active Active Active	· Elite · · · · · · · · · · · · · · · · · · ·	Highlander Highlander Highlander Highlander Highlander Highlander
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miroe Electro-chromatic Mirror (ECM) - auto-dimming with integrated compass Educion miroe Heated Power adjustable Power adjustable with auto-dip on reverse function Power folding with auto fold function Instrument dustar/ddving displays Head-Up Display (HUD) Instrument dustar - 3.5" TFI LCD with trip computer & digital speedometer Supervision cluster - 3.5" TFI LCD with trip computer & digital speedometer Ventilation & heating Ar conditiong Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rad row Cooling/heating vents - rad row	Active Active Active Active Active	· Elite · · · · · · · · · · · · · · · · · · ·	Highlander Highlander Highlander Highlander Highlander Highlander Highlander
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Intarior miror Electro - chromatic Mirror (ECM) - auto-dimming with Integrated compass Extender miros Heated Power adjustable with auto-dip on reverse function Power folding with auto do function Instrument duster - 3x ^o TFTLCD with trip computer & digital speedometer Supervision cluster - 3x ^o TFT colour LCD with trip computer & digital speedometer Ventilations Climate control - dual zone with auto delog function Manual controls Cabina in filter Cluster ioniser (Clen air function) Cooling/heating vents - ran floor - 2nd & 3rd rows Front easts H ventilated front seats H eated front seats H eated front seats	Active Active Active Active Active Active Active	Elite Elite Elite Elite Elite Elite Elite Elite e	Highlander Highlander Highlander Highlander Highlander Highlander
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miros Electro - chromatic Mirror (ECM) - auto-dimming with integrated compass Edution miros Electro - chromatic Mirror (ECM) - auto-dimming with integrated compass Edution miros Headed Power adjustable Power adjustable with auto-dip on reverse function Power folding with auto-dip on reverse function Power folding with auto-dip on reverse function Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 7" TFT colour LCD with trip computer & digital speedometer Ventilation & heating Cabin air filter Cabin air filter Cabin air filter Cabina if filter Couling /heating vents - 2nd row Cooling /heating vents - ree floor - 2nd & 3rd rows Front easts Air ventileted fornt seats	Active Active Active Active Active Active Active Active	Elite Elite	Highlander Highlander Highlander Highlander Highlander Highlander
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miros Electro - chromatic Mirror (ECM) - auto-dimming with Integrated compass Extender miros Heated Power adjustable with auto-dip on reverse function Power folding with auto for on reverse function Power folding with auto for on reverse function Instrument duster - 3.5° FFL CD with trip computer & digital speedometer Supervision cluster - 7° TFT colour LCD with trip computer & digital speedometer Ventilations (Cabha air filter Cluster ioniser (clean air function) Cabha air filter Cluster ioniser (clean air function) Cooling/heating vents - ran floor - 2nd & 3rd rows Front east Air ventilated front seats Heated front seats Heated front seats Heated front seats Cohor features Cooling/heating vents - rear floor - 2nd & 3rd rows Front east Reversion Reversion Cooling/heating vents - rear floor - 2nd & 3rd rows Front east Heated front seats	Active Active Active Active Active Active	• Elite • • • • • • • Elite • • • • • • • • • • • • • • • • • • •	Highlander Highlander Highlander Highlander Highlander Highlander
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Intenior minor Electro - chromatic Mirror (ECM) - auto-dimming with integrated compass Extender minos Heated Power adjustable Power adjustable with auto-dig on reverse function Power adjustable with auto-dig on reverse function Power adjustable with auto-dig on reverse function Power fulling with auto-dig on reverse function Power fulling with auto-full function Instrument cluster - 3.5" TFTLCD with trip computer & digital speedometer Supervision Custer - 7." FTLCD with trip computer & digital speedometer Ventilation & heating Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - 2nd row Cooling/heating vents - 2nd row Cooling/heating vents - 2nd row Front seats Heated front seats Heated front seats Heated rear outboard seats Cher features Cher Keatures Cher Keatur	Active	· Elite · · · · · · · · · · · · · · · · · · ·	Highlander Highlander Highlander Highlander Highlander Highlander
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miroe Electro - chromatic Mirror (ECM) - auto - dimming with integrated compass Edetor or miroe Heated Power adjustable Power adjustable with auto - dip on reverse function Power fadjuate with auto - dip on reverse function Power fadjuate with auto - dip on reverse function Interument cluster - 3.5" TFTI CD with trip computer & digital speedometer Ventilation & heating Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster indise (clean air function) Cooling/heating vents - rear floor - 2nd & 3rd rows Front seats Heated front seats Heated front seats Heated front seats Heated front seats Coher features Cooling Heated stering wheel	Active	• Elite • • • • • • • • • • • • • • • • • • •	Highlander Highlander Highlander Highlander Highlander Highlander Highlander
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Intaior miror Electro - chromatic Mirror (ECM) - auto-dimming with Integrated compass Extender miros Heated Power adjustable Power adjustable with auto-dip on reverse function Power folding with auto fold function Instrument duster - 3:5' TFTLCD with trip computer & digital speedometer Ventilations & heating Ar conditioning Climate control - dual zone with auto delog function Manual controls Cabina in filter Cluster ioniser (Clean air function) Cooling/heating vents - rand row Cooling/heating vents - rear floor - 2nd & 3rd rows Front seats Heated front seats Heated fort seats Heated rear outboard seats Heated rear windshield Heated stering wheel Exterior styling	Active Active Active Active Active Active Active	• Elite • • • • • • • • • • • • • • • • • • •	Highlander Highlander Highlander Highlander Highlander Highlander
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miros Electro - chromatic Mirror (ECM) - auto-dimming with integrated compass Edetor or miros Heated Power adjustable Power adjustable with auto-dip on reverse function Power folding with auto-dip on reverse function Instrument duster - 3.5° TFT LCD with trip computer & digital speedometer Supervision cluster - 3.°° TFT LCD with trip computer & digital speedometer Ventilation & heating Climate control - dual zone with auto delog function Manual controls Cooling /heating vents - ran floor - 2nd & 3rd rows Front seats Ar ventilated front seats Heated front seats Heated front seats Meter dir tor subsord seats Defender windshild Heated serving wheel Exterior styling Front grille - black.	Active	Elite Elite	Highlander • •
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miroc Electro - chromatic Mirror (ECM) - auto-dimming with integrated compass Exterior miroc Heated Power adjustable Power adjustable with auto-dip on reverse function Power fadjung with auto fad function Instrument cluster / TFT CD with trip computer & digital speedometer Ventilation & heating Air conditioning Cabin air filter Cabin air filter Cobing/heating vents - 7. TFT CD with trip computer & digital speedometer Ventilation & heating Air conditioning Cabin air filter Cabin air filter Cobing/heating vents - rare floor - 2nd & 3rd rows Front seats Pertot seats Char forst seats Front	Active	· Elite · · · · · · · · · · · · · · · · · · ·	Highlander •
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miros Electro-chromatic Mirror (ECM) - auto-dimming with Integrated compass Extender miros Heated Power adjustable Power adjustable with auto-dip on reverse function Power folding with auto fold function Instrument duster - 3:5" TFTLCD with trip computer & digital speedometer Supervision cluster - 3:5" TFTLCD with trip computer & digital speedometer Ventilation & heating Ar conditioning Claster in or iteration Claster in the seats Heated front seats Heated front seats Heated rear vindshied Heated stering wheel Exterior styling Front Front grile - back Front grile - back Front grile - back Front grile - carbon grey	Active	• Elite • • • • • • • • • • • • • • • • • • •	Highlander Highlander Highlander Highlander Highlander Highlander Highlander Highlander Highlander
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Intaior miroe Electro - chromatic Mirror (ECM) - auto - dimming with integrated compass Edetor or miroe Heated Power adjustable Power adjustable with auto - dip on reverse function Power adjustable with auto - dip on reverse function Instrument cluster - 3.5" TFT ICD with trip computer & digital speedometer Supervision cluster - 7" TFT COD with trip computer & digital speedometer Ventilation & heating Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster indire (clean air function) Cooling/heating vents - rar fibor - 2nd & 3rd rows Front seats Pated front seats Heated Torn tseats Heated rear outboard seats Other features Cooling heating Heated Stering Weal Exterior styling Front setts Front set	Active	· Elite · · · · · · · · · · · · · · · · · · ·	Highlander •
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miros Electro - chromatic Mirror (ECM) - auto-dimming with Integrated compass Extendor miros Heated Power adjustable Power adjustable with auto-dip on reverse function Power folding with auto fold function Instrument duster / 3.5° TFT LCD with trip computer & digital speedometer Ventilation & heating Classes of the state of the	Active	· Elite · · · · · · · · · · · · · · · · · · ·	Highlander • •
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miroe Electro - chromatic Mirror (ECM) - auto-dimming with integrated compass Extedor miroe Heated Power adjustable Power adjustable with auto-dip on reverse function Power folding with auto-dip on reverse function Instrument cluster - 3.5" FFI LCD with trip computer & digital speedometer Supervision cluster - 7." FFI COD with trip computer & digital speedometer Ventilation & heating Climate control - dual zone with auto delog function Manual controls Cabin air filter Cluster ioniser (clean air function) Cooling/heating vents - rear floor - 2nd & 3rd rows Front seats New Zoding with easts Heated Torn steats Heated Torn steats Heated Torn steats Heated Torn steats New Zoding Heatel Exterior styling Front grille - black Front grille - black Front grille - black Front grille - stim chrome Skid plate - stim chrome Exterior door handles - satin chrome Exterior door handles - satin chrome Exterior door handles - satin chrome Exterior Steame St	Active	· Elite · · · · · · · · · · · · · · · · · · ·	Highlander •
Smart Tallgate (rear power tallgate with hands-free opening) - Speed adjustable Vision & sight Interior miroe Electro - chromatic Mirror (ECM) - auto - dimming with integrated compass Edetor or miroe Heated Power adjustable with auto - dip on reverse function Power adjustable with auto - dip on reverse function Power adjustable with auto - dip on reverse function Instrument cluster / 3.5" TFT LCD with trip computer & digital speedometer Supervision cluster - 7" TFT COD with trip computer & digital speedometer Ventilation & heating Climate control - dual zone with auto defog function Manual controls Cabin air filter Cluster infilter Coding/heating vents - rar filtor - 2nd & 3rd rows Fort sents RearZon drow outboard seats Heated front seats Coher factures Cooling Heated rear outboard seats Coher factures Front sents Front sents RearPain to cabing rey Front grille - black Front grille - black Front grille - black Coher factures Side garinsh insert - satin chrome Exterior door handles - satin chrome Exterior door handles - satin chrome Exterior door handles - satin chrome Rear RearPain Controls RearDain Contr	Active Active	· Elite · · · · · · · · · · · · · · · · · · ·	Highlander •

Interior styling	Active	Elite	Highlander		
	7,6176				
Treatments Alloy effect finish (interior door handles)	•	•	•		
Alloy effect linish (interior door handles) Alloy effect inserts (steering wheel and transmission gear knob)	•	•			
Alloy effect surrounds (HVAC dials, air vents and transmission housing)	•	•	•		
Carbon fibre effect inserts (doors and dashboard)	•	•7	•7		
Stone effect inserts (doors and dashboard)	•8	-	-		
Wood effect inserts (doors and dashboard)	-	-	•9		
Materials Black headlining			•10		
Melange knit headlining	-	•	•		
Premium materials - door centre trim	-	•	•		
Fabric A-pillar covers, roof lining and sunvisors	-	•	•		
Suede A-pillar covers, roof lining and sunvisors	-	-	↓10		
Lighting	Active	Elite	Highlander		
Exterior lighting - front					
Fog lights	•	•	-		
Fog lights - LED	-	-	•		
Daytime Running Lights (DRL) - LED Headlight functions - automatic dusk sensing with escort and welcome	•	•	•		
Headlight type - LED (low/high beam)	- -	- · ·	•		
Headlight type - projector beam	•	•			
Positioning lights - LED	•	•	•		
Dynamic bending lights	-	-	•		
Exterior lighting - rear					
Fog lights - LED High Mount Stop Light (HMSL) - LED	•	•	•		
Rear combination lights - LED (bulb indicator and reverse lights)	• _	•	· ·		
Exterior lighting - others			-		
Courtesy lights - LED, in front door handles	-	•	•		
Puddle lights - in side mirrors	-	•	•		
Side repeaters - LED, integrated into side mirrors	•	•	•		
Interior lighting - front Front room lights and map lights	•	•			
Front room lights and map lights - LED	•	•	•		
Vanity mirror lights	•	•	•		
Glovebox compartment light	•	•	•		
Interior lighting - rear					
Centre room light	•	•	-		
Map lights (outboard) - LED	-	-	•		
Interior lighting - others Cargo area light	•	•	•		
Interior light fade-out delay	•	•	•		
Safety lights - integrated in doors (front)	•	•	•		
Storage solutions	Active	Elite	Highlander		
Front seats	-				
Centre console - deluxe type	•	•	•		
Cup holders - centre console	•	•	•		
Front seat back pockets	•	•	· · · · · · · · · · · · · · · · · · ·		
Glovebox compartment Retractable sunglasses compartment	•	•	· · ·		
Ticket holders - sunvisors (driver and front passenger)	•	•	•		
Rear seats					
Coathooks - 1x	•	•	-		
Coathooks - 2x	-	-	•		
Cup holders - armrest Rear seating split folding - 60:40 (2nd row) and 50:50 (3rd row)	•	•	•		
Rear seating splittoloing - 60:40 (2nd row) and 50:50 (3rd row) Boot/Luggage area	•	•	-		
Cargo cover - retractable with 2 position setting, with underfloor storage capability	•	•	•		
Luggage compartment - 6x mounting points	•	•	•		
Luggage net	•	•	•		
Underfloor storage recess	•	•	•		
Others Doors - map pockets and bottle bulges (front and rear)	•	•			
Cup holders - recess on right side of 3rd row	•	•	•		
Side storage recess - left side of 3rd row	•	•	•		
Roof Rails	•	•	•		
Notes:					
 Apple CarPlay requires iPhone 5 or subsequent model (lightning cable) in order to operate. Android Auto requires a device with Android 5.0 operating system or subsequent version in order to operate. 					
 Android Auto requires a device with Android 5.0 operating system or subsequent version in order to operate. Finishes specified as leather may contain elements of genuine leather, polyurethane leather (leather substitute) or man- 	made materials, or a combination thereof.				
4. Wireless charging requires a Qi-enabled smartphone or adapter in order to operate.					
5. Satin chrome lower bumper garnish not available on active trim.					
6. Single type trapezoidal exhaust with chrome tip on petrol variants.					
7. Carbon fibre effect treatments available only on black hiterior with cross pattern treatments on beige interior.					
8. Stone effect interior treatments available only with grey interior. 9. Wood effect interior treatments available only with burgundy leather.					
 Suede interior treatments available only with burgundy leather. 					

Kev:

= Feature is available on trim
= Feature is not available on trim

Hyundai TM Santa Fe - MY20