

Jimny



FOR FUN



FOR EVER

JIMNY LITE



White



Jungle Green*

JIMNY



White



Bluish Black Pearl*



Medium Grey*



Jungle Green*



Chiffon Ivory Metallic + Bluish Black Pearl*



Brisk Blue Metallic + Bluish Black Pearl*



Kinetic Yellow + Bluish Black Pearl*

JIMNY XL



White



Bluish Black Pearl*



Medium Grey*



Jungle Green*



Chiffon Ivory Metallic + Bluish Black Pearl*




Sizzling Red Metallic + Bluish Black Pearl*

*Additional cost for premium/metallic paint and two-tone premium/metallic paint.

OFF-ROAD



PERFORMANCE



RIGID LADDER FRAME

From the very first generation, Jimny has always featured a ladder frame that offers a solid foundation for serious off-road performance.



3-LINK RIGID AXLE SUSPENSION WITH COIL SPRING

Settle for nothing less than full-width rigid axles in both the front and rear, which help the Jimny ensure superior grip on diverse surfaces. When an obstacle pushes one wheel up, the axle presses the other wheel down to increase tyre contact in rough road conditions.



LED HEADLAMPS WITH WASHERS*

Take pride in the Jimny's heritage, symbolised by its iconic round headlamps. Washers are standard with LED headlamps; allowing confident driving in mud, dirt and snow.

*LED headlamps with washers are available on Jimny and Jimny XL variants.



1.5-LITRE ENGINE

Jimny's robust 1.5-litre engine generates strong torque throughout a wide RPM range for powerful off-road performance. Small and lightweight, it also delivers high fuel efficiency.

*Automatic transmission is not available on Jimny Lite variant.



4WD WITH LOW-RANGE TRANSFER GEAR


Shift the transfer lever to the 4L mode for maximum torque and traction. On flat off-road trails and snow-covered roads, enter 4H to enjoy 4WD traction at higher speeds. Once you return to paved roads, shift to the 2H (2WD) mode for a smoother, quieter and more fuel-efficient ride.

ALLGRIP
PRO



BUILT-TO-TACKLE EXTERIOR

With angled bumper edges to increase clearance at the wheels, bonnet corners for better situational awareness and drip rails to keep your head dry when entering and exiting the vehicle, Jimny is built to tackle every adventure.



AMPLE BODY ANGLES AND CLEARANCE

Push outdoor exploration to the limit with an ample departure angle, ramp breakover angle, approach angle and ground clearance that lets you handle steep slopes, sharp descents and obstacles without scraping the bumpers or underbody of the Jimny.

BUILT FOR



ADVENTURE



Note: personal items in the photos are shown for illustrative purposes only. Items should be properly secured while driving.
*Not available on Jimny Lite.

INTERIOR AMENITIES

Designed for practicality, Jimny is equipped with USB accessory pockets to connect and power mobile devices. Switches in the front console box allow control of the rear seat power windows. The side-mounted luggage area lamp provides illumination, and a convenient socket delivers 12V for accessories at your campsite.



AMPLE STORAGE

Jimny offers ample storage for any adventure. Luggage spaces on both variants can be expanded by folding the rear seats, with the Jimny's rear seats able to fold completely flat. Screw holes provide support for optional accessories like luggage bars and utility hooks to enhance versatility.



Note: Items are loosely placed in the rear storage area for illustrative purposes only and should be properly secured while driving. Jimny XL variant shown.

LUCCAGE CAPACITY


Pack for any adventure with a wide and tall back door opening, making it easy to stow gear in the roomy luggage area. The low height of the door sill reduces strain when loading and unloading heavy items.

		Jimny	Jimny XL
Luggage capacity (L)	Max volume	830	1,113
	Rear seatback folded	377	332
	Rear seatback raised	85	211



INFOTAINMENT SYSTEM

Jimny's touchscreen display enables intuitive operation of many features—including audio, hands-free phone and reverse camera display. Jimny Lite is equipped with a 7-inch touchscreen display, and Jimny and Jimny XL models have a 9-inch touchscreen display.



SMARTPHONE CONNECTIVITY

Seamlessly connect your smartphone with Apple CarPlay® and Android Auto™. Make phone calls, access music, send and receive messages, access apps and get directions by voice command or a tap on the audio display.



INTERIOR CONFIGURATION

With a spacious interior design, Jimny is perfect for your next road trip—and with Jimny's comfortable cushioned seating, you won't want the trip to end. All Jimny models feature ample elevated seating for four adults, however if extra leg room is needed, the spacious Jimny XL has got you covered. Perfect leg room for longer getaways and longer passengers alike.



STEERING WHEEL INTEGRATED SWITCHES

Cruise control and audio control switches are integrated into the steering wheel, and there are additional switches for hands-free calling. Jimny Lite and Jimny also have a colour multi-information display with digital speedometer.


ALWAYS



ON GUARD



BRAKE LSD TRACTION CONTROL



Cover slippery ground with confidence. If two wheels, diagonal from each other, lose grip while you're travelling over slippery surfaces, the brake LSD traction control feature will automatically apply brakes to the slipping wheels and redistribute torque to the other two wheels, allowing the Jimny to make its escape.



SRS AIRBAGS FOR COLLISION SAFETY




Jimny is equipped with a full set of SRS airbags, including front and side airbags for the driver and front passenger, and side curtain airbags for occupants of both the front and rear seats.

*Illustration of inflated airbags is approximate.



HILL HOLD CONTROL

Move upward and onward when starting on steep slopes. Even on bumpy slopes that vary on the right and left sides, this feature helps prevent rearward rolling so you can focus on controlling acceleration.




HILL DESCENT CONTROL

On tricky descents, with a push of a button, the system is designed to automatically apply the brakes and maintain a fixed speed—so you can concentrate on steering without using the brake pedal or clutch.



PARKING SENSORS




Ultrasonic sensors* detect obstacles when reversing, and audible warning beeps sound with increasing frequency as you approach.

*Jimny XL is equipped with rear parking sensors, and Jimny Lite and Jimny are equipped with front and rear parking sensors.



ELECTRONIC STABILITY PROGRAM



ESP® helps you control the vehicle during cornering, and assists you in maintaining traction when accelerating on loose or slippery road surfaces. If wheel slip is detected, the ESP® system automatically regulates engine torque and selectively applies the brakes to help you maintain control.


*ESP® is a registered trademark of Mercedes-Benz Group.




AUTONOMOUS EMERGENCY BRAKING (AEB)*

When moving, the Jimny uses two sensors—a monocular camera and a laser sensor—to determine if there is a risk of collision with a forward vehicle or pedestrian.


1 Alerts the driver with an audio warning and visual warning.



2 Deploys brake assist to increase braking force if the risk of collision is high and the driver panic brakes.



3 Applies strong automatic braking if the risk of collision increases even more.



*AEB is designed to support the driver only in emergency situations. The driver remains responsible for the vehicle at all times.


Note: There is a limit to the ability of the monocular camera and laser sensor to detect obstacles and lanes, and control the vehicle. Please do not rely on the system: always drive safely.

SPECIFICATIONS

MODEL		JIMNY LITE		JIMNY		JIMNY XL	
POWERTRAIN		MT		MT		AT	
Engine		1.5-litre VVT					
Drive system		Part-time 4WD (ALLGRIP PRO)					
Number of cylinders		4					
Number of valves		16					
Piston displacement (cm³)		1462					
Bore × stroke (mm)		74.0 × 85.0					
Compression ratio		10					
Maximum output (kW/rpm)		75/6,000					
Maximum torque (Nm/rpm)		130/4,000					
Fuel distribution		Multipoint injection					
Fuel tank capacity (L)		40					
DIMENSIONS							
Overall length (mm)	Front bumper to rear bumper	3,485				3,820	
	Front bumper to spare wheel	3,630				3,965	
	Front bumper to spare wheel cover	3,650				3,985	
Overall width (mm)		1,645					
Overall height (mm)		1,720					
Wheelbase (mm)		2,250				2,590	
Tread (mm)	Front	1,395 (195/80R15)					
	Rear	1,405 (195/80R15)					
Minimum turning radius (m)		4.9				5.7	
Minimum ground clearance (mm)		210					
Seating capacity		4					
Luggage capacity (L)	Max volume	830				1,113	
	Rear seatback folded	377				332	
	Rear seatback raised	85				211	
Kerb weight (kg)		1,100	1,110	1,120	1,185	1,200	
Gross vehicle weight (kg)		1,450				1,545	
TRANSMISSION							
Type		5MT		4AT*	5MT	4AT	
Gear ratio	1st	4.425		2.875	4.425	2.875	
	2nd	2.304		1.568	2.304	1.568	
	3rd	1.674		1	1.674	1	
	4th	1.19		0.697	1.19	0.697	
	5th	1		—	1	—	
	Reverse	5.151		2.3	5.151	2.3	
Final gear ratio		4.09		4.3	4.09	4.3	
FUEL CONSUMPTION							
Fuel consumption (L/100km)		6.4		6.9	6.4	6.9	
CO ₂ emissions (g/km)		146		158	148	161	
CHASSIS							
Brakes	Front	Solid disc					
	Rear	Drum, leading and trailing					
Suspension	Front	3-link rigid axle with coil spring					
	Rear						
VISIBILITY							
Headlamps		Halogen		LED Projector			
Headlamp leveling device		—		Manual			
Automatic lamps		Std					
Automatic high beam		Std				—	
Front fog lamps		Std					
Daytime Running Lamps (DRLs)		Std					
Privacy glass		—		Std			
Wipers	Front	2 speeds (low, high) + adjustable intermittent + washer					
	Rear	1 speed + washer					
Outside door mirrors	Finish	Black plastic		Black painted			
	Electrically-adjustable	Std					
	Electrically-foldable	—		Std			
	Heated	—		Std		—	

MODEL		JIMNY LITE		JIMNY		JIMNY XL	
EXTERIOR							
Front grille		Black				Grey metallic with chrome accents	
Outside door handles		Black		Body-coloured			
WHEELS							
Tyres (width/profile)		195/80					
Wheel size		15"					
Wheel type		15" steel		15" alloy			
Spare							
STEERING & INSTRUMENT PANEL							
3-spoke steering wheel	Leather-covered	—		Std			
	Audio controls	Std					
	Cruise control	Adaptive				Std	Adaptive
	Hands-free phone control	Std					
	Tilt-adjust	Std					
Information Display	Digital speedometer	Std				—	
	Digital clock	Std					
	Outside temp.	Std					
	Fuel consumption	Std					
	Driving range	Std					
	Average speed	Std					
	Driving time	Std					
DRIVING AMENITIES							
Speakers		2		4			
Infotainment screen size		7"		9"			
Apple CarPlay® & Android Auto™		Std					
DAB radio		Std					
INTERIORS							
Cabin lights	Front (3 position)	Std					
	Rear (3 position)	—		Std			
Cup holder		Centre console					
USB port		× 1					
12V accessory socket		Centre console		Centre console & luggage area			
Inside door handles		Chrome					
Front seats	Walk-in mechanism	Std (passenger's side)					
	Head restraints × 2	Std					
Rear seats	50:50-split	Std					
	Head restraints × 2	Std					
Seat upholstery material		Fabric					
SAFETY, SECURITY & ENVIRONMENTAL COMPATIBILITY							
ABS with EBD function		Std					
ESP®		Std					
Autonomous Emergency Braking*		Std					
Lane Departure Warning†		Std					
Lane Departure Prevention		Std		—			
Weaving Alert†		Std					
Traffic sign recognition		Std		—			
Hill hold control		Std					
Hill descent control		Std					
Brake assist function		Std					
SRS front dual airbags		Std					
SRS side airbags		Std					
SRS curtain airbags		Std					
Seat belts	Front	3-point ELR seat belts with pretensioners and force limiters					
	Rear						
ISOFIX child seat anchorages		× 2					
Child seat tether anchorages		× 2					
Reversing camera		Std					
Front parking sensors		Std		—			
Rear parking sensors		Std					

DIMENSIONS



BUILD AND PRICE



YOUR SUZUKI

*ADR 81/02 results for manual transmission.
 *ADR 81/02 results for automatic transmission.
 NEDC fuel consumption figures may not mimic real-life driving conditions and should be considered for comparison against other vehicles only.
 Apple CarPlay® is a registered trademark of Apple Inc.
 Android Auto is a trademark of Google Inc.
 *AEB is designed to support the driver only in emergency situations. The driver remains responsible for the vehicle at all times.
 The lane departure warning and weaving alert only function when the vehicle is moving at speeds of approximately 60km/h or higher.
 Bluetooth is a registered trademark of Bluetooth SIG, Inc.
 Apple CarPlay is a trademark of Apple Inc.
 Android and Android Auto are trademarks of Google LLC.
 ESP® is a registered trademark of Mercedes-Benz Group AG.

GET THE MOST OUT OF YOUR SUZUKI

At Suzuki we make it easy to own and enjoy your new car every day

WARRANTY



Enjoy peace-of-mind with your
5 year / unlimited kilometre warranty.*

SERVICE



Suzuki Genuine Service program offers
competitive pricing for your vehicle over
5 years or 100,000km.
Service intervals every 12 months
or 15,000 kilometres.*

ROADSIDE ASSISTANCE



5 years Roadside Assistance~
= 5 years of driving confidence.

SUZUKI PREMIER MOTOR INSURANCE



Comprehensive cover for your Suzuki
vehicle, using Suzuki Genuine Parts and
your choice of repairer.~

SUZUKISECURE



SuzukiSecure* puts you in control when
buying your new Suzuki, so you're set up
for the future you want.

HEY SUZI



Book your service any time, instantly
with Suzuki's 24/7 AI assistant.



*Kilometre limits for commercial vehicles. *Further terms apply; visit [suzuki.com.au](https://www.suzuki.com.au) *All new Suzuki vehicles include up to 5 years of Roadside Assistance. The Roadside Assistance program will re-new annually for a period up to 5 years conditional to customers returning to their Suzuki dealer for scheduled servicing and following the terms and conditions of Suzuki's Genuine Service Program for their vehicle. Further details of the program can be found here: <https://www.suzuki.com.au/owners/servicing> Further details of the Roadside Assistance program can be found here: <https://www.suzuki.com.au/owners/roadside> ~Suzuki Premier Motor Insurance is issued by Allianz Australia Insurance Limited ABN 15 000 122 850. Policy terms, conditions, limits and exclusions apply. Before making a decision please consider the Product Disclosure Statement (PDS). The PDS and Target Market Determination are available by calling us on 1300 132 107. *Approved applicants only. T&Cs apply. Suzuki Financial Services is a division of Australian Alliance Automotive Finance Pty Limited ABN 63 002 407 703. Australian Credit Licence 513747. All care is taken to ensure the accuracy of this brochure at the time of publication approval. Specifications, features, prices and model availability may vary from state to state and may change without notice. Always consult your authorised Suzuki Dealer or refer to [suzuki.com.au](https://www.suzuki.com.au) for the latest details on all models. SUZUKI will not be held liable for any loss as a result of reliance on the content of this brochure, whether in negligence or otherwise. Vehicles are shown for illustrative purposes only and may not depict exact Australian specifications.

Published February 2026. SUZ926v1.0.4