







CANTER. ALL DAY.



Light Duty

GVM: from 3,510kg to 8,550kg.

GCM: from 7,000kg to 11,700kg.

We have models that can be used:

With a passenger car licence (up to 4,500kg GVM).

With a Light Rigid truck licence (up to 8,000kg GVM).

LIGHT DUTY.

With its class leading features, Fuso offers Canter models to suit almost any application. Our Canter range includes 4x2, 4x4, factory tippers, crew cabs and the next generation Canter Eco Hybrid, all of which can be configured to meet your business requirements.

FEATURES

- Class leading tare weight allowing for bigger payloads (at a given GVM).
- Class leading 30,000km service intervals reducing maintenance costs.
- Best in class cross-cab access due to conveniently located dash-mounted gear stick.
- Exclusive brake priority system that overrides the accelerator for improved safety.
- EEV rated engine that utilises the latest technology, such as Piezo injectors.
- Fuso's smooth shifting Duonic dual-clutch AMT or 5-speed manual.
- Multimedia SAT/NAV unit with Bluetooth and 3 years map upgrades with the ability to support up to 3 reversing cameras.
- Driver and far passenger airbags.
- Front and rear disc brakes with ABS and EBD (excludes FG 4x4 models).
- Suspended driver's seat for improved comfort on all wide cab models.
- Hill-start assist on manual models.
- Independent front suspension and rack-and-pinion steering for superior handing and stability (413 and 515 cab chassis models only).
- Canter is the only Japanese factory tipper with limited slip diff and LUG rear tyres for improved traction.
- Canter Super Low's roof is low enough to access car parks with a 2.1 metre height restriction, allowing it to go where most trucks can't.
- Canter Eco Hybrid utilises the latest state of the art technology to reduce emissions, such as a compact lithium-ion battery with a 10 year warranty.



FIGHTER. ALL DAY.



Medium Duty

GVM: from 10,400kg to 24,000kg.

GCM: from 15,000kg to 32,000kg.

We have models that can be used:

With a Medium Rigid truck licence (over 8,000kg GVM, limited to 2 axles).

With a Heavy Rigid truck licence (no GVM limit, 3 or more axles).

Without a log book or speed limiter (up to 12,000kg GVM).

MEDIUM DUTY.

Fighter is a warrior that can hold its ground. Fuso offers a range of choices when it comes to GVM, engine, transmission, suspension and wheelbase on Fighter models, so you can choose the ideal truck for your business needs.

FEATURES

- Class leading 30,000km service intervals reducing maintenance costs.
- Multimedia unit with SAT/NAV, Bluetooth and 3 years map upgrades with the ability to support up to 3 reversing cameras.
- Transom window in passenger door providing improved kerb visibility.
- ISRI air suspended driver's seat for driving comfort.
- Allison automatic transmissions on key models to make driving easier.

- Engine with SCR technology meeting Euro 5 emission levels. No DPF or EGR allows the vehicle to run cooler, improving service intervals and removing the need to perform a DPF burn off.
- ABS brakes with anti-slip regulation.
- Hill-start assist on manual transmission models.
- Driver's side airbag.



HEAVY. ALL DAY.



Heavy Duty

GVM: from 16,500kg to 30,800kg.

GCM: from 40,000kg to 60,000kg.

We have models that can be used:

With a Heavy Rigid truck licence (no GVM limit, 3 or more axles).

With a Heavy Combination licence (no GVM limit, 1 trailer).

With a Multi Combination licence (no GVM limit, 2+ trailers).

HEAVY DUTY.

Metro, regional or intra-state jobs, Heavy is a workhorse that keeps going and going. Suitable for a wide range of applications, our Heavy Duty truck is designed with driver safety and comfort at the forefront, ensuring the highest levels of reliability.

FEATURES

- 40,000km service intervals help reduce maintenance costs and are among the longest available in a Japanese truck.
- Multimedia unit with SAT/NAV, Bluetooth and 3 years map upgrades with the ability to support up to 3 reversing cameras.
- Air suspended cab and driver's seat for increased driving comfort.
- Transom window in passenger door providing improved kerb visibility.
- Adjustable rear quarter glass window that can be opened.

- Powerful 12 litre, inline 6-cylinder engine produces up to 455hp and 2200Nm of torque depending on model selected.
- ABS brakes with anti-slip regulation.
- Hill-start assist on AMT models.
- Driver's side airbag for improved safety.
- Most models come standard with a 12-speed AMT. Allison automatic transmission available on FS 8x4 model. 13-speed manual transmission available on FV51 360hp model.
- Heavy FV 6X4 mwb with rear airbag suspension, ideal for tipper and dog applications.





HASSLE FREE SERVICE SOLUTIONS.

Fuso Service Solutions are specifically designed to make maintaining and repairing your vehicle as easy as possible. With access to expertise around the country through our connected dealer network, as well as support from our technicians in both Australia and Japan, you can be confident knowing you've always got a team behind you.

ROADSIDE ASSISTANCE HOTLINE.

There when you need us most, Fuso's Roadside Assistance Hotline is a 24/7 service that is committed to keeping you on the road following a breakdown or accident. Delivering emergency support in both regional and metropolitan centres, the service works in partnership with our national dealer network to ensure a priority turnaround. Roadside Assistance Hotline: 1300 426 708



A SERVICE PLAN THAT PUTS YOU IN CONTROL. DAY AFTER DAY.

When it comes to running a business, it's important to know what you're up for.

With Fuso Service Plans, you receive a preferential price on genuine parts and labour at authorised Fuso Service Dealerships. And with a range of payment options to choose from, Fuso can help you manage your finances and cash flow with ease.

Our Service Plans are modular with three levels of cover, ranging from scheduled maintenance only to complete service cover (including wear and tear), so you'll always get the right plan to meet your requirements.

BENEFITS

- Preferential rates on parts and labour.
- Nationwide service network with 24-hour emergency contact.
- Less administration, keeping your business on the road.
- Factory qualified and supported network to help maintain your vehicle's future value.
- Flexible payment options; one up-front payment,
 Direct Debit or monthly.

FLEXIBLE FINANCE TO TAKE YOUR BUSINESS FURTHER AND FURTHER.



Fuso offers fast, tailored finance solutions to get you and your business on the road sooner.

Fuso Financial is the dedicated finance and insurance provider for Fuso trucks and buses. Backed by industry knowledge and experience, we offer a suite of options with flexible terms to provide the best fit for your business, including:

- Asset Hire Purchase
- Asset Loan
- Finance Lease
- Operating Lease

Contact your Fuso dealer or visit fuso.com.au to find a finance solution that works for you.

FAST TRACK FINANCE

Fuso understand that the best place for your truck is on the road. Our streamlined credit process makes it easy. If you are a property owner, have been self-employed for over 3 years

within the same industry and have a clear credit history, you could gain instant approval for up to \$250,000 with Fast Track finance.

COMMERCIAL VEHICLE INSURANCE

Cover your vehicle with an appropriate insurance policy designed specifically for commercial vehicles.

BENEFITS:

- 2 year vehicle replacement in the event of vehicle write-off on vehicles within 2 years of the original registration, capped to a net GST specified sum insured and limited to the original purchase price.
- · Customer choice of repairer.
- Original Fuso replacement parts used in accident repair situations where available.
- Cover for Australia wide kilometre usage is available.
- · Vehicle hire costs following theft.



ALWAYS COME OUT ON TOP WITH GUARANTEED BUY BACK.

If you're thinking about buying a new Fuso truck or bus, you can get Guaranteed Buy Back with Fuso Agility. Tailored to your business, Fuso Agility gives you the confidence and peace of mind knowing the minimum value of your vehicle when the finance contract runs its full term.

You also have three options when your agreement ends, designed to give you and your business complete flexibility and control.

TRADE:

Be protected from negative equity and use positive equity towards your new Fuso vehicle.

RETAIN:

Keep your vehicle by simply paying out or refinancing the Guaranteed Buy Back amount.

RETURN:

Hand back the keys and walk away once excess kilometre and wear and use obligations are paid.

CANTER. SPECIFICATIONS.

RANGE	ТҮРЕ	MODEL NUMBER	DESCRIPTION	W/BASE (mm)	GVM (kg)	GCM (mm)	MASS(kg) ESTIMATE	ENGINE	TRANSMISSION
413	4x2	FEA21CR1SFAB**	swb city cab duonic	2800		7000	1900	4.0.1.2.01.001.11/2001	6 Sp. AMT
		FEA21CR2SFAB**	swb city cab manual	2800	3510	7000	1885	4 Cyl. 3.0L 96kW/300Nm	5 Sp. Manual
515		FEA21CR3SFAC**	swb city cab duonic	2800			1900		
		FEA21ER3SFAC**	mwb city cab duonic	3400			1930		
		FEA21ER3SFAL**	mwb super low duonic	3400	4500		1925	4 Cyl. 3.0L 110kW/370Nm	
	4x2	FEA21ER3WFAC**	mwb crew cab duonic	3400		8000	2165		6 Sp. AMT
		FEB21CR3SFAC**	swb wide cab duonic	2800			2015		
		FEB21ER3SFAC**	mwb wide cab duonic	3400			2040		
		FEB21CR4SFAC**	swb wide cab manual	2800			1995		
		FEB21ER4SFAC**	mwb wide cab manual	3400			2020		5 Sp. Manual
515 Tipper	4x2	FEA61BR3SFAC*	swb city cab duonic	2500	5500	9000	2595	4 Cyl. 3.0L 110kW/370Nm	6 Sp. AMT
0_0ppc.		FEA61BR4SFAC*	swb city cab manual	2500			2575		5 Sp. Manual
			· · · · · · · · · · · · · · · · · · ·			 	<u> </u>	<u> </u>	
615		FEB51ER3SFAC*	mwb wide cab duonic	3400	6000	9000	2220	4 Cyl. 3.0L 110kW/370Nm	6 Sp. AMT
	4x2	FEB51GR3SFAC*	lwb wide cab duonic	3850			2240		
		FEB51ER4SFAC*	mwb wide cab manual	3400			2195		5 Sp. Manual
		FEB51GR4SFAC*	lwb wide cab manual	3850			2215		
715 Tipper	4x2	FEC81CR3SFAC*	swb wide cab duonic	2800	6500	10000	2995	4 Cyl. 3.0L 110kW/370Nm	6 Sp. AMT
	472	FEC81CR4SFAC*	swb wide cab manual	2800			2985		5 Sp. Manual
815		FEC71ER3SFAC*	mwb wide cab duonic	3400	7500	11000	2380	4 Cyl. 3.0L 110kW/370Nm	6 Sp. AMT
	4x2	FEB71GR3SFAC*	lwb wide cab duonic	3850			2395		
		FEC71ER4SFAC*	mwb wide cab manual	3400			2360		5 Sp. Manual
		FEB71GR4SFAC*	lwb wide cab manual	3850			2375		
		FEB71ER3WFAC*	mwb crew cab duonic	3400			2635		6 Sp. AMT
		FEB71GR3WFAC*	lwb crew cab duonic	3850			2685		
		FEB71GR4WFAC*	lwb crew cab manual	3850			2670		5 Sp. Manual
918		FECX1GR3SFAD#	lwb wide cab duonic	3850	8550 8200	11700	2395	4 Cyl. 3.0L 129kW/430Nm	6 Sp. AMT
	4x2	FECX1GR4SFAD#	lwb wide cab manual	3850			2380		5 Sp. Manual
		FECX1HR3SFAD#	xlwb wide cab duonic	4300			2430		6 Sp. AMT
		FECX1HR4SFAD#	xlwb wide cab manual	4300			2420		5 Sp. Manual
		FECX1KR3SFAD#	xxlwb wide cab duonic	4750			2450		6 Sp. AMT
		FECX1KR4SFAD#	xxlwb wide cab manual	4750			2430		5 Sp. Manual
		FEB91GR3WFAD*	lwb crew cab duonic	3850			2700		6 Sp. AMT
		FEB91GR4WFAD*	lwb crew cab manual	3850			2690		5 Sp. Manual
Eco Hybrid	4x2	FEB74ER3SFAC*	mwb wide cab duonic	3400	7500	11000	2510	4 Cyl. 3.0L 110kW/370Nm+	6 Sp. AMT
		FEB74GR3SFAC*	lwb wide cab duonic	3850			2530	40kW/200Nm	
FG 4WD		FGB71CR6SFAC*	swb	2815			2560		
FG #WD	4x2	FGB71ER6SFAC*	mwb	3415	6500	10000	2595	4 Cyl. 3.0L 110kW/370Nm	5 Sp. Manual plus High/Low
	482			3415			2825		
	**Passenger	FGB71ER6WFAC* ar Licence. *Optional weight	mwb crew cab downgrade to 4500kg GVM Pass t eveludes spare wheel tools & f	enger Car Lice					

**Passenger Car Licence. *Optional weight downgrade to 4500kg GVM Passlenger Car Licence. #Optional weight downgrade to 8000kg GVM Light Rigid Licence Ø Note: Mass (est.) includes oil and water but excludes spare wheel, tools & fuel.

FIGHTER. SPECIFICATIONS.

RANGE	ТҮРЕ	MODEL NUMBER	DESCRIPTION	W/BASE (mm)	GVM (kg)	GCM (mm)	MASS (kg) ESTIMATE	ENGINE	TRANSMISSION
1024	4x2	FK61FH1RFAG#	swb trans. park brake	4270	10400	16000	3440		6 Sp. Manual
		FK61FL1RFAG#	lwb trans. park brake	5210		16000	3540	6 Cyl. 7.5L 177kW/745Nm	6 Sp. Manual
		FK61FL1RFAL#	lwb auto	5210		15000	3560		5 Sp. Automatic
		FK61FH1RFAC°+#	swb	4270		20000	3505		6 Sp. Manual
		FK61FK1RFAC#	mwb	4870			3540		
		FK61FL1RFAC#	lwb	5210			3610		
		FK61FM1RFAC#	xlwb	5540			3625		
		FK61FKWRFAC#	mwb crew cab	4870			3845		
1224		FK62FHZ1RFAC	swb	4270			3845	6 Cyl. 7.5L 177kW/745Nm	6 Sp. Manual
	4x2	FK62FLZ1RFAC	lwb	5210	12000	20000	3960		
		FK62FLZ1RFAL°	lwb auto	5210			3910		5 Sp. Automatic
1424	4x2	FK62FLZ1RFAH	lwb	5210	14000	20000	4010	6 Cyl. 7.5L 177kW/745Nm	6 Sp. Manual
1227		FK65FLZ2RFAC	lwb air suspension	5210			4015	6 Cyl. 7.5L 199kW/784Nm	6 Sp. Manual
	4x2	FK65FMZ2RFAC	xlwb air suspension	5540	12000	2000 20000	4030		
1427	4x2	FK65FMZ2RFAH	xlwb air suspension	5540	14000	20000	4080	6 Cyl. 7.5L 199kW/784Nm	6 Sp. Manual
1627		FM65FH2RFAH ⁺	swb	4280	16000		4745	6 Cyl. 7.5L 199kW/784Nm	6 Sp. Manual
		FM65FM2RFAH	xlwb	5550		25000	4865		
		FM65FS2RFAH	xxlwb	6500			5020		
		FM67FS2RFAH	xxlwb air suspension	6500			4980		
	4x2	FM67FM2RFAM	xlwb auto, air susp.	5550			5070		6 Sp. Automatic
	482	FM67FS2RFAM	xxlwb auto, air susp.	6500			5185		
		FM65FH2RFAK	swb	4280		32000	4900		9 Sp. Manual
		FM65FS2RFAK	xxlwb	6500			5160		
		FM67FM2RFAK	xlwb air suspension	5550			4980		
		FM67FS2RFAK	xxlwb air suspension	6500			5115		
2427	6x2	FN63FU2RFAM°	xxlwb auto, air susp.	6530	23200	3500 4000 3200 3500	6485	6 Cyl. 7.5L 199kW/784Nm	6 Sp. Automatic
	6x4	FN62FK2RFAM	swb auto	4300	23500		6845		
		FN64FU2RFAM°	xxlwb auto, air susp.	6530	24000		6825		
	6x2	FN63FU2RFAK°	xxlwb air suspension	6530	23200		6370		9 Sp. Manual
	6x4	FN62FK2RFAK	swb	4300	23500		6735		
		FN64FU2RFAK°	xxlwb air suspension	6530	24000		6795		

[#] Optional weight downgrade to 8000kg GVM Light Rigid Licence. +Optional engine flywheel PTO. *Optional LSD. Ø Note: Mass (est.) includes oil and water but excludes spare wheel, tools & fuel.

HEAVY. SPECIFICATIONS.

RANGE	ТҮРЕ	MODEL NUMBER	DESCRIPTION	W/BASE (mm)	GVM (kg)	GCM (mm)	MASS(kg) ESTIMATE	ENGINE	TRANSMISSION
FP	4x2	FP54SGR3VFAA	tractor air suspension	3800	16500	40000	6205	6 Cyl. 12L 295kW/2000Nm	12 Sp. AMT
FV	6x4	FV51SK2VFAA⁺	mwb 360hp	4300	25400	50000	7835	265kW/1850Nm	12 Sp. AMT
		FV51SK2FAA⁺	mwb 360hp	4300			8010		13 Sp. Manual
		FV54SK5VFAA	mwb air suspension	4300	24000 25400	53000	7595	335kW/2200Nm 295kW/2000Nm	12 Sp. AMT
		FV51SK5VFAA°	mwb 455hp	4300			7700		
		FV54ST3VFAC	xlwb air suspension	6380	24000	50000	8065		
		FV54SJR5VFAA°	tractor std. roof air susp.	3860		60000	7565	- 335kW/2200Nm	
		FV54SJR5VFAB°	tractor high roof air susp.	3860			7715		
FS	8x4	FS52SS3VFAA ⁺	lwb 400hp	5870	30800		8825	295kW/2000Nm	12 Sp. AMT
		FS52SS3FAA	lwb 400hp auto	5870		53000	3000 9050		6 Sp. AMT
		FS52SS5VFAA	lwb 455hp	5870			8665	335kW/2200Nm	12 Sp. AMT



Please refer to fuso.com.au/service or an authorised Fuso dealer for full Service Plan terms and conditions. Finance and Insurance available to approved business customers of Mercedes-Benz Financial Services Australia Pty Ltd (MBFS) ABN 73 074 134 517 AFSL 247271. Credit assessment, lending criteria and fees apply. Fast Track finance approval is subject to 60 month maximum term, 30% maximum balloon payment. Available on new Fuso products only. \$250,000 Fast Track approval limit is including, and not in addition to any pre-existing financial exposure. Mercedes-Benz Insurance is a registered business name of MBFS. Before purchasing insurance products refer to the respective PDS for full terms and conditions, available at fuso.com.au/finance. Insurance products are provided by MBFS as an agent on behalf of QBE Insurance Australia Limited ABN 78 003 191 035 AFSL 239545. Guaranteed Buy Back is subject to Excess Kilometre charges. Fair Wear and Use return conditions apply. Retain feature may be subject to standard credit assessment and lending criteria if you choose to refinance the Guaranteed Buy Back at the end of the Agility term. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. FUS0012, Valid from 1st August 2016.