

2025 RAM 1500



THE STRONGEST RAM 1500 EVER







THE NEW 2025 RAM 1500. Built to deliver upon the legacy of the Ram Trucks that came before it, the Ram 1500 is roaring in with a redesigned exterior, an even more sophisticated and luxurious interior, a bold new powertrain under the hood, and technology at nearly every turn. Available in a High Output or Standard Output, the new 3.0L Hurricane straight-six twin turbo engine helps make this Ram 1500 not only the strongest, but more importantly, the most refined yet.

The top of the range new Ram 1500 Limited continues to raise the bar in the full-size pickup segment with the introduction of the High Output Hurricane engine producing 403kW of power and 707 Nm of torque. From jobsites to highways to boat ramps, the new 2025 Ram 1500 is built to serve those behind the wheel, more than ever. One test drive and not only will you experience serious power, you will experience both an evolution and a revolution of the truck that fans have depended on for years.

LARAMIE SPORT



POWERTRAIN

3.0L Hurricane straight six twin turbo

INTERIOR AMENITIES

Leather trimmed front bucket seats with full-length centre console

8-way power-adjustable driver and frontpassenger seats (with 2-way power lumbar adjust)

Heated and ventilated front seats with memory

Leather-trimmed, heated 60/40-split rear reclining bench seat

12-inch digital driver information display cluster

19-speaker Harman Kardon® premium audio system[<]

Uconnect® 5 NAV with 14.4 inch touchscreen display

10.25-inch front-passenger interactive display

Dual-zone automatic temperature control

Dual wireless charging pads

LED ambient interior lighting

Dual pane sunroof

2nd-row in-floor storage bins

Leather-wrapped, heated steering wheel

Power-adjustable pedals with memory

Power-sliding rear window

Rear underseat storage compartment

Auto-dimming rearview mirror

EXTERIOR FEATURES

Laramie® Sport specific grille

20-inch premium-painted/polished aluminium wheels

Body-colour door handles

Side steps, power operated

Power-folding mirrors

CAPABILITY & FUNCTIONALITY

RamBox® cargo management system

Power up/down tailgate

Configurable drive modes

SAFETY & SECURITY

Remote proximity Keyless Enter 'n Go™

LUXURIOUS SEATING -



— APPEARANCE PACKAGE —

Body-colour grille surrounds and bumpers
Black-painted premium mirrors
Black leather trimmed interior
Leather trimmed front bucket seats
RamBox® cargo management system
Tri-folding tonneau cover

COLOURS -



BRIGHT WHITE

WHEELS



20-inch Premium-painted/ polished aluminium

SIDE STEPS



BILLET SILVER



DIAMOND BLACK

RAMBOX®



- PASSENGER SCREEN -





DELMONICO RED



EXTERIOR FEATURES

Premium LED projector headlamps with lighting

Exterior mirrors with approach lamps

CAPABILITY & FUNCTIONALITY

RamBox® cargo management system

Electronic locking rear differential

Rain-activated windshield wipers

Proximity approach and departure lamps

Power up/down tailgate

SAFETY & SECURITY

125L fuel tank

Exterior front and rear lighting animation

Active-Level[™] 4-corner air suspension system

Limited-specific grille

Auto deploy side steps

animation feature

LED taillamps

POWERTRAIN

3.0L Hurricane straight six twin turbo high output

INTERIOR AMENITIES

Limited-specific premium leather and wood interior trim treatment

Premium leather trimmed front bucket seats with full-length centre console

8-way power-adjustable driver and front-passenger seats (with 4-way power lumbar adjust)

Power massage feature for front seats

Premium leather trimmed 60/40-split rear reclining bench seat with fold-down console

Heated front and rear outer seats

Ventilated front and rear outer seats

12-inch digital driver information display cluster

Leather-wrapped/real-wood steering wheel

Uconnect® 5 NAV with 14.4 inch touchscreen display

10.25-inch front-passenger interactive display

Dual wireless charging pads

Premium rubber mats with removable carpet inserts

LED interior lighting

Dual pane sunroof

Leather-wrapped interior grab handles

19-speaker Harman Kardon® premium audio system<

LIMITED

- LUXURIOUS SEATING ——



— PREMIUM INCLUSIONS —

Black grille

Black-painted door handles and mirror caps

Body-colour front and rear bumpers

Sport performance hood

RamBox® cargo management system

Tri-folding tonneau cover

22-inch premium black-painted aluminium wheels

Dual black exhaust tips

Black badges

Black window mouldings



BILLET SILVER

COLOURS -

BRIGHT WHITE

WHEELS -



22-inch Premium black painted aluminium

SIDE STEPS



DIAMOND BLACK

RAMBOX®







- PASSENGER SCREEN



| | MY25 LARAMIE® SPORT HURRICANE | MY25 LIMITED HURRICANE HIGH OUTPUT | |
|-------------------------|--|---|--|
| POWERTRAIN | | | |
| Engine Name | 3.0 Litre Hurricane straight six twin turbo (SST) | 3.0 Litre Hurricane straight six twin turbo high output (SST HO) | |
| Type and Description | | In-line six-cylinder (I-6), twin turbocharged, liquid-cooled, direct injection, petrol | |
| Displacement (cc) | 2.993 | cu. Cm | |
| Bore x Stroke | 843 | k 90 | |
| Valve System | 24 valves with sodium-filled exha- | DOHC, dual independent valve timing, hydroformed tubular camshafts, 24 valves with sodium-filled exhaust valves, roller finger followers & hydraulic lash adjusters | |
| Fuel Injection | | Direct injection, centrally located injectors, single high-pressure pump providing up to 350 bar to a single fuel rail | |
| Construction | Deep-skirt cast-aluminium block with cross-bolted steel main bearing caps, low friction plasma spray-bore coated cylinders, structural die-cast aluminium alloy pan, aluminium alloy head with pent-roof combustion chambers, forged and twisted steel crankshaft, forged steel connecting rods & forged aluminium alloy pistons with DLC coated piston pins | | |
| Compression Ratio | 10.4:1 | 9.5:1 | |
| Power (SAE Net) | 313 kW @ 5,200 rpm | 403 kW @ 5,700 rpm | |
| Torque (SAE Net) | 635 Nm @ 3,500 rpm | 707 Nm @ 3,500 rpm | |
| Max Engine Speed | 5,800 rpm (electronically limited) | 6,100 rpm (electronically limited) | |
| ELECTRICAL / MECHANICAL | | | |
| Alternator | 230 | 230 AMP | |
| Battery | 700 AMP mainter | 700 AMP maintenance free battery | |
| BRAKES | | | |
| Brakes Front (mm) | | 378 x 30 vented disc with 57mm two-piston pin-slider calliper & anti-lock braking system (ABS) | |
| Brakes Rear (mm) | 375 x 22 disc with 57mm single | 375 x 22 disc with 57mm single-piston pin-slider calliper & ABS | |
| Brake Power Assistance | E-booster with inte | E-booster with integrated control unit | |
| WHEELS & TYRES | | | |
| Wheels | 20" Premium painted/ polished aluminium | 22" Black painted aluminium | |
| Tyre Size | 275/55R20 | 285/45R22XL | |
| Spare Tyre Full-size | 20" Full size spare aluminium | | |
| Wheel Load Rating (kg) | 99 | 929 | |

| | MY25 LARAMIE® SPORT HURRICANE | MY25 LIMITED HURRICANE HIGH OUTPUT |
|---|---|---------------------------------------|
| TRANSMISSION / TRANSFER CASE / AXLES | | |
| Transmission Type | TorqueFlit | e® 8HP75 |
| Gear Ratios | 3 | } |
| lst | 4. | 71 |
| 2nd | 3. | 14 |
| 3rd | 2. | 11 |
| 4th | 1.6 | 67 |
| 5th | 1.2 | 29 |
| 6th | 1 | |
| 7th | 3.0 | 34 |
| 8th | 0.0 | 67 |
| Reverse | 3. | 3 |
| Drive System | 4x4 | |
| Transfer Case Shift Mechanism | Electric on demand | |
| Transfer Case Operating Modes - Locked Neutral | 2WD High; 4WD Auto; 4WD High, Locked; Neutral; 4WD Low, Locked | |
| Low Range Ratio | 2.64 | |
| Front Axle (mm) | 215 | |
| Rear Axle (mm) | 235 | 260 electronic locking differential |
| E-Locker Axle | N/A | • |
| SUSPENSION/STEERING | | |
| Chassis | Ladder-type frame, steel cab, double-wall steel pickup | |
| Front Suspension | Upper & lower A-arms, twin-tube shock absorbers & stabiliser bar | |
| Rear Suspension | Five-link with track bar, stabiliser bar, twin-tube shock absorbers, solid axle | |
| Active-Level™ Four-Corner Air Suspension System | N/A | • |
| Front & Rear Heavy Duty Shock Absorbers | • | • |
| Steering | Electric power steering | |
| Overall Steering Ratio | 16.3:1 | |
| Steering Turns Lock to Lock | 3.1 | |
| LAYOUT/DIMENSIONS | | |
| Turning Circle Kerb to Kerb (m) | 14.4 | |
| Engine | Longitudinal, front engine, transfer case | |
| Length (mm) | 5916 | |
| Width (mm) (with mirrors) | 24 | 74 |
| Height (mm) | 1971 | 1972 |
| Wheelbase (mm) | 36 | 72 |
| Track, Front (mm) | 1741 | |
| Track, Rear (mm) | 1729 | |

| | MY25 LARAMIE® SPORT HURRICANE | MY25 LIMITED HURRICANE HIGH OUTPUT |
|--|---|---------------------------------------|
| LAYOUT/DIMENSIONS (CONTINUED) | | |
| Ground Clearance | | |
| Front Axle (mm) | 217 | 217.5 |
| Rear Axle (mm) | 220 | 221.5 |
| Approach Angle (degrees) | 20.2 | 20.4 (Normal ride height) |
| Departure Angle (degrees) | 21.7 | 20.4 (Normal ride height) |
| Ramp Breakover Angle (degrees) | 18.7 | 18.6 (Normal ride height) |
| Fuel-Tank Capacity (L) | 98 | 125 |
| Cargo Tub (ft in) | 5' | 7" |
| SAE Volume (cu m) | 1. | 5 |
| Depth (mm) | 54 | 13 |
| Cargo Width (mm) | 1270 (Ra | amBox®) |
| RamBox® Cargo Management System - Capacity (L) | 210 (Both sides) | |
| Tailgate Opening Width (mm) | 1525 | |
| Interior Space | | |
| Headroom, Front (mm) | 1038 | |
| Legroom, Front (mm) | 1040 | |
| Shoulder Room, Front (mm) | 1676 | |
| Hip Room, Front (mm) | 16 | 10 |
| WEIGHTS & CAPABILITIES | | |
| Towing, Maximum Unbraked° (kg) | 750 | 750 |
| Towing, Maximum Braked+° (kg) | 4,500 (70mm ball) | 4,200 (70mm ball) |
| Payload° (kg) | 863 | 782 |
| Kerb Weight° (kg) | 2642 | 2722 |
| Gross Vehicle Mass° (kg) | 3505 | 3505 |
| Max Gross Combination Mass° (kg) | 7711 | 7285 |
| Front Axle Load° (Maximum) (kg) | 1770 | |
| Rear Axle Load° (Maximum) (kg) | 1860 | |
| TOWING | | |
| 12 Pin Wiring Harness | • | • |
| Heavy Duty Tow Bar | • (up to 4.5T max braked towing+) | • (up to 4.2T max braked towing+) |
| Trailer Brake Control | • | • |
| ENGINE EFFICIENCY | | |
| Fuel Consumption, Combined* (L) | 10.74 | 11.79 |
| Warranty | 3 years/100,000 km (whichever occurs first)^ | |
| Roadside Assist | 3 years/100,000 km (whichever occurs first)^ | |
| Service Intervals | 12 months/12,000 km (whichever occurs first)^ | |

| | MY25 LARAMIE® SPORT HURRICANE | MY25 LIMITED HURRICANE HIGH OUTPUT |
|--|--|---|
| SAFETY TECH | | |
| 360° Surround View Camera | N/A | • |
| ABS Brakes | • | • |
| Active Lane Management | • | • |
| Adaptive Cruise Control | • | • |
| Airbags, Driver, Front Passenger, Front Seat Side & Curtain | • | • |
| Blind Spot Monitoring with Rear Cross-path and Trailer Detection | • | • |
| Child Seat Anchorage Points | 3 | 3 |
| Collapsible Steering Column | • | • |
| Configurable Drive Modes | • | • |
| Drowsy Driver Detection | N/A | • |
| Electronic Brakeforce Distribution | • | • |
| Electronic Park Brake | • | • |
| Evasive Steer Assist | N/A | • |
| Forward Collision Warning with Active Braking | • | • |
| Front Seat Belt Height Adjustment | • | • |
| Hill Start Assist | • | • |
| Intersection Collision Assist System | N/A | • |
| ParkSense® Park Assist System | Front & rear | Front & rear |
| ParkView™ Rear Back-Up Camera | • | • |
| Pedestrian & Cyclist Detection | • | • |
| Pedestrian Emergency Braking | • | • |
| Power and Heated Door Mirrors | • | • |
| Rear View Mirror | Electro-chromatic | Digital |
| Stability Control | • | • |
| Traction Control | • | • |
| Traffic Sign recognition | N/A | • |
| Trailer Sway Control | • | • |
| Tyre Pressure Monitoring | • | • |
| INTERIOR | | |
| USB | 6 | 6 |
| USB C Ports | 5 | 5 |
| HDMI Port | 1 | 1 |
| Wireless Charging Pad | Du | ıal |
| Floor Console | Full length with sliding storage, wrapped lid & embossed logo | Premium full length floor console with sliding storage with bombay door & premium wrapped leather lid with hard badge |

| | MY25 LARAMIE® SPORT HURRICANE | MY25 LIMITED HURRICANE HIGH OUTPUT |
|--|---|--|
| INTERIOR (CONTINUED) | | |
| Cluster | Premium 12" digital dri | ver information display |
| Uconnect® Touchscreen | 14.4" Tou | chscreen |
| 10.25" Front Passenger Interactive Screen | • | • |
| Navigation | • | • |
| Apple CarPlay® and Android Auto™ | Wireless | |
| Speakers / Sound System | 19 Speaker Ha | rman Kardon®< |
| Steering Wheel Switches with Phone, Voice Recognition, Instrument Panel Control, Cruise Control and Transmission Control | | |
| Steering Wheel Mounted Audio Controls | • | • |
| Power Windows, one-touch up / down driver and front- passenger | | |
| Seat Adjustment, Driver | Power 8-way with memory | |
| Seat Adjustment, Passenger | Power 8-way | |
| Seating Adjustment, Lumbar | Power 2-way | Power 4-way |
| Seats, Front, Heated & Ventilated | • | • |
| Seats, Rear, Heated / Ventilated | Heated (excluding centre) | Heated & ventilated (excluding centre) |
| Seats, Front, Massage | N/A | • |
| Seats, Rear | Leather trimmed 60/40 stadium- folding bench with manual recline and centre 20% fold-down centre console with cup holder | Premium leather trimmed 60/40 stadium-folding bench with manual recline and centre 20% fold-down centre console with cup holder |
| Remote Keyless ENTER 'N GO™ - Includes Remote Proximity Key & Remote Start | • | |
| Push Button Start | • | • |
| Climate Control | Dual zone, | automatic |
| Sunroof - Power, Dual Pane | • | • |
| Rear Sliding Cab Window | • | • |
| Sun Visors with Illuminated Vanity Mirrors | • | • |
| 2nd Row In-Floor Storage Bins with Removable Liners | • | • |
| Rear Flat Load Floor Storage | • | • |
| EXTERIOR | | |
| Sport Performance Hood | N/A | • |
| Tinted Glass Windows | • | • |
| Rear Door Privacy / Deep-tint Glass | • | • |
| Front Door Acoustic Laminated Glass | • | • |
| Tinted Windshield Glass | • | • |
| Tub Length (ft in) | 5'7" | 5'7" |

| | MY25 LARAMIE® SPORT HURRICANE | MY25 LIMITED Hurricane High Output |
|---|----------------------------------|---|
| EXTERIOR (CONTINUED) | | |
| Tub Type | RamBox® | |
| Bedliner | • | • |
| Tie-downs - Tub Fixed (Four) | • | • |
| Lockable, Drainable, RamBox® Cargo Management System with Lighting | • | • |
| Central Locking Tailgate | • | • |
| Tailgate Power | Power up/down | |
| Tailgate Fully Damped / Assisted | • | • |
| Side Steps, power-operated (auto deploy) | • | • |
| Exhaust Tailpipes | Dual, chrome tip | Dual, black tip |
| Heavy Duty Tow bar | • | • |
| 50mm Tow Ball Mount Kit | Accessory | |
| 70mm Tow Ball Mount Kit | Accessory | |
| Tonneau Cover, Soft / Tri-fold (RamBox®) | • | • |
| Rear Mud Flaps | • | • |
| Rain Activated Wipers | • | • |
| Adjustable Pedals, Power | • | • |
| Headlamps | LED low/high reflector headlamps | Premium LED projector headlamps with lighting animation feature |
| Automatic Headlamps (Day/Night Sensor) | • | • |
| Automatic High-Beam Headlamp Control | • | • |
| Proximity Approach/Departure Lamps | N/A | • |
| Exterior Front & Rear Lighting Animations | N/A | • |
| Daytime Running Lights | N/A | • |
| Fog Lights, Front | LED | LED |

- <19 Speakers including subwoofer and six coaxial two-way speakers strategically mounted in 12 locations throughout the vehicle
- +Maximum braked towing capacity is subject to regulatory requirements and vehicle weight restrictions (which may require occupants and/or luggage to be restricted)
- "Payload and kerb weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Kerb weight includes the vehicle with a full tank of fuel and all standard equipment, excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload.
- * Figures derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.

[&]quot;Warranty terms, conditions, and exclusions apply.

UNRIVALLED EVERYDAY





RAMTRUCKS.COM.AU

GET A QUOTE

BOOK A TEST DRIVE

FIND A DEALER







All the information in this document is as accurate at the time of publication however variations and discrepancies may occur from time to time and American Special Vehicles Pty Ltd (trading as Ram Trucks Australia) insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document. RAM, the Ram's Head Logo, RamBox, AllSecure, ActiveAir, Active-Level, Laramie, LaneSense, ParkSense, ParkView, TorqueFlite and Uconnect are registered trademarks and Keyless Enter 'n' Go are trademarks of FCA US LLC, used with permission. Eats Utes for Breakfast, and Unrivalled Everyday are registered trademarks of American Special Vehicles Pty Ltd. Bluetooth is a registered trademark of Bluetooth SIG, Inc. Apple CarPlay, Apple Maps, Apple Music, iPhone and Siri are registered trademarks of Apple Inc. Apple CarPlay® connectivity requires compatible iOS device. See apple.com.au for more details. Google, Google Maps, Google Play, Android, Android Auto, YouTube Music and Waze are trademarks of Google LLC. Android Auto™ connectivity requires compatible Android device. See android.com/intl/en_au/ for more details. Spotify is a registered trademark of Spotify AB. WhatsApp is a registered trademark of WhatsApp Inc. Ram Trucks Australia is the only RAM authorised right-hand-drive manufacturer and distributor of Ram Trucks in Australia. Overseas models may be shown. Some features and accessories shown are not standard and are at additional cost. This publication is dated March 2025. Ram Trucks Australia reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Please consult with your authorised Ram Truck dealer for any rolling specification changes that may occur from time to time. All texts, pictures and other works published herein are subject to the copyright of FCA US LLC or Ram Trucks Australia, if not otherwise indicated. Any duplication, distribution, storage, communication, broadcast and reproduction or transmission of the contents without written approval from FCA US LLC and Ram Trucks Australia is prohibited. Ram 1500 Specifications_AU_2025_001.