

# PAJERO

Pajero GLX 5 Door SUV, 7 Seat Diesel 2020 MY (Auto)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 265/65R17 112H
- Spare wheel type: Full size - Alloy
- Wheel size (inches): 17 x 7.5J

### Engine

- Size (L): 3.2
- Fuel tank capacity (L): 88
- Fuel consumption (ADR 81/02 L/100km): 9.1 <sup>1</sup>
- Type: 3.2L 4M41 DID Turbo Diesel
- CO2 emissions (g/km): 240
- Bore x Stroke (mm): 98.5 x 105.0
- Displacement (cc): 3200
- Fuel type: Diesel
- Maximum power (kW@rpm): 141 @ 3800
- Maximum torque (Nm@rpm): 441 @ 2000
- Compression ratio: 16.0:1

### Transmission

- Type: Automatic
- Manual shift mode
- Rear differential lock
- Number of speeds: 5
- Super select II 4WD
- Gear ratio 1st: 3.520
- 2nd: 2.042
- 3rd: 1.400
- 4th: 1.000
- 5th: 0.716
- Reverse: 3.224
- Final drive ratio: 3.692
- 4WD transfer box - High / Low ratio: 1.000 / 1.900

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: Ventilated disc
- Front suspension: Double wishbone, coil spring & stabiliser bar
- Rear suspension: Multi-link, coil spring & stabiliser bar

## AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 6
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Intermittent rear wiper and washer

### Parking Assistance

- Rear view camera

### Seat Belts

- Front seat belt pretensioners
- Auto Locking Retractor (ALR) seatbelts on outboard 2nd row seats

### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 3

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags

### Security

- Encrypted engine immobiliser
- Theft protection alarm

### Active Safety

- Brake Override System (BOS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Climate control (No of zones): 1
- Rear air conditioner
- Rear zone air conditioning control
- Rear air conditioning vents
- Dust and pollen filter
- Multifunction steering wheel controls
- Tilt adjustable steering column
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 3

## INTERIOR

### Seating

- 2nd row split folding function: 60:40
- 2nd row recline adjustment
- 3rd row recline adjustment
- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim
- 2nd row centre armrest with cupholders
- 3rd row removable from vehicle

### Storage

- Centre console with storage box and lid
- Door pockets - front and rear
- Cup holders: 4
- Seat back pocket - driver and passenger

### Styling

- Leather bound steering wheel
- Leather bound gearshift
- Leather bound park brake
- Carpet floor covering

## EXTERIOR

- Rear spoiler: Body colour
- Wheel arch moulding: Body colour
- Door handles finish: Body colour
- Side steps
- Roof rails

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# PAJERO

Pajero GLX 5 Door SUV, 7 Seat Diesel 2020 MY (Auto)



## Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL): LED
- Headlight levelling function: Auto
- Headlights high beam: HID
- Fog lights (front): Halogen
- Fog lights (rear): Halogen
- Headlights low beam: HID
- Headlight washers

## Door Mirrors

- Integrated turn indicator
- Finish: Body colour
- Electric adjustment
- Heating function
- Electric fold control

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 25.0
- Turning circle, kerb to kerb (m): 11.4
- Overall height (mm): 1900
- Overall length (mm): 4900
- Overall width (mm): 1875
- Wheelbase (mm): 2780
- Ground clearance (mm) - minimum, unladen: 225
- Forging depth (mm): 700
- Approach angle (degrees): 36.6
- Ramp breakover angle (degrees): 22.5

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 3030
- Kerb mass (kg): 2302
- Gross Combination Mass (GCM) - [kg]: 6030
- Maximum payload (kg): 728
- Maximum roof load (kg): 100
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3000
- Towing capacity - maximum towball load (kg): 180/250
- Maximum front axle load (kg): 1330
- Maximum rear axle load (kg): 1780

### Interior Dimensions

- 2nd row head room (mm): 1017
- 3rd row head room (mm): 961
- 2nd row shoulder room (mm): 1451
- 3rd row shoulder room (mm): 1372
- Front head room (mm): 1056
- Front leg room (mm): 1049
- Front shoulder room (mm): 1482
- 2nd row leg room (mm): 907
- 3rd row leg room (mm): 615

### Cargo

- Cargo room length (mm) - with 2nd & 3rd row seats folded: 1429
- Cargo room width (mm): 1396
- Width between wheel arches (mm): 1028
- Cargo room length (mm) - all seats up: 170
- Capacity (L) - VDA (to top of 2nd row seat back): 1069
- Capacity (L) - VDA (max. capacity to roof - 2nd & 3rd row seats folded): 1789
- Cargo room length (mm) - with 3rd row seats folded: 846
- Cargo room height (mm): 1111

## Pajero available in GLX and GLS

### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# PAJERO

Pajero GLS 5 Door SUV, 7 Seat Diesel 2020 MY (Auto)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 265/60R18 110H
- Spare wheel type: Full size - Alloy
- Wheel size (inches): 18 x 7.5J

### Engine

- Size (L): 3.2
- Fuel tank capacity (L): 88
- Fuel consumption (ADR 81/02 L/100km): 9.1 <sup>1</sup>
- Type: 3.2L 4M41 DID Turbo Diesel
- CO2 emissions (g/km): 240
- Bore x Stroke (mm): 98.5 x 105.0
- Displacement (cc): 3200
- Fuel type: Diesel
- Maximum power (kW@rpm): 141 @ 3800
- Maximum torque (Nm@rpm): 441 @ 2000
- Compression ratio: 16.0:1

### Transmission

- Type: Automatic
- Manual shift mode
- Rear differential lock
- Number of speeds: 5
- Super select II 4WD
- Gear ratio 1st: 3.520
- 2nd: 2.042
- 3rd: 1.400
- 4th: 1.000
- 5th: 0.716
- Reverse: 3.224
- Final drive ratio: 3.692
- 4WD transfer box - High / Low ratio: 1.000 / 1.900

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: Ventilated disc
- Front suspension: Double wishbone, coil spring & stabiliser bar
- Rear suspension: Multi-link, coil spring & stabiliser bar

## AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 12
- Screen size (inches): 7.0
- Subwoofer
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- Premium audio
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- Intermittent rear wiper and washer
- Automatic dusk sensing headlights

### Parking Assistance

- Rear parking sensors
- Rear view camera

### Seat Belts

- Front seat belt pretensioners
- Auto Locking Retractor (ALR) seatbelts on outboard 2nd row seats

### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 3

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags

### Security

- Encrypted engine immobiliser
- Theft protection alarm

### Active Safety

- Brake Override System (BOS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Climate control (No of zones): 1
- Rear air conditioner
- Rear zone air conditioning control
- Rear air conditioning vents
- Dust and pollen filter

- Multifunction steering wheel controls
- Cargo parcel shelf
- Tilt adjustable steering column
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 3

## INTERIOR

### Seating

- Fabric seat trim with synthetic leather bolster
- 2nd row split folding function: 60:40
- 2nd row recline adjustment
- 3rd row recline adjustment
- Driver's seat lumbar adjustment
- Driver's seat power adjustment
- Front passenger's seat power adjustment
- Heated front seats
- 2nd row centre armrest with cupholders
- 3rd row removable from vehicle

### Storage

- Centre console with storage box and lid
- Door pockets - front and rear
- Cup holders: 4
- Seat back pocket - driver and passenger

### Styling

- Leather bound steering wheel
- Leather bound gearshift
- Leather bound park brake
- Carpet floor covering

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# PAJERO

Pajero GLS 5 Door SUV, 7 Seat Diesel 2020 MY (Auto)



## EXTERIOR

- Rear spoiler: Body colour
- Wheel arch moulding: Body colour
- Door handles finish: Chrome
- Side steps
- Privacy glass
- Roof rails

## Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL): LED
- Headlight levelling function: Auto
- Headlights high beam: HID
- Fog lights (front): Halogen
- Fog lights (rear): Halogen
- Headlights low beam: HID
- Headlight washers

## Door Mirrors

- Integrated turn indicator
- Finish: Chrome
- Electric adjustment
- Heating function
- Electric fold control

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 25.0
- Turning circle, kerb to kerb (m): 11.4
- Overall height (mm): 1900
- Overall length (mm): 4900
- Overall width (mm): 1875
- Wheelbase (mm): 2780
- Ground clearance (mm) - minimum, unladen: 225
- Fording depth (mm): 700
- Approach angle (degrees): 36.6
- Ramp breakover angle (degrees): 22.5

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 3030
- Kerb mass (kg): 2319
- Gross Combination Mass (GCM) - [kg]: 6030
- Maximum payload (kg): 711
- Maximum roof load (kg): 100
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3000
- Towing capacity - maximum towball load (kg): 180/250
- Maximum front axle load (kg): 1330
- Maximum rear axle load (kg): 1780

### Interior Dimensions

- 2nd row head room (mm): 1017
- 3rd row head room (mm): 961
- 2nd row shoulder room (mm): 1451
- 3rd row shoulder room (mm): 1372
- Front head room (mm): 1056
- Front leg room (mm): 1049
- Front shoulder room (mm): 1482
- 2nd row leg room (mm): 907
- 3rd row leg room (mm): 615

## Cargo

- Cargo room length (mm) - with 2nd & 3rd row seats folded: 1429
- Cargo room width (mm): 1396
- Width between wheel arches (mm): 1028
- Cargo room length (mm) - all seats up: 170
- Capacity (L) - VDA (to top of 2nd row seat back): 1069
- Capacity (L) - VDA (max. capacity to roof - 2nd & 3rd row seats folded): 1789
- Cargo room length (mm) - with 3rd row seats folded: 846
- Cargo room height (mm): 1111

## DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

