


HiLux BEV

 TOYOTA


Please Note: information is accurate as at May 2026.
Specification and imagery are indicative and should only be used as a guide. Vehicle and accessory specification, features, colour and trim may differ at the time of vehicle delivery.

Double-Cab

Double-Cab Cab-Chassis



Double-Cab Pick-Up



MECHANICAL SPECIFICATIONS			HiLux BEV
DRIVETRAIN AND TRANSMISSION	Electric motor type		Permanent Magnet Synchronous Motor
	Maximum (kW)	Front motor	82.2
		Rear motor	129.3
	Maximum output – system (kW)		144
	Model code front/rear (AWD)		2XM
	Max torque (Nm)	Front	205.5
		Rear	268.6
	Automatic transmission		•
	Transaxle Model Code (Front/Rear)		QN10 / QL11
	Total Speed Reduction Ratio (Front/Rear)		12.363 / 13.817
BATTERY AND CHARGING	AWD		•
	Battery type		Lithium-ion Battery
	Battery capacity (Ahr)		200
	Number of battery cells		80
	Voltage per cell		3.76
	Total voltage (V)		296
	Traction battery capacity (Ahr)		200
	Total power (kWh)		59.2
	Mode 2 and Mode 3 charging cables		Included for both variants
	10kW AC 3-Phase charging ² – 10-100%		Approx 6 hours 30 minutes
	150 kW DC charging ² – 10-80%		Approx 30 minutes
	AC Input – standard Type 2		Type 2
	DC Input – quick charge CCS2		CCS2
	Max AC charging power (kW)		10
	DC charger maximum output (kW)		150

HILUX GRADE		SR BEV		SR5 BEV
BODY TYPE	Double-Cab	•	•	•
	Tray type	Cab-Chassis	Pick-Up	Pick-Up
DIMENSIONS (APPROXIMATE)	Length / width / height ¹ (mm)	5080 / 1855 / 1865	5320 / 1855 / 1845	5320 / 1855 / 1845
	Wheelbase ¹ (mm)	3085	3085	3085
	Track – front / rear ¹ (mm)	1530 / 1550	1530 / 1550	1530 / 1555
	Overhang – front / rear ¹ (mm)	990 / 1005	990 / 1240	990 / 1240
WEIGHT (APPROXIMATE)	Maximum kerb weight automatic ¹ (kg)	2280	2420	2455
	Gross Vehicle Mass ¹ (GVM) (kg)	3135	3145	3170
	Gross Combined Mass ¹ (GCM) (kg)	4670		
TOWING CAPACITY ³	With brakes (kg)	2000		
	Without brakes (kg)	750		
STEERING	Steering gear type	Electric Power Steering		
BRAKES	System	Vacuum boosted hydraulic system		
	Front / rear	Ventilated disc brake with fixed caliper 4-cylinder / Ventilated disc brake with floating caliper 1-cylinder		
SUSPENSION	Front / rear	Independent front suspension coil / De Dion rear		
WHEELS AND TYRES	Wheels	17" Alloy		
	Tyres	265 / 65R17		
	Spare full-size wheel	Full-size spare alloy wheel		
PERFORMANCE	Max Speed (km/h)	140		
	Minimum turning radius (m)	Tyre = 6.4 / Body = 6.7		
	BEV driving test range (km) – Actual driving range can be significantly less than test driving range, depending on various factors	245 (NEDC) ⁵	315 (NEDC) ⁴	315 (NEDC) ⁴
	Electric energy consumption (kWh/100km)	25.6 (NEDC) ⁵	20.2 (NEDC) ⁴	20.2 (NEDC) ⁴
EXTERIOR	Body colour front bumper and painted front grille	•		•
	Front and rear mud guards	Cab-Chassis front only Pick-Up front and rear		•
	LED headlamps	Low grade		High grade
	Daytime Running Lamps	•		•
	Headlamp levelling	Manual		Auto
	Shark fin antenna	•		•
	Rear A-Deck with deck step and internal tie down hooks	Pick-Up only		•
	Rear tailgate handle – manual lock	Pick-Up only		•
	Tailgate damper with lift assist	Pick-Up only		•
	Intermittent windshield wiper	•		•
	Time adjustable windscreen wipers	•		•
	Side steps	•		•
	Front LED fog lamps			•
	Rear privacy glass			•
	LED tail lights			•
	LED rear fog lamps			•
	Side mirror with auto retracting and heating			•

HILUX GRADE		SR BEV	SR5 BEV
INTERIOR	12.3" colour Multi Information Display	•	•
	AC Inverter 220V / 1500W	•	•
	All-weather floor mats	•	•
	Driver and passenger seat back pocket	•	•
	Durable vinyl floor covering	•	
	Carpet floor		•
	Electric park brake	•	•
	Rear air vent		•
	PVC/Vinyl shift knob	•	•
	Urethane steering wheel	•	
	Leather accented heated steering wheel		•
	Steering wheel column (tilt, telescopic with lock)	•	•
	Front arm rests (front door and console box)	•	•
	Rear seat arm rest	•	•
	Passenger seat shopping hook		•
	Passenger sun visor mirror with lid		•
	Silver interior door handles		•
SEATING	Driver seat vertical adjuster	Lever	Power
	Driver seat lumbar support		•
	Driver and passenger seat heater		•
	60:40 split rear seat	•	•
	Capacity	5	5
FEATURES	Smart entry and start system	•	•
	Front tow hooks	•	•
	Front and rear power windows	•	•
	Front dual-zone air conditioning	•	•
	Multi-Terrain Select (5-Mode)	•	•
	Eco, Normal, Sport drive modes	•	•
	Day-to-night rear view mirror	•	
	Electrochromatic rear view mirror – auto-dimming		•
STORAGE	Glove box – lockable	•	•
	Upper glove box	No lid	With lid
	Front cup holder/s – in dash	•	•
	Rear cup holders – in arm rest	•	•
	Centre console box with lid	•	•
MULTIMEDIA	12.3" colour touchscreen display	•	•
	Wired and Wireless Apple CarPlay ^{®6,7}	•	•
	Wired and Wireless Android Auto ^{™,6,8}	•	•
	Embedded Navigation, ⁹ Road Sign Assist (speed limit display), Intersection guidance, Recommended lane guidance, Rear junction view, Hook turn guidance	•	•
	Embedded voice command	•	•
	DAB+ (Digital Audio Broadcasting) with text information	•	•
	USB-C ports – 2x front and rear	•	•
	Bluetooth ^{®10} connectivity	•	•
	Number of speakers	4	8
	Qi Wireless ¹¹ phone charger		•

HILUX GRADE		SR BEV	SR5 BEV
SAFETY	Toyota Safety Sense ¹² – including Automatic High Beam, ¹² Dynamic Radar Cruise Control, ¹² Lane Departure Alert, ¹² Lane Trace Assist, ¹² Emergency Driving Stop System, ¹² Pre-Collision Safety System with pedestrian daytime and cyclist detection ¹² and Road Sign Assist (speed signs only) ¹²	•	•
	Blind Spot Monitor ¹²	•	•
	Rear Cross Traffic Alert ¹²	•	•
	Rear seat reminder	•	•
	Parking sensors – front and rear	Pick-Up only	•
	Child seat anchors – Isofix + Tether Anchor	•	•
	Reversing camera	•	•
	Vehicle Stability Control	•	•
	Hazard warning indicator	•	•
	Front and rear seatbelt warning	•	•
	Electronic Brake-force Distribution	•	•
	Anti-lock Braking System	•	•
	Downhill Assist Control	•	•
	Tyre Pressure Monitoring System	•	•
	Panoramic View Monitor – analogue	Cab-Chassis only	
	Panoramic View Monitor – digital	Pick-Up only	•
	8x SRS airbags	•	•
TOYOTA CONNECTED SERVICES ^{13,14,15}	Toyota Essentials Emergency	Complimentary until Telstra 4G sunset or termination of services in accordance with our T&Cs	
	Toyota Essentials	Complimentary until Telstra 4G sunset or termination of services in accordance with our T&Cs	
	Toyota Connect+	1 year complimentary access – Fees apply thereafter. Subject to Telstra 4G sunset or termination of services in accordance with our T&Cs	
	Toyota Connected Multimedia	1 year complimentary access – Fees apply thereafter. Subject to Telstra 4G sunset or termination of services in accordance with our T&Cs	

1 Weights/mass/volumes/dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories, towing or otherwise relying on this value.

2 Charging duration is approximate only and may vary depending on environmental and charging conditions, type of charge and method used. Actual charging times may differ. Frequent use of DC fast charging can impact battery performance and durability. Toyota recommends minimising DC fast charging usage. DC fast charging speed will reduce after the battery is charged to 80%. Refer to Owner's manual and toyota.com.au/explore/electrified/charging-your-toyota

3 Maximum vehicle braked towing capacity is subject to state and federal regulatory requirements. Before towing, customers should consider the vehicle's limitations, including towing capacity specifications, gross vehicle mass (GVM), gross combined mass (GCM), kerb weight specified by the manufacturer, and ensure that individual front and rear axle load limits are not exceeded as also specified by the manufacturer. Vehicle payload calculation is GVM less kerb weight or as otherwise specified in the vehicle owner's manual. Actual payload is affected by any added load to the vehicle, including the number of occupants, luggage, accessories, and tow ball download weight. It is important to consider the actual payload, to ensure the fully loaded vehicle remains within the specified GVM limits. For more details, please refer to the vehicle's Owner's Manual/ **Toyota Basic Towing Guide** or consult your authorised dealer.

4 Results were achieved under test conditions and do not reflect the driving range in real world driving. Results achieved for battery electric HiLux Double Cab SR and SR5 Pick-Up models are based on consumption rate of 20.2kWh/100km using the New European Driving Cycle (NEDC) laboratory test mandated by the ADR 81/02 (displayed on the Energy Consumption label affixed to the car). The electric range and the energy consumption values were determined using a fully charged battery in a laboratory test and are not reflective of real world driving. Actual driving range may vary depending on accessories fitted, battery age and condition, climate, driving style, use of heating/cooling, traffic conditions, and vehicle load. For more information, please visit toyota.com.au/explore/electrified/faqs

5 Results were achieved under test conditions and do not reflect the driving range in real world driving. Results achieved for battery electric HiLux Double Cab SR Cab-Chassis models are based on consumption rate of 25.6kWh/100km, using the New European Driving Cycle (NEDC) laboratory test mandated by the ADR 81/02 (displayed on the Energy Consumption label affixed to the car). The electric range and the energy consumption values were determined using a fully charged

battery in a laboratory test and are not reflective of real world driving. Actual driving range may vary depending on accessories fitted, battery age and condition, climate, driving style, use of heating/cooling, traffic conditions, and vehicle load. For more information, please visit toyota.com.au/explore/electrified/faqs

6 Functionality varies depending on device. See toyota.com.au/services/connected for compatibility. Speak to your dealer about device compatibility. Requires compatible device, USB connection or Bluetooth® connection for vehicles fitted with wireless CarPlay®/Android Auto,™ mobile data, network reception and GPS signal. Mobile usage at user's cost. Apps subject to change. For details see toyota.com.au/services/connected

7 CarPlay® is a trademark of Apple, Inc. registered in the U.S. and other countries.

8 Android Auto™ is a trademark of Google LLC.

9 Uses third party information which may not be accurate or cover all areas.

10 Bluetooth® is a registered trademark of Bluetooth SIG, Inc.

11 Product and company names are trademarks of their respective owners. Only Qi-supported devices compatible. Refer to device manufacturer. May require additional purchase of accessory to support wireless charging.

12 Driver assist feature. Only operates under certain conditions. Check your Owner's Manual for explanation of limitations. Please drive safely.

13 See toyota.com.au/services/connected/terms-conditions for T&Cs.

14 Complimentary periods commence upon delivery date. Fees may apply there after. Not available outside Australia, if services disabled or terminated or after Telstra 4G sunset. Dependent on enabled DCM, GPS signal strength, mobile network coverage, mobile app data (at user's cost), enabled push notifications and other factors outside Toyota's control which can limit ability or functionality of system. Check your Owner's Manual or toyota.com.au/services/connected for explanation of limitations. Please drive safely.

15 The myToyota Connect App supports vehicles with a Build date from 2009 onwards, with or without Toyota Connected Services. Requires compatible device and app installation, mobile data (at user's cost), Australian network reception, GPS signal, enabled push notifications and other factors outside Toyota's control which can limit functionality. Features vary by model and may change. See toyota.com.au/services/connected for more information.

IMPORTANT NOTICE – PLEASE READ: Toyota Australia uses its best endeavours to ensure material is accurate at the time of publishing. All information must be confirmed with your Toyota Dealer at the time of ordering, as specifications, applicability and availability may change over time. Colours depicted are a guide only and may vary from actual colours due to the printing/display process. Toyota Australia reserves the right to change and/or discontinue, without notice, models, prices, colours, materials, equipment, specifications. To the extent permitted by law, Toyota Australia will not be liable for any damage or loss incurred from relying on the information and images contained in this material. Distributed nationally (other than in Western Australia) by Toyota Motor Corporation Australia Limited ABN 64 009 686 097. Material distributed in Western Australia by or on behalf of Prestige Motors Pty Ltd (for vehicles) and by Eastpoint Pty Ltd (for parts/accessories). Toyota Australia makes no warranties regarding (and will not be liable for) accuracy of materials distributed in Western Australia. PROOF HQ: T2026-023168. GTO-009923. VERSION: MAY 2026.