

# TRITON

Triton GLX 2WD Single Cab / Cab Chassis (Diesel) 2020 MY (Auto)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 205R16C 8 PR 110/108R
- Spare wheel type: Full size
- Wheel size (inches): 16 x 6.0J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.3 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 219
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Automatic
- Number of speeds: 6
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring - Heavy duty

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 2
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Cruise control
- Speed sensitive intermittent windscreen wipers

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- Power window lock driver control - passenger windows
- Child restraint top tether: 1

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

## Security

- Auto door lock
- Encrypted engine immobiliser

## Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 2
- Bottle holders: 2

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

### Rear Body

- Cab chassis

### Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Headlights low beam: Halogen

### Door Mirrors

- Finish: Material black
- Electric adjustment

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX 2WD Single Cab / Cab Chassis (Diesel) 2020 MY (Auto)**



## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1775
- Overall length (mm): Dependent on tray fitted
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 200
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2720
- Kerb mass (kg): 1575
- Gross Combination Mass (GCM) - [kg]: 5130
- Maximum payload (kg): 1145
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 2500
- Towing capacity - maximum towball load (kg): 250
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- Front head room (mm): 1030
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430

### Cargo

- Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) - all seats up: Dependent on tray fitted
- Cargo body floor height from ground (mm): Dependent on tray fitted
- Cargo room height (mm): Dependent on tray fitted

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

Triton GLX 2WD Single Cab / Cab Chassis (Diesel) 2020 MY (Manual)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 205R16C 8PR 110/108R
- Spare wheel type: Full size
- Wheel size (inches): 16 x 6.0J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 7.8 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 204
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Manual
- Number of speeds: 6
- Gear ratio 1st: 4.280
- 2nd: 2.298
- 3rd: 1.437
- 4th: 1.000
- 5th: 0.776
- 6th: 0.651
- Reverse: 3.959
- Final drive ratio: 3.692

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring - Heavy duty

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 2
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Cruise control
- Speed sensitive intermittent windscreen wipers

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- Power window lock driver control - passenger windows
- Child restraint top tether: 1

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

## Security

- Auto door lock
- Encrypted engine immobiliser

## Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 2
- Bottle holders: 2

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

### Rear Body

- Cab chassis

### Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL)
- Headlights high beam: Halogen
- Headlights low beam: Halogen

### Door Mirrors

- Finish: Material black
- Electric adjustment

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX 2WD Single Cab / Cab Chassis (Diesel) 2020 MY (Manual)**



## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1775
- Overall length (mm): Dependent on tray fitted
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 200
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2720
- Kerb mass (kg): 1570
- Gross Combination Mass (GCM) - [kg]: 5130
- Maximum payload (kg): 1150
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 2500
- Towing capacity - maximum towball load (kg): 250
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- Front head room (mm): 1030
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430

### Cargo

- Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) - all seats up: Dependent on tray fitted
- Cargo body floor height from ground (mm): Dependent on tray fitted
- Cargo room height (mm): Dependent on tray fitted

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

Triton GLX 2WD Single Cab / Cab Chassis (Petrol) 2020 MY (Manual)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 205R16C 8PR 110/108R
- Spare wheel type: Full size
- Wheel size (inches): 16 x 6.0J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 11.4 <sup>1</sup>
- Type: 2.4L 4G64 MPI Petrol
- CO2 emissions (g/km): 265
- Bore x Stroke (mm): 86.5 x 100.0
- Displacement (cc): 2351
- Fuel type: Regular unleaded 90 RON
- Maximum power (kW@rpm): 94kW @ 5250rpm
- Maximum torque (Nm@rpm): 194Nm @ 4000rpm
- Compression ratio: 9.0:1

### Transmission

- Type: Manual
- Number of speeds: 5
- Gear ratio 1st: 3.967
- 2nd: 2.136
- 3rd: 1.360
- 4th: 1.000
- 5th: 0.856
- Reverse: 3.578
- Final drive ratio: 4.875

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring - Heavy duty

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 2
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Cruise control
- Speed sensitive intermittent windscreen wipers

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- Power window lock driver control - passenger windows
- Child restraint top tether: 1

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

### Security

- Auto door lock
- Encrypted engine immobiliser

## Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter
- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 2
- Bottle holders: 2

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

### Rear Body

- Cab chassis

### Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Headlights low beam: Halogen

### Door Mirrors

- Finish: Material black
- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1775
- Overall length (mm): Dependent on tray fitted
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 200
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX 2WD Single Cab / Cab Chassis (Petrol) 2020 MY (Manual)**



## Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2720
- Kerb mass (kg): 1440
- Gross Combination Mass (GCM) - [kg]: 4435
- Maximum payload (kg): 1280
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 1800
- Towing capacity - maximum towball load (kg): 180
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

## Interior Dimensions

- Front head room (mm): 1030
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430

## Cargo

- Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) - all seats up: Dependent on tray fitted
- Cargo body floor height from ground (mm): Dependent on tray fitted
- Cargo room height (mm): Dependent on tray fitted

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

## DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

Triton GLX ADAS 2WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/70R16 111S RF
- Spare wheel type: Full size
- Wheel size (inches): 16 x 7.0J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.4 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 220
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Automatic
- Number of speeds: 6
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring - Heavy duty

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

### Parking Assistance

- Rear parking sensors
- Rear view camera

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

## Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

## Security

- Auto door lock
- Encrypted engine immobiliser

## Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim
- 2nd row centre armrest with cupholders

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

## Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6
- Rear window guard

## Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Fog lights (front): Halogen
- Headlights low beam: Halogen

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

Triton GLX ADAS 2WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)



## Door Mirrors

- Finish: Material black
- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): 5305
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2810
- Kerb mass (kg): 1850
- Gross Combination Mass (GCM) - [kg]: 5705
- Maximum payload (kg): 960
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3000
- Towing capacity - maximum towball load (kg): 300
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 850
- Cargo room height (mm): 475

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual





# TRITON

## Triton GLX 4WD Double Cab / Cab Chassis (Diesel) 2020 MY (Manual)



### MECHANICAL

#### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size
- Wheel size (inches): 16 x 7.0J

#### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 7.9 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

#### Transmission

- Type: Manual
- Easy select 4WD
- Number of speeds: 6
- Gear ratio 1st: 4.280
- 2nd: 2.298
- 3rd: 1.437
- 4th: 1.000
- 5th: 0.776
- 6th: 0.651
- Reverse: 3.959
- Final drive ratio: 3.692
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

#### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring - Heavy duty
- Underbody guard (heavy duty)

### AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

### SAFETY, SECURITY AND DRIVER ASSISTANCE

#### Driver Assistance

- Cruise control
- Speed sensitive intermittent windscreen wipers

#### Seat Belts

- Front seat belt pretensioners

#### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

#### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

#### Security

- Auto door lock
- Encrypted engine immobiliser

#### Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

### COMFORT AND CONVENIENCE

#### Air Conditioning

- Manual temperature control
- Dust and pollen filter
- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

### INTERIOR

#### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim
- 2nd row centre armrest with cupholders

#### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

#### Styling

- Vinyl floor covering

### EXTERIOR

- Door handles finish: Material black

#### Rear Body

- Cab chassis

#### Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Headlights low beam: Halogen

#### Door Mirrors

- Finish: Material black
- Electric adjustment

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX 4WD Double Cab / Cab Chassis (Diesel) 2020 MY (Manual)**



## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): Dependent on tray fitted
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1805
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 1095
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) - all seats up: Dependent on tray fitted
- Cargo body floor height from ground (mm): Dependent on tray fitted
- Cargo room height (mm): Dependent on tray fitted

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

## Triton GLX 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)



### MECHANICAL

#### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size
- Wheel size (inches): 16 x 7.0J

#### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.6 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

#### Transmission

- Type: Automatic
- Manual shift mode
- Easy select 4WD
- Number of speeds: 6
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

#### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

### AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

### SAFETY, SECURITY AND DRIVER ASSISTANCE

#### Driver Assistance

- Cruise control
- Speed sensitive intermittent windscreen wipers

#### Parking Assistance

- Rear parking sensors
- Rear view camera

#### Seat Belts

- Front seat belt pretensioners

#### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

#### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

#### Security

- Auto door lock
- Encrypted engine immobiliser

#### Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

### COMFORT AND CONVENIENCE

#### Air Conditioning

- Manual temperature control
- Dust and pollen filter
- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

### INTERIOR

#### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim
- 2nd row centre armrest with cupholders

#### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

#### Styling

- Vinyl floor covering

### EXTERIOR

- Door handles finish: Material black

#### Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6
- Rear window guard

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)**



## Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Headlights low beam: Halogen

## Door Mirrors

- Finish: Material black
- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): 5305
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1955
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 945
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 850
- Cargo room height (mm): 475

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

Triton GLX 4WD Double Cab / Pick Up (Diesel) 2020 MY (Manual)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size
- Wheel size (inches): 16 x 7.0J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 7.9 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Manual
- Easy select 4WD
- Number of speeds: 6
- Gear ratio 1st: 4.280
- 2nd: 2.298
- 3rd: 1.437
- 4th: 1.000
- 5th: 0.776
- 6th: 0.651
- Reverse: 3.959
- Final drive ratio: 3.692
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Cruise control
- Speed sensitive intermittent windscreen wipers

### Parking Assistance

- Rear parking sensors
- Rear view camera

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

## Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

## Security

- Auto door lock
- Encrypted engine immobiliser

## Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim
- 2nd row centre armrest with cupholders

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

### Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6
- Rear window guard

### Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Headlights low beam: Halogen

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX 4WD Double Cab / Pick Up (Diesel) 2020 MY (Manual)**



## Door Mirrors

- Finish: Material black
- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): 5305
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1950
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 950
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 850
- Cargo room height (mm): 475

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

## Triton GLX 4WD Club Cab / Cab Chassis (Diesel) 2020 MY (Manual)



### MECHANICAL

#### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size
- Wheel size (inches): 16 x 7.0J

#### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 7.9 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

#### Transmission

- Type: Manual
- Easy select 4WD
- Number of speeds: 6
- Gear ratio 1st: 4.280
- 2nd: 2.298
- 3rd: 1.437
- 4th: 1.000
- 5th: 0.776
- 6th: 0.651
- Reverse: 3.959
- Final drive ratio: 3.692
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

#### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring - Heavy duty
- Underbody guard (heavy duty)

### AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 2
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

### SAFETY, SECURITY AND DRIVER ASSISTANCE

#### Driver Assistance

- Cruise control
- Speed sensitive intermittent windscreen wipers

#### Seat Belts

- Front seat belt pretensioners

#### Child Safety

- Power window lock driver control - passenger windows

#### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

### Security

- Auto door lock
- Encrypted engine immobiliser

### Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

### COMFORT AND CONVENIENCE

#### Air Conditioning

- Manual temperature control
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

### INTERIOR

#### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim

#### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 2
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger
- Rear floor storage box

#### Styling

- Vinyl floor covering

### EXTERIOR

- Door handles finish: Material black

#### Rear Body

- Cab chassis

#### Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL)
- Headlights high beam: Halogen
- Headlights low beam: Halogen

#### Door Mirrors

- Finish: Material black
- Electric adjustment

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX 4WD Club Cab / Cab Chassis (Diesel) 2020 MY (Manual)**



## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): Dependent on tray fitted
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1775
- Gross Combination Mass (GCM) - [kg]: 5785
- Maximum payload (kg): 1125
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3000
- Towing capacity - maximum towball load (kg): 300
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 924
- 2nd row shoulder room (mm): 1368
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 725

### Cargo

- Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) - all seats up: Dependent on tray fitted
- Cargo body floor height from ground (mm): Dependent on tray fitted
- Cargo room height (mm): Dependent on tray fitted

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual





# TRITON

Triton GLX 4WD DID 4WD Single Cab / Cab Chassis (Diesel) 2020 MY (Auto)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/65R17 111S
- Spare wheel type: Full size
- Wheel size (inches): 17 x 7.5J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.6 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Automatic
- Easy select 4WD
- Number of speeds: 6
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring - Heavy duty
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 2
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Cruise control
- Speed sensitive intermittent windscreen wipers

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- Power window lock driver control - passenger windows
- Child restraint top tether: 1

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

### Security

- Auto door lock
- Encrypted engine immobiliser

### Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 2
- Bottle holders: 2

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

### Rear Body

- Cab chassis

### Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL)
- Headlights high beam: Halogen
- Headlights low beam: Halogen

### Door Mirrors

- Finish: Material black
- Electric adjustment

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

Triton GLX 4WD DID 4WD Single Cab / Cab Chassis (Diesel) 2020 MY (Auto)



## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1785
- Overall length (mm): Dependent on tray fitted
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1680
- Gross Combination Mass (GCM) - [kg]: 5785
- Maximum payload (kg): 1220
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3000
- Towing capacity - maximum towball load (kg): 300
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- Front head room (mm): 1030
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430

### Cargo

- Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) - all seats up: Dependent on tray fitted
- Cargo body floor height from ground (mm): Dependent on tray fitted
- Cargo room height (mm): Dependent on tray fitted

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

Triton GLX 4WD DID 4WD Single Cab / Cab Chassis (Diesel) 2020 MY (Manual)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/65R17 111S
- Spare wheel type: Full size
- Wheel size (inches): 17 x 7.5J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 7.9 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Manual
- Easy select 4WD
- Number of speeds: 6
- Gear ratio 1st: 4.280
- 2nd: 2.298
- 3rd: 1.437
- 4th: 1.000
- 5th: 0.776
- 6th: 0.651
- Reverse: 3.959
- Final drive ratio: 3.692
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring - Heavy duty
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 2
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Cruise control
- Speed sensitive intermittent windscreen wipers

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- Power window lock driver control - passenger windows
- Child restraint top tether: 1

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

## Security

- Auto door lock
- Encrypted engine immobiliser

## Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 2
- Bottle holders: 2

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

## Rear Body

- Cab chassis

## Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Headlights low beam: Halogen

## Door Mirrors

- Finish: Material black
- Electric adjustment

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX 4WD DID 4WD Single Cab / Cab Chassis (Diesel) 2020 MY (Manual)**



## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1785
- Overall length (mm): Dependent on tray fitted
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1680
- Gross Combination Mass (GCM) - [kg]: 5785
- Maximum payload (kg): 1220
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3000
- Towing capacity - maximum towball load (kg): 300
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- Front head room (mm): 1030
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430

### Cargo

- Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) - all seats up: Dependent on tray fitted
- Cargo body floor height from ground (mm): Dependent on tray fitted
- Cargo room height (mm): Dependent on tray fitted

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX ADAS 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)**



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size
- Wheel size (inches): 16 x 7.0J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.6 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Automatic
- Manual shift mode
- Easy select 4WD
- Number of speeds: 6
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

### Parking Assistance

- Rear parking sensors
- Rear view camera

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

### Security

- Auto door lock
- Encrypted engine immobiliser

### Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim
- 2nd row centre armrest with cupholders

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

### Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6
- Rear window guard

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX ADAS 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)**



## Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Headlights low beam: Halogen

## Door Mirrors

- Finish: Material black
- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): 5305
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1955
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 945
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 850
- Cargo room height (mm): 475

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

Triton GLX ADAS 4WD Double Cab / Pick Up (Diesel) 2020 MY (Manual)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size
- Wheel size (inches): 16 x 7.0J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 7.9 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Manual
- Easy select 4WD
- Number of speeds: 6
- Gear ratio 1st: 4.280
- 2nd: 2.298
- 3rd: 1.437
- 4th: 1.000
- 5th: 0.776
- 6th: 0.651
- Reverse: 3.959
- Final drive ratio: 3.692
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

### Parking Assistance

- Rear parking sensors
- Rear view camera

### Seat Belts

- Front seat belt pretensioners

## Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

## Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

## Security

- Auto door lock
- Encrypted engine immobiliser

## Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim
- 2nd row centre armrest with cupholders

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

### Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6
- Rear window guard

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX ADAS 4WD Double Cab / Pick Up (Diesel) 2020 MY (Manual)**



## Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Fog lights (front): Halogen
- Headlights low beam: Halogen

## Door Mirrors

- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): 5305
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1950
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 950
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 850
- Cargo room height (mm): 475

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual





# TRITON

Triton GLX ADAS 4WD Double Cab / Cab Chassis (Diesel) 2020 MY (Auto)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size
- Wheel size (inches): 16 x 7.0J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.6 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Automatic
- Manual shift mode
- Easy select 4WD
- Number of speeds: 6
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring - Heavy duty
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

## Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

## Security

- Auto door lock
- Encrypted engine immobiliser

## Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter
- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim
- 2nd row centre armrest with cupholders

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

## Rear Body

- Cab chassis

## Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Fog lights (front): Halogen
- Headlights low beam: Halogen

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX ADAS 4WD Double Cab / Cab Chassis (Diesel) 2020 MY (Auto)**



## Door Mirrors

- Finish: Material black
- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): Dependent on tray fitted
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 24.5

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1815
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 1085
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) - all seats up: Dependent on tray fitted
- Cargo body floor height from ground (mm): Dependent on tray fitted
- Cargo room height (mm): Dependent on tray fitted

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX ADAS 4WD Club Cab / Cab Chassis (Diesel) 2020 MY (Auto)**



## MECHANICAL

### Wheels and Tyres

- Wheel type: Steel
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size
- Wheel size (inches): 16 x 7.0J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.6 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Automatic
- Manual shift mode
- Easy select 4WD
- Number of speeds: 6
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring - Heavy duty
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 1
- Speakers: 4
- Screen size (inches): 6.1
- CD player
- Display audio with touchscreen
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- Power window lock driver control - passenger windows

## Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

## Security

- Auto door lock
- Encrypted engine immobiliser

## Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Manual temperature control
- Dust and pollen filter
- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 2
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger
- Rear floor storage box

### Styling

- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black

## Rear Body

- Cab chassis

## Lights

- Brake lights: Incandescent
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Fog lights (front): Halogen
- Headlights low beam: Halogen

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX ADAS 4WD Club Cab / Cab Chassis (Diesel) 2020 MY (Auto)**



## Door Mirrors

- Finish: Material black
- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): Dependent on tray fitted
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): Dependent on tray fitted
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1780
- Gross Combination Mass (GCM) - [kg]: 5785
- Maximum payload (kg): 1120
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3000
- Towing capacity - maximum towball load (kg): 300
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 924
- 2nd row shoulder room (mm): 1368
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 725

### Cargo

- Cargo room width (mm): Dependent on tray fitted
- Cargo room length (mm) - all seats up: Dependent on tray fitted
- Cargo body floor height from ground (mm): Dependent on tray fitted
- Cargo room height (mm): Dependent on tray fitted

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

## Triton GLX+ 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)



### MECHANICAL

#### Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size - Steel
- Wheel size (inches): 16 x 7.0J

#### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.6 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

#### Transmission

- Type: Automatic
- Manual shift mode
- Easy select 4WD
- Rear differential lock
- Number of speeds: 6
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

#### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

### AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 4
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- AM/FM radio

### SAFETY, SECURITY AND DRIVER ASSISTANCE

#### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

#### Parking Assistance

- Rear parking sensors
- Rear view camera

#### Seat Belts

- Front seat belt pretensioners

#### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

#### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

#### Security

- Auto door lock
- Encrypted engine immobiliser

#### Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

### COMFORT AND CONVENIENCE

#### Air Conditioning

- Climate control (No of zones): 1
- Roof mounted air circulator
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

### INTERIOR

#### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim
- 2nd row centre armrest with cupholders

#### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

#### Styling

- Leather bound park brake
- Vinyl floor covering

### EXTERIOR

- Door handles finish: Material black
- Side steps: Silver

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX+ 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)**



## Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6

## Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Fog lights (front): Halogen
- Headlights low beam: Halogen

## Door Mirrors

- Finish: Material black
- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): 5305
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 24.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1955
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 945
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 850
- Cargo room height (mm): 475

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

## Triton GLX+ 4WD Double Cab / Pick Up (Diesel) 2020 MY (Manual)



### MECHANICAL

#### Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size - Steel
- Wheel size (inches): 16 x 7.0J

#### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 7.9 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

#### Transmission

- Type: Manual
- Easy select 4WD
- Rear differential lock
- Number of speeds: 6
- Gear ratio 1st: 4.280
- 2nd: 2.298
- 3rd: 1.437
- 4th: 1.000
- 5th: 0.776
- 6th: 0.651
- Reverse: 3.959
- Final drive ratio: 3.692
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

#### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

### AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 4
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- AM/FM radio

### SAFETY, SECURITY AND DRIVER ASSISTANCE

#### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

#### Parking Assistance

- Rear parking sensors
- Rear view camera

#### Seat Belts

- Front seat belt pretensioners

### Child Safety

- ISO-Fix child seat anchorage
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

### Security

- Auto door lock
- Encrypted engine immobiliser

### Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

### COMFORT AND CONVENIENCE

#### Air Conditioning

- Climate control (No of zones): 1
- Roof mounted air circulator
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

### INTERIOR

#### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim
- 2nd row centre armrest with cupholders

#### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

#### Styling

- Leather bound park brake
- Vinyl floor covering

### EXTERIOR

- Door handles finish: Material black
- Side steps: Silver

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX+ 4WD Double Cab / Pick Up (Diesel) 2020 MY (Manual)**



## Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6

## Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Fog lights (front): Halogen
- Headlights low beam: Halogen

## Door Mirrors

- Finish: Material black
- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): 5305
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 24.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1955
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 945
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 850
- Cargo room height (mm): 475

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual





# TRITON

Triton GLX+ 4WD Club Cab / Pick Up (Diesel) 2020 MY (Auto)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 245/70R16 111S RF
- Tyre type: All Terrain
- Spare wheel type: Full size - Steel
- Wheel size (inches): 16 x 7.0J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.6 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Automatic
- Manual shift mode
- Easy select 4WD
- Rear differential lock
- Number of speeds: 6
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272
- 4WD transfer box - High / Low ratio: 1.000 / 2.566

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 4
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

### Parking Assistance

- Rear parking sensors
- Rear view camera

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- Power window lock driver control - passenger windows

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

### Security

- Auto door lock
- Encrypted engine immobiliser

### Active Safety

- Brake Override System (BOS)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Climate control (No of zones): 1
- Dust and pollen filter

- Tilt & telescopic steering column
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

## INTERIOR

### Seating

- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- Fabric seat trim

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 2
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger
- Rear floor storage box

### Styling

- Leather bound park brake
- Vinyl floor covering

## EXTERIOR

- Door handles finish: Material black
- Side steps: Silver

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLX+ 4WD Club Cab / Pick Up (Diesel) 2020 MY (Auto)**



## Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6

## Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): Halogen
- Headlights high beam: Halogen
- Fog lights (front): Halogen
- Headlights low beam: Halogen

## Door Mirrors

- Finish: Material black
- Electric adjustment

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 22.0
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1780
- Overall length (mm): 5270
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 205
- Approach angle (degrees): 30.0
- Ramp breakover angle (degrees): 24.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1930
- Gross Combination Mass (GCM) - [kg]: 5785
- Maximum payload (kg): 970
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3000
- Towing capacity - maximum towball load (kg): 300
- Maximum front axle load (kg): 1260
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 924
- 2nd row shoulder room (mm): 1368
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 725

### Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1850
- Cargo body floor height from ground (mm): 850
- Cargo room height (mm): 475

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

Triton GLS 4WD 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 265/60R18 110H
- Spare wheel type: Full size - Alloy
- Wheel size (inches): 18 x 7.5J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.6<sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Automatic
- Manual shift mode
- Paddle shift
- Rear differential lock
- Number of speeds: 6
- Super select II 4WD
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272
- 4WD transfer box - High / Low ratio: 1.000 / 2.566
- Selectable off-road modes

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 6
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

### Parking Assistance

- Front parking sensors
- Rear parking sensors
- Rear view camera

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

### Security

- Auto door lock
- Encrypted engine immobiliser

### Active Safety

- Brake Override System (BOS)
- Automatic High Beam (AHB)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Blind Spot Warning (BSW)
- Ultrasonic misacceleration Mitigation System (UMS)
- Lane Change Assist (LCA)
- Rear Cross Traffic Alert (RCTA)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Hill Descent Control (HDC)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Climate control (No of zones): 2
- Roof mounted air circulator
- Dust and pollen filter
- Tilt & telescopic steering column
- One touch start system
- Second row seat USB power supply: 2
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Smart key
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLS 4WD 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)**



## INTERIOR

### Seating

- Premium fabric seat trim
- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- 2nd row centre armrest with cupholders

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

### Styling

- Leather bound steering wheel
- Leather bound gearshift
- Leather bound park brake
- Carpet floor covering

## EXTERIOR

- Door handles finish: Chrome
- Side steps: Silver
- Privacy glass

### Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6

### Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): LED
- Headlight levelling function: Manual
- Headlights high beam: LED
- Fog lights (front): Halogen
- Headlights low beam: LED

### Door Mirrors

- Integrated turn indicator
- Electric adjustment
- Heating function
- Electric fold control

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 23.0
- Overall height (mm): 1795
- Overall length (mm): 5305
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 220
- Approach angle (degrees): 31.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1990
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 910
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1360
- Maximum rear axle load (kg): 1840

## Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

## Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 865
- Cargo room height (mm): 475

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

## DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLS 4WD 4WD Double Cab / Pick Up (Diesel) 2020 MY (Manual)**



## MECHANICAL

### Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 265/60R18 110H
- Spare wheel type: Full size - Alloy
- Wheel size (inches): 18 x 7.5J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 7.9 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Manual
- Rear differential lock
- Number of speeds: 6
- Super select II 4WD
- Gear ratio 1st: 4.280
- 2nd: 2.298
- 3rd: 1.437
- 4th: 1.000
- 5th: 0.776
- 6th: 0.651
- Reverse: 3.959
- Final drive ratio: 3.692
- 4WD transfer box - High / Low ratio: 1.000 / 2.566
- Selectable off-road modes

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 6
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

### Parking Assistance

- Front parking sensors
- Rear parking sensors
- Rear view camera

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

### Security

- Auto door lock
- Encrypted engine immobiliser

### Active Safety

- Brake Override System (BOS)
- Automatic High Beam (AHB)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Blind Spot Warning (BSW)
- Lane Change Assist (LCA)
- Rear Cross Traffic Alert (RCTA)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Hill Descent Control (HDC)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Climate control (No of zones): 2
- Roof mounted air circulator
- Dust and pollen filter
- Tilt & telescopic steering column
- One touch start system
- Second row seat USB power supply: 2
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Smart key
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLS 4WD 4WD Double Cab / Pick Up (Diesel) 2020 MY (Manual)**



## INTERIOR

### Seating

- Premium fabric seat trim
- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- 2nd row centre armrest with cupholders

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

### Styling

- Leather bound steering wheel
- Leather bound gearshift
- Leather bound park brake
- Carpet floor covering

## EXTERIOR

- Door handles finish: Chrome
- Side steps: Silver
- Privacy glass

### Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6

### Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): LED
- Headlight levelling function: Manual
- Headlights high beam: LED
- Fog lights (front): Halogen
- Headlights low beam: LED

### Door Mirrors

- Integrated turn indicator
- Electric adjustment
- Heating function
- Electric fold control

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 23.0
- Overall height (mm): 1795
- Overall length (mm): 5305
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 220
- Approach angle (degrees): 31.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 1985
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 915
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1360
- Maximum rear axle load (kg): 1840

## Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

## Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 865
- Cargo room height (mm): 475

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

## DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

Triton Toby Price Edition 4WD 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)



## MECHANICAL

### Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 265/60R18 110H
- Spare wheel type: Full size - Alloy
- Wheel size (inches): 18 x 7.5J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.6 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Automatic
- Manual shift mode
- Paddle shift
- Rear differential lock
- Number of speeds: 6
- Super select II 4WD
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272
- 4WD transfer box - High / Low ratio: 1.000 / 2.566
- Selectable off-road modes

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 6
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

### Parking Assistance

- Front parking sensors
- Rear parking sensors
- Rear view camera

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

### Security

- Auto door lock
- Encrypted engine immobiliser

### Active Safety

- Brake Override System (BOS)
- Automatic High Beam (AHB)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Blind Spot Warning (BSW)
- Ultrasonic misacceleration Mitigation System (UMS)
- Lane Change Assist (LCA)
- Rear Cross Traffic Alert (RCTA)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Hill Descent Control (HDC)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Climate control (No of zones): 2
- Roof mounted air circulator
- Dust and pollen filter
- Tilt & telescopic steering column
- One touch start system
- Second row seat USB power supply: 2
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Smart key
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton Toby Price Edition 4WD 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)**



## INTERIOR

### Seating

- Premium fabric seat trim
- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- 2nd row centre armrest with cupholders

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

### Styling

- Leather bound steering wheel
- Leather bound gearshift
- Leather bound park brake
- Carpet mats
- Carpet floor covering

## EXTERIOR

- Door handles finish: Chrome
- Side steps: Silver
- Privacy glass

### Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6

### Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): LED
- Headlight levelling function
- Headlights high beam: LED
- Fog lights (front): Halogen
- Headlights low beam: LED

### Door Mirrors

- Integrated turn indicator
- Finish: Chrome
- Electric adjustment
- Heating function
- Electric fold control

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 23.0
- Turning circle, kerb to kerb (m): 11.9
- Overall height (mm): 1795
- Overall length (mm): 5409
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 220
- Approach angle (degrees): 31.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 2055
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 845
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1360
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 865
- Cargo room height (mm): 475

## ADDITIONAL FEATURES AND EQUIPMENT

### None

- Nudge bar: Black
- Bonnet protector: Tinted
- Tub liner
- Light bar: LED
- Tonneau cover: Soft
- Sports bar: Tubular black

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual





# TRITON



**Triton Toby Price Edition 4WD 4WD Double Cab / Pick Up (Diesel) 2020 MY (Manual)**

## MECHANICAL

### Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 265/60R18 110H
- Spare wheel type: Full size - Alloy
- Wheel size (inches): 18 x 7.5J

### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 7.9 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 208
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

### Transmission

- Type: Manual
- Rear differential lock
- Number of speeds: 6
- Super select II 4WD
- Gear ratio 1st: 4.280
- 2nd: 2.298
- 3rd: 1.437
- 4th: 1.000
- 5th: 0.776
- 6th: 0.651
- Reverse: 3.959
- Final drive ratio: 3.692
- 4WD transfer box - High / Low ratio: 1.000 / 2.566
- Selectable off-road modes

### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

## AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 6
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- AM/FM radio

## SAFETY, SECURITY AND DRIVER ASSISTANCE

### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windscreen wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

### Parking Assistance

- Front parking sensors
- Rear parking sensors
- Rear view camera

### Seat Belts

- Front seat belt pretensioners

### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

### Security

- Auto door lock
- Encrypted engine immobiliser

### Active Safety

- Brake Override System (BOS)
- Automatic High Beam (AHB)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Blind Spot Warning (BSW)
- Lane Change Assist (LCA)
- Rear Cross Traffic Alert (RCTA)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Hill Descent Control (HDC)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

## COMFORT AND CONVENIENCE

### Air Conditioning

- Climate control (No of zones): 2
- Roof mounted air circulator
- Dust and pollen filter
- Tilt & telescopic steering column
- One touch start system
- Second row seat USB power supply: 2
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Smart key
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton Toby Price Edition 4WD 4WD Double Cab / Pick Up (Diesel) 2020 MY (Manual)**



## INTERIOR

### Seating

- Premium fabric seat trim
- Driver's seat manual adjustment
- Front passenger's seat manual adjustment
- 2nd row centre armrest with cupholders

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

### Styling

- Leather bound steering wheel
- Leather bound gearshift
- Leather bound park brake
- Carpet mats
- Carpet floor covering

## EXTERIOR

- Door handles finish: Chrome
- Side steps: Silver
- Privacy glass

### Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6

### Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): LED
- Headlight levelling function: Manual
- Headlights high beam: LED
- Fog lights (front): Halogen
- Headlights low beam: LED

### Door Mirrors

- Integrated turn indicator
- Finish: Chrome
- Electric adjustment
- Heating function
- Electric fold control

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 23.0
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1795
- Overall length (mm): 5409
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 220
- Approach angle (degrees): 31.0
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 2050
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 850
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1360
- Maximum rear axle load (kg): 1840

### Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

### Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 865
- Cargo room height (mm): 475

## ADDITIONAL FEATURES AND EQUIPMENT

### None

- Nudge bar: Black
- Bonnet protector: Tinted
- Tub liner
- Light bar: LED
- Tonneau cover: Soft
- Sports bar: Black

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

#### DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON



## Triton GLS Premium 4WD 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)

### MECHANICAL

#### Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 265/60R18 110H
- Spare wheel type: Full size - Alloy
- Wheel size (inches): 18 x 7.5J

#### Engine

- Size (L): 2.4L
- Fuel tank capacity (L): 75
- Fuel consumption (ADR 81/02 L/100km): 8.6 <sup>1</sup>
- Type: 2.4L 4N15 MIVEC DID Intercooled turbo diesel
- CO2 emissions (g/km): 225
- Bore x Stroke (mm): 86.0 x 105.1
- Displacement (cc): 2442
- Fuel type: Diesel
- Maximum power (kW@rpm): 133kW @ 3500rpm
- Maximum torque (Nm@rpm): 430Nm @ 2500rpm
- Compression ratio: 15.5:1

#### Transmission

- Type: Automatic
- Manual shift mode
- Paddle shift
- Rear differential lock
- Number of speeds: 6
- Super select II 4WD
- Gear ratio 1st: 3.600
- 2nd: 2.090
- 3rd: 1.488
- 4th: 1.000
- 5th: 0.687
- 6th: 0.580
- Reverse: 3.732
- Final drive ratio: 4.272
- 4WD transfer box - High / Low ratio: 1.000 / 2.566
- Selectable off-road modes

#### Chassis

- Front brakes: Ventilated disc
- Rear brakes: 11.6" LT drum
- Front suspension: Double wishbone with coil spring & stabiliser bar
- Rear suspension: Leaf spring
- Underbody guard (heavy duty)

### AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 6
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- HDMI input: 1
- AM/FM radio

### SAFETY, SECURITY AND DRIVER ASSISTANCE

#### Driver Assistance

- Electrochromatic rear view mirror
- Cruise control
- Speed sensitive intermittent windshield wipers
- Automatic rain sensing wipers
- Automatic dusk sensing headlights

#### Parking Assistance

- Multi Around Monitor (MAM)
- Front parking sensors
- Rear parking sensors
- Rear view camera

#### Seat Belts

- Front seat belt pretensioners

#### Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 2

#### Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

#### Security

- Auto door lock
- Encrypted engine immobiliser

#### Active Safety

- Brake Override System (BOS)
- Automatic High Beam (AHB)
- Trailer Stability Assist (TSA)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Blind Spot Warning (BSW)
- Ultrasonic misacceleration Mitigation System (UMS)
- Lane Change Assist (LCA)
- Rear Cross Traffic Alert (RCTA)
- Lane Departure Warning (LDW)
- Forward Collision Mitigation system (FCM) with pedestrian detection
- Hill Descent Control (HDC)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

### COMFORT AND CONVENIENCE

#### Air Conditioning

- Climate control (No of zones): 2
- Roof mounted air circulator
- Dust and pollen filter
- Tilt & telescopic steering column
- One touch start system
- Second row seat USB power supply: 2
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Smart key
- Auto up/down driver control - driver side window
- Accessory socket (12V): 2

#### DISCLAIMER KEY:

- <sup>1</sup> - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- <sup>2</sup> - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



# TRITON

**Triton GLS Premium 4WD 4WD Double Cab / Pick Up (Diesel) 2020 MY (Auto)**



## INTERIOR

### Seating

- Front passenger's seat manual adjustment
- Leather appointed seats
- Driver's seat power adjustment
- Heated front seats
- 2nd row centre armrest with cupholders

### Storage

- Centre console with storage box and lid
- Door pockets - front
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - driver and passenger

### Styling

- Leather bound steering wheel
- Leather bound gearshift
- Leather bound park brake
- Carpet floor covering

## EXTERIOR

- Door handles finish: Chrome
- Side steps: Silver
- Privacy glass

### Rear Body

- Rear step bumper: Silver
- Tray tie-down points: 6

### Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): LED
- Headlight levelling function: Manual
- Headlights high beam: LED
- Fog lights (front): Halogen
- Headlights low beam: LED

### Door Mirrors

- Integrated turn indicator
- Finish: Chrome
- Electric adjustment
- Heating function
- Electric fold control

## DIMENSIONS AND WEIGHTS

### Exterior Dimensions

- Departure angle (degrees): 23.0
- Turning circle, kerb to kerb (m): 11.8
- Overall height (mm): 1795
- Overall length (mm): 5409
- Overall width (mm): 1815
- Wheelbase (mm): 3000
- Ground clearance (mm) - minimum, unladen: 220
- Approach angle (degrees): 27.5
- Ramp breakover angle (degrees): 25.0

### Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2900
- Kerb mass (kg): 2045
- Gross Combination Mass (GCM) - [kg]: 5885
- Maximum payload (kg): 855
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 3100
- Towing capacity - maximum towball load (kg): 310
- Maximum front axle load (kg): 1360
- Maximum rear axle load (kg): 1840

## Interior Dimensions

- 2nd row head room (mm): 970
- 2nd row shoulder room (mm): 1390
- Front head room (mm): 1020
- Front leg room (mm): 1067
- Front shoulder room (mm): 1430
- 2nd row leg room (mm): 860

## Cargo

- Cargo room width (mm): 1470
- Width between wheel arches (mm): 1085
- Cargo room length (mm) - all seats up: 1520
- Cargo body floor height from ground (mm): 865
- Cargo room height (mm): 475

## ADDITIONAL FEATURES AND EQUIPMENT

### None

- Nudge bar: Black
- Tub liner
- Sports bar: Tubular black

**Triton available in GLX, GLX ADAS, GLX 4WD DID, GLX+, GLS 4WD, Toby Price Edition 4WD and GLS Premium 4WD**

## DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

