



RAM

RAM 1500
SPECIFICATIONS



RAM 1500 V8 HEMI® EQUIPMENT & TRIM

UP TO **4.5T** | **POWERFUL V8**
MAX BRAKED TOWING

	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
EXTERIOR					
Grille	Cross-hair Grille, Colour Matched with Chrome Shield	Cross-hair Grille, Black with Black Shield	Unique Black RAM Rebel® Grille with Integrated Silver-painted Ram Letters	Chrome-surround Grille, Chrome Billet Insert with Integrated Chrome Ram Letters	Unique Black-surround Limited Grille, Black Insert with Integrated Black Ram Letters
Badges	Chrome	Black	Black	Chrome	Black
RAM Tailgate Badges	Chrome	Black	Black	Chrome	Black
Sport Performance Hood	Accessory	•	•	N/A	•
Decals	N/A	N/A	Hood & Rear Quarter	N/A	N/A
Tinted Glass Windows	•	•	•	•	•
Rear Door Privacy / Deep-tint Glass	•	•	•	•	•
Front Door Acoustic Laminated Glass	N/A	N/A	N/A	•	•
Tinted Windshield Glass	•	•	•	•	•
Side Mirrors	6 x 9" Powered, Black, Manual-folding, Heated	6 x 9" Powered, Black, Manual-folding, Heated	6 x 9" Powered, Black, Power-folding, Heated, Auto-dimming, Includes Exterior Courtesy Lamps & Supplemental Turn Signal	6 x 9" Powered, Chrome, Power-folding, Heated, Auto-dimming with Optional Driver Assist Package*, Includes Exterior Courtesy Lamps & Supplemental Turn Signal, Position Memory	6 x 9" Premium Powered, Body Colour, Power-folding, Heated, Auto-dimming, Includes Exterior Courtesy Lamps & Supplemental Turn Signal, Position Memory
Tub Length	6'4"	5'7"	5'7"	5'7"	5'7"
Tub Type	Standard	Standard / RamBox®	RamBox®	Standard / RamBox®	RamBox®
Bedliner	•	•	•	•	•
LED Bed Lighting	N/A	RamBox® Variant Only	•	RamBox® Variant Only	•
Tie-downs – Tub Fixed (Four)	•	•	•	•	•
RamBox® Cargo Management System Bed Rail Integrated Adjustable Tie-down Cleats (Four)	N/A	RamBox® Variant Only	•	RamBox® Variant Only	•
Lockable, Drainable, RamBox® Cargo Management System with Lighting	N/A	RamBox® Variant Only	•	RamBox® Variant Only	•
RamBox® Cargo Management System 230-volt power outlet (three-prong)	N/A	N/A	N/A	RamBox® Variant Only	•
Central Locking Tailgate	•	•	•	•	•
Tailgate Power-release	N/A	N/A	N/A	•	•
Tailgate Fully Damped / Assisted	N/A	N/A	N/A	•	•

RAM 1500 V8 HEMI® EQUIPMENT & TRIM

UP TO **4.5T** | **POWERFUL**
MAX BRAKED TOWING | **V8** HEMI

	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
Tailgate-ajar Alert	N/A	N/A	N/A	•	•
Side Steps, Black, Cab Length	Accessory	•	•	N/A	N/A
Side Steps, Wheel to Wheel	N/A	Accessory	Accessory	N/A	N/A
Side Steps, power-operated (auto deploy)	N/A	N/A	N/A	Dealer Option	•
Bed step, deployable	Accessory	Accessory	Accessory	•	•
Wheels	20" Painted Silver Aluminium	20" Semi Gloss Black Painted Aluminium (WHN)	20" Semi Gloss Black Painted Aluminium (WRL)	20" Premium Painted / Polished Aluminium	22" Black Painted Aluminium
Lift Kit	N/A	N/A	1" Lift Kit	N/A	N/A
Wheel Flares	N/A	N/A	RAM Rebel® Fender Flares	Monotone Body Colour	Monotone Body Colour
Bumpers	Front & Rear Painted Body Colour	Front & Rear Painted Body Colour	Front, RAM Rebel® Black Powder Coated / Rear, Rugged Black Finish	Front & Rear Chrome	Front & Rear Painted Body Colour
Door Handles	Black	Black	Black	Body Colour with Chrome Insert	Body Colour
Exhaust Tailpipes	Dual, Chrome Tip	Dual, Chrome Tip	Dual, Chrome Tip	Dual, Chrome Tip	Dual, Black Tip
Heavy Duty Tow bar	•	•	•	•	•
50mm Tow Ball Mount Kit	Accessory	Accessory	Accessory	Accessory	Accessory
70mm Tow Ball Mount Kit	Accessory	Accessory	Accessory	Accessory	Accessory
Tonneau Cover, Soft / Tri-fold (non-RamBox®)	Accessory	Accessory	N/A	Accessory	N/A
Tonneau Cover, Soft / Tri-fold (RamBox®)	N/A	RamBox® Variant Only	•	RamBox® Variant Only	•
Ram Premium Protection Exterior & Interior	Accessory	Accessory	Accessory	Accessory	Accessory
Ram Premium Protection Exterior	Accessory	Accessory	Accessory	Accessory	Accessory
INTERIOR					
Seats	5	5	5	5	5
Seat Trim	Cloth	Cloth	Partial Leather	Partial Leather	Partial Premium Leather
Seat Trim, Colour	Grey	Charcoal	Black	Black	Black
Seats, Front	Bucket	Bucket	Bucket	Bucket	Bucket
Seats, Rear	Bench	Bench	Bench	60/40 Stadium-folding Bench with Manual Recline and Centre 20% Fold-down Centre Console with Cup Holder	60/40 Stadium-folding Bench with Manual Recline and Centre 20% Fold-down Centre Console with Cup Holder
Front Seat Centre Storage	USB & AUX Jack	USB & AUX Jack	USB & AUX Jack	USB	USB

RAM 1500 V8 HEMI® EQUIPMENT & TRIM



	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
USB	2 (1 Port, 1 Charge only)	2 (1 Port, 1 Charge only)	2 (1 Port, 1 Charge only)	5	5
USB C Ports	N/A	N/A	N/A	4	4
Wireless Charging Pad	N/A	N/A	N/A	1	1
Floor Console	N/A	N/A	N/A	Full with Sliding Storage & Wrapped Lid with Embossed Logo	Premium Full-length Floor Console - Full with Sliding Storage with Bombay Door & Premium Wrapped Leather Lid with Hard Badge
Cluster	3.5" Multi-View Cluster - Four Gauge, Monochromatic Display	7" Multi-View Cluster - Six Gauge, Colour Reconfigurable Driver Information Display	7" Multi-View Cluster - Six Gauge, Colour Reconfigurable Driver Information Display	Premium 7" Multi-View Cluster - Six Gauge, Colour Reconfigurable Driver Information Display	Premium 7" Multi-View Cluster - Six Gauge, Colour Reconfigurable Driver Information Display, Limited Theme
Uconnect® Touchscreen	5" Touchscreen	8.4" Touchscreen	8.4" Touchscreen	12" Touchscreen	12" Touchscreen
Navigation	N/A	•	•	•	•
Apple CarPlay® and Android Auto™	N/A	•	•	•	•
Bluetooth Connectivity	•	•	•	•	•
Speakers / Sound System	6 Speakers	6 Speakers	6 Speakers	19 Speaker< Harman Kardon®	19 Speaker< Harman Kardon®
Steering Wheel Switches with Phone, Voice Recognition, Instrument Panel Control, Cruise Control and Transmission Control	•	•	•	•	•
Steering Wheel Mounted Audio Controls	N/A	N/A	•	•	•
Auxiliary 12V Power Outlets	•	•	•	•	•
Flooring	Carpet	Carpet	Carpet	Carpet	Carpet
Floor Mats - Front and Rear	Carpet	Carpet	Carpet	Carpet	Rubber with Premium Carpet Inserts
Power Windows - Front and Rear	•	•	•	•	•
Power Windows, one-touch up/down driver and front-passenger	•	•	•	•	•
Seat Adjustment, Driver	Manual (Forward, Back, Recline)	Manual (Forward, Back, Recline)	Manual (Forward, Back, Recline)	Power 10-way with Memory	Power 10-way with Memory
Seat Adjustment, Passenger	Manual (Forward, Back, Recline)	Manual (Forward, Back, Recline)	Manual (Forward, Back, Recline)	Power 10-way	Power 10-way
Seating Adjustment, Lumbar	N/A	N/A	N/A	Power - Driver & Passenger	Power - Driver & Passenger

RAM 1500 V8 HEMI® EQUIPMENT & TRIM



	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
Seating Adjustment, Rear	N/A	N/A	N/A	60/40 Stadium-folding Bench with Manual Recline and Centre 20% Fold-down Centre Console with Cup Holder	60/40 Stadium-folding Bench with Manual Recline and Centre 20% Fold-down Centre Console with Cup Holder
Seats, Front, Heated & Ventilated	N/A	N/A	N/A	•	•
Seats, Rear, Heated / Ventilated	N/A	N/A	N/A	Heated (Excluding Centre)	Heated & Ventilated (Excluding Centre)
Steering Wheel, Heated	N/A	N/A	N/A	•	•
Steering Wheel, Leather wrapped	N/A	N/A	•	•	•
CONVENIENCE & COMFORT					
Remote Keyless Entry with ALLSECURE® Controls for power locks (including doors, tailgate and RamBox® Cargo Management System when so equipped) - Illuminated entry system, panic alarm; includes two transmitters	•	•	•	•	•
Remote Keyless ENTER 'N GO™ - Includes Remote Proximity Key & Remote Start	N/A	N/A	•	•	•
Passive entry	N/A	N/A	•	•	•
Push Button Start	N/A	N/A	•	•	•
Tip Start	•	•	•	•	•
Climate Control	Manual	Dual Zone, Automatic	Dual Zone, Automatic	Dual Zone, Automatic	Dual Zone, Automatic
Rear Air Vents	N/A	•	•	•	•
Adjustable Steering Column	Height	Height	Height	Height & Telescopic	Height & Telescopic
Rear Window Defroster	N/A	N/A	N/A	•	•
Sunroof	N/A	N/A	N/A	N/A	Power, Dual Pane with Premium Overhead Console
Sunroof Sunshade	N/A	N/A	N/A	N/A	Electric
Rear Sliding Cab Window	N/A	N/A	N/A	Electric	Electric
Mini Trip Computer	•	•	•	•	•
Temperature & Compass Gauge	•	•	•	•	•
Sun Visors with Illuminated Vanity Mirrors	N/A	N/A	•	•	•
2nd Row In-Floor Storage Bins with Removable Liners	N/A	•	•	•	•
Rear Under Seat Compartment Storage	•	•	•	•	•

RAM 1500 V8 HEMI® EQUIPMENT & TRIM

UP TO **4.5T** | **POWERFUL V8**
MAX BRAKED TOWING

	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
Rear Flat Load Floor Storage	N/A	N/A	N/A	•	•
Cup Holders, Front	3	3	3	2	2
Cup Holders, Rear	2	2	2	4	4
SAFETY					
Airbags, Driver, Front Passenger, Front Seat Side & Curtain	•	•	•	•	•
Airbags, Advanced Multi-stage Front Driver & Passenger	•	•	•	•	•
Park Brake	Manual	Manual	Manual	Electronic	Electronic
Stability Control	•	•	•	•	•
ABS Brakes	•	•	•	•	•
Traction Control	•	•	•	•	•
Electronic Brakeforce Distribution	•	•	•	•	•
Trailer Sway Control	•	•	•	•	•
Hill Start Assist	•	•	•	•	•
Collapsible Steering Column	•	•	•	•	•
Front Seat Belt Height Adjustment	•	•	•	•	•
Child Seat Anchorage Points	3	3	3	3	3
Electro-chromatic Rear View Mirror	N/A	N/A	•	•	•
Power and Heated Door Mirrors	•	•	•	•	•
ParkSense® Park Assist System	Rear	Rear	Rear	Front & Rear	Front & Rear
ParkView™ Rear Back-Up Camera	•	•	•	•	•
Parallel & Perpendicular Park Assist	N/A	N/A	N/A	With Optional Driver Assist Package~	•
360° Surround View Camera	N/A	N/A	N/A	With Optional Driver Assist Package~	•
Forward Collision Warning with Active Braking (FCW+)	N/A	N/A	N/A	•	•
Blind Spot Monitoring with Rear Cross-path and Trailer Detection	N/A	N/A	N/A	With Optional Driver Assist Package~	•
LaneSense® Lane Departure Warning-Plus	N/A	N/A	N/A	With Optional Driver Assist Package~	•
Pedestrian Detection	N/A	N/A	N/A	With Optional Driver Assist Package~	•

RAM 1500 V8 HEMI® EQUIPMENT & TRIM



	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
Cruise Control	•	•	•	•	N/A
Adaptive Cruise Control	N/A	N/A	N/A	With Optional Driver Assist Package~	•
Auto-dimming Rear View Side Mirrors	N/A	N/A	•	With Optional Driver Assist Package~	•
Tyre Pressure Monitoring	•	•	•	•	•
Rear Mud Flaps	•	•	•	•	•
Rain Sensing Wipers	N/A	N/A	N/A	•	•
Adjustable Pedals, Power	N/A	N/A	N/A	•	•
LIGHTING					
Headlamps	Halogen - Bright Internal Bezels	Halogen - Dark Internal Bezels	Halogen - Bi-Function	LED Headlamp - Signature Bright Internal Bezels	Full LED Headlamp - Signature Lighting
Automatic Headlamps (Day/Night Sensor)	•	•	•	•	•
Automatic High-Beam Headlamp Control	N/A	N/A	N/A	•	•
Fog Lights, Front	•	•	•	•	•
Bi-function Projector Headlamps	N/A	N/A	Halogen	N/A	LED
SmartBeam® Intelligent Headlamps	N/A	N/A	N/A	N/A	•
Black Accent Smoked Headlamps	N/A	•	•	N/A	•
Taillamps	Bright Internal Bezel	Dark Internal Bezel	LED Sport	Premium LED with Opaque Light Red Lens	Premium LED with Opaque Dark Red Lens

RAM 1500 V8 HEMI[®] TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
ENGINE	5.7-Litre HEMI® 16-VALVE V8 with Fuel-saver Technology				
Fuel-saver Technology with Multi-Displacement System (MDS) (Cylinder Deactivation)	•	•	•	•	•
eTorque Mild-hybrid System with Refined Stop/Start ²	N/A	N/A	N/A	•	•
Type and Description	90-degree V-8, liquid-cooled				
Displacement (cc)	5,654				
Bore x Stroke	99.5 x 90.9				
Valve System	Variable cam timing, pushrod-operated overhead valves, 16 valves, hydraulic lifters with roller followers				
Fuel Injection	Sequential, multi-port, electronic, returnless				
Construction	Deep-skirt cast-iron block with cross-bolted main bearing caps, aluminium alloy heads with hemispherical combustion chambers				
Compression Ratio	10.5:1				
Power (SAE Net)	395 hp (291 kW) @ 5,600 rpm				
Torque (SAE Net)	410 lb.-ft. (556 Nm) @ 3,950 rpm				
Max Engine Speed	5,800 rpm				
Oil Capacity (L)	6.6				
Coolant Capacity (L)	13.33				
Emission Controls	Three-way catalytic converters, heated oxygen sensors and internal engine features				
Emission Standard	Euro 5				
ELECTRICAL / MECHANICAL					
Active Grille Shutters	•	•	N/A	•	•
Architecture	PowerNet				
Alternator	160 Amp			180 Amp	
Battery	730 Amp Maintenance-free Battery				
BRAKES					
Front (mm)	336 x 28 vented disc with 54mm two-piston pin-slider caliper and Anti-Lock Braking System (ABS)				
Rear (mm)	352 x 22 disc with 54mm single-piston pin-slider caliper and Anti-Lock Braking System (ABS)				
Power Assistance	Dual-rate, tandem diaphragm vacuum				

RAM 1500 V8 HEMI® TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
TRANSMISSION / TRANSFER CASE / AXLES					
Type	Automatic - TORQUEFLITE® 8-Speed				
Gear Ratios					
1st	4.71				
2nd	3.14				
3rd	2.1				
4th	1.67				
5th	1.29				
6th	1				
7th	0.84				
8th	0.67				
Reverse	3.3				
Final Drive	3.92				
Overall Top Gear Ratio	2.63				
Drive System	4x4				
Transfer Case Shift Mechanism	Electric part time BW44-45	Electric part time BW44-45	Electric part time BW44-45	Electric full time on demand BW48-11	Electric full time on demand BW48-11
Available Speeds	2				
Transfer Case Operating Modes - Locked Neutral	2WD High; 4WD High/Low	2WD High; 4WD High/Low	2WD High; 4WD High/Low	2WD High; 4WD Auto; 4WD High/Low	2WD High; 4WD Auto; 4WD High/Low
Low Range Ratio	2.64				
Front Axle	ZF 215 mm				
Rear Axle	C235				
SUSPENSION/STEERING					
Chassis	Ladder-type frame, steel cab, double-wall steel				
Front	Upper and lower "A" arms, coil springs, twin-tube shock absorbers, stabiliser bar				
Rear	Five-link with track bar, coil springs, stabiliser bar, twin-tube shock absorbers, solid axle				
1" Lift Suspension	N/A	N/A	•	N/A	N/A
Active-Level™ Four-Corner Air Suspension System	N/A	N/A	N/A	N/A	•
Front & Rear Heavy Duty Shock Absorbers	•	•	•	•	•

RAM 1500 V8 HEMI® TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
Steering	Electric power assisted				
Overall Steering Ratio	17.9:1	19.1:1	19.1:1	16.3:1	16.3:1
Steering Turns Lock to Lock	3.3	3.5	3.5	3.1	3.1
Turning Circle Kerb to Kerb	13.9 m	12.1 m	12.1 m	14.08 m	14.08 m
LAYOUT & DIMENSIONS					
Body Style	Quad Cab	Crew Cab	Crew Cab	Crew Cab	Crew Cab
Tub Length (feet/inches)	6'4"	5'7"	5'7"	5'7"	5'7"
Engine	Longitudinal, front engine, transfer case				
Length (mm)	5,833	5,833	5,850	5,916	5,916
Width (mm) (with mirrors)	2,465	2,465	2,465	2,474	2,474
Height (mm)	1,924	1,917	1,950	1,971	1,972
Wheelbase (mm)	3,569	3,569	3,569	3,672	3,672
Track, Front (mm)	1,742	1,742	1,742	1,742	1,742
Track, Rear (mm)	1,727	1,727	1,727	1,727	1,727
Ground Clearance					
Front Axle (mm)	249	249	254	217	217
Rear Axle (mm)	235	235	240	220	221
Approach Angle (degrees)	25.7	25.7	25.35	20.4	15.7 Park Mode, 20.4 Normal Ride Height, 22.9 Off Road 1, 24.5 Off Road 2
Departure Angle (degrees)	18.63	18.63	19.07	20.4	18.1 Park Mode, 20.4 Normal Ride Height, 21.8 Off Road 1, 23.2 Off Road 2
Ramp Breakover Angle (degrees)	18.6	18.6	21	18.6	15.7 Park Mode, 18.6 Normal Ride Height, 20.4 Off Road 1, 22.0 Off Road 2
Fuel-Tank Capacity (L)	121	121	98	98	98
Cargo Tub	6'4"	5'7"	5'7"	5'7"	5'7"
SAE volume (cu m)	1.6	1.4	1.4	1.5	1.5
Length at Floor, Tailgate Closed (mm)	1,939	1,712	1,712	1,712	1,712
Depth (mm)	511	509	509	543	543

RAM 1500 V8 HEMI® TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
Distance Between Wheelhouses (mm)	1,295	1,295	N/A	1,295	N/A
Cargo Width (mm)	1,687	1,687	N/A	1,687	N/A
RamBox® Cargo Width (mm)	N/A	1,270	1,270	1,270	1,270
RamBox® Cargo Management System - Capacity (L)	N/A	210 (both sides)	210 (both sides)	210 (both sides)	210 (both sides)
Tailgate Opening Width (mm)	1,535	1,535	1,535	1,525	1,525
Interior Space					
Seats	5	5	5	5	5
Headroom, Front (mm)	1,041	1,041	1,041	1,011	1,011
Legroom, Front (mm)	1,041	1,041	1,041	1,147	1,147
Shoulder Room, Front (mm)	1,676	1,676	1,676	1,670	1,670
Hip Room, Front (mm)	1,605	1,605	1,605	1,611	1,611
WHEELS & TYRES					
Wheels	20" Painted Silver Aluminium	20" Semi Gloss Black Painted Aluminium (WHN)	20" Semi Gloss Black Painted Aluminium (WRL)	20" Premium Painted / Polished Aluminium	22" Black Painted Aluminium
Tyre Size	275/60R20			275/55R20	285/45R22XL
Spare Tyre Full-size	Steel	Steel	Steel	Aluminium	Aluminium
Locking Wheel Nuts	•	•	N/A	N/A	N/A
WEIGHTS & CAPABILITIES					
Towing, Maximum Unbraked	750 kg	750 kg	750 kg	750 kg	750 kg
Towing, Maximum Braked+	4,500 kg (70mm ball)	4,500 kg (70mm ball)	4,500 kg (70mm ball)	4,500 kg (70mm ball)	4,500 kg (70mm ball)
Payload°	845 kg	830 kg	820 kg	833 kg or 779 kg with RamBox®	701 kg
Kerb Weight	2,605 kg	2,620 kg	2,630 kg	2,617 kg or 2,671 kg with RamBox®	2,749 kg
Gross Vehicle Mass	3,450 kg	3,450 kg	3,450 kg	3,450 kg	3,450 kg
Max Gross Combination Mass	7,237 kg	7,237 kg	7,237 kg	7,713 kg	7,713 kg
Front Axle Load (Maximum)	1,770 kg	1,770 kg	1,770 kg	1,770 kg or 1,860 kg with RamBox®	1,860 kg
Rear Axle Load (Maximum)	1,770 kg	1,770 kg	1,770 kg	1,770 kg or 1,860 kg with RamBox®	1,860 kg
Tow Hooks	N/A	N/A	• (RAM Rebel®)	•	•

RAM 1500 V8 HEMI® TECHNICAL SPECIFICATIONS



	RAM 1500 EXPRESS® QUAD CAB	RAM 1500 EXPRESS® CREW CAB	RAM 1500 WARLOCK II CREW CAB	RAM 1500 LARAMIE® CREW CAB	RAM 1500 LIMITED CREW CAB
TOWING					
12 Pin Wiring Harness	•	•	•	•	•
Heavy Duty Tow Bar (up to 4.5T Max Braked Towing*)	•	•	•	•	•
Trailer Brake Control	•	•	•	•	•
ENGINE EFFICIENCY / EMISSIONS					
Fuel Consumption, Combined*	12.2 L/100 km				
CO² Emissions*	283 g/km				
WARRANTY / SERVICE					
Warranty	3 years/100,000 km (whichever occurs first)^				
Roadside Assist	3 years/100,000 km (whichever occurs first)^				
Service Intervals	12 months/12,000 km (whichever occurs first)^				

<19 Speakers including subwoofer and six coaxial two-way speakers strategically mounted in 12 locations throughout the vehicle

~Optional Driver Assist Package available at additional cost.

+Maximum braked towing capacity is subject to regulatory requirements and vehicle weight restrictions (which may require occupants and/or luggage to be restricted)

*Payload and kerb weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Kerb weight includes the vehicle with a full tank of fuel and all standard equipment, excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload.

*Figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.

^Warranty terms, conditions, and exclusions apply.

≥eTorque incorporates an onboard electric motor to create a mild-hybrid system. Benefits are numerous, including longer 4-cylinder operation while in the MDS (cylinder deactivation) mode and more refined Stop/Start capability. The onboard motor interacts with the regenerative braking, creating a generator which converts kinetic energy to recharge the battery system.

UNRIVALLED EVERYDAY®



RAM

EATS UTES FOR BREAKFAST® RAMTRUCKS.COM.AU

GET A QUOTE

BOOK A TEST DRIVE

FIND A DEALER

JOIN OUR COMMUNITY:



@RamTrucksAustralia



#RamTrucksAustralia



RamTrucksAustralia

All the information in this document is as accurate at the time of publication however variations and discrepancies may occur from time to time and American Special Vehicles Pty Ltd (trading as Ram Trucks Australia) insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document. RAM, HEMI, the Ram's Head Logo, Ram 1500 Express, RamBox, AllSecure, ActiveAir, Active-Level, Laramie, LaneSense, ParkSense, ParkView, Quad Cab, TorqueFlite, RAM Rebel and Uconnect are registered trademarks and Keyless Enter 'n' Go are trademarks of FCA US LLC, used with permission. Eats Utes for Breakfast, and Unrivalled Everyday are registered trademarks of American Special Vehicles Pty Ltd. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Bluetooth is a registered trademark of Bluetooth SIG, Inc. SmartBeam is a registered trademark of Gentex Corporation. Apple CarPlay, Apple Maps, Apple Music, iPhone and Siri are registered trademarks of Apple Inc. Apple CarPlay® connectivity requires compatible iOS device. See [apple.com.au](https://apple.com/au) for more details. Google, Google Maps, Google Play, Android, Android Auto, YouTube Music and Waze are trademarks of Google LLC. Android Auto™ connectivity requires compatible Android device. See android.com/intl/en_au/ for more details. Audible is a registered trademark of Audible Inc. Spotify is a registered trademark of Spotify AB. WhatsApp is a registered trademark of WhatsApp Inc. Ram Trucks Australia is the only RAM/FCA-authorised right-hand-drive manufacturer and distributor of Ram Trucks in Australia. Overseas models may be shown. Some features and accessories shown are not standard and are at additional cost. This publication is dated August 2021. Ram Trucks Australia reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Please consult with your authorised Ram Truck dealer for any rolling specification changes that may occur from time to time. All texts, pictures and other works published herein are subject to the copyright of FCA US LLC or Ram Trucks Australia, if not otherwise indicated. Any duplication, distribution, storage, communication, broadcast and reproduction or transmission of the contents without written approval from FCA US LLC and Ram Trucks Australia is prohibited. Ram 1500 Specifications_AU_2021_004