

EQUIPMENT & TECHNICAL SPECIFICATIONS

-PARTNER

(1)



EQUIPMENT

SAFETY 8 SECURITY Autonomous Emergency Braking (AEB) - • • • Forward Collision Warning - • • • • Anti-lock Braking System (ABS) • • • • • Emergency Braking Assistance (EBA) •<	 STANDARD OPTIONAL UNAVAILABLE 	CITY SHORT MANUAL	PRO SHORT AUTO	PRO LONG AUTO	PREMIUM SHORT AUTO	PREMIUM LONG AUTO	e-PARTNER AUTO
Forward Collision Warning-••••Anti-lock Braking System (ABS)•• <t< td=""><td>SAFETY & SECURITY</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	SAFETY & SECURITY						
Anti-lock Braking System (ABS)••	Autonomous Emergency Braking (AEB)	-	•	•	٠	•	•
Emergency Braking Assistance (EBA)•••<	Forward Collision Warning	-	٠	•	٠	٠	٠
Electronic Braking Distribution (EBD) • <	Anti-lock Braking System (ABS)	•	•	٠	٠	٠	•
Electronic Stability Programme (ESP)••• <td>Emergency Braking Assistance (EBA)</td> <td>٠</td> <td>٠</td> <td>٠</td> <td>٠</td> <td>٠</td> <td>٠</td>	Emergency Braking Assistance (EBA)	٠	٠	٠	٠	٠	٠
Lane Departure Warning (LDW)-••• </td <td>Electronic Braking Distribution (EBD)</td> <td>٠</td> <td>٠</td> <td>•</td> <td>٠</td> <td>•</td> <td>•</td>	Electronic Braking Distribution (EBD)	٠	٠	•	٠	•	•
Active Lane Keep Assist-••• <t< td=""><td>Electronic Stability Programme (ESP)</td><td>٠</td><td>٠</td><td>•</td><td>٠</td><td>•</td><td>•</td></t<>	Electronic Stability Programme (ESP)	٠	٠	•	٠	•	•
Advanced Driver Attention Alert (DAA3)Speed limit recommendationAcoustic Vehicle Alerting System (AVAS - Generates sound when travelling at low speed, audible outside the vehicle for pedestrian safety)	Lane Departure Warning (LDW)	-	٠	•	٠	٠	•
Speed limit recommendation <td>Active Lane Keep Assist</td> <td>-</td> <td>•</td> <td>•</td> <td>٠</td> <td>•</td> <td>٠</td>	Active Lane Keep Assist	-	•	•	٠	•	٠
Acoustic Vehicle Alerting System (AVAS - Generates sound when travelling at low speed, audible outside the vehicle for pedestrian safety)<	Advanced Driver Attention Alert (DAA3)	-	-	-	٠	٠	-
sound when travelling at low speed, audible outside the vehicle for pedestrian safety)	Speed limit recommendation	-	-	-	٠	٠	٠
Programmable cruise control •	sound when travelling at low speed, audible outside	-	-	_	-	-	٠
Speed limiter function • <td>Hill Start Assist</td> <td>٠</td> <td>٠</td> <td>٠</td> <td>٠</td> <td>٠</td> <td>٠</td>	Hill Start Assist	٠	٠	٠	٠	٠	٠
Automatic door locking when driving off Pront three-point retractable seatbelts with pretensioners and force limiters Pront Airbags: Driver & front passenger Pront Airbags Priver & front passenger Pront Airbags Priver & front passenger Priver & front pastenger Priver & front p	Programmable cruise control	•	٠	٠	٠	٠	•
Front three-point retractable seatbelts with pretensioners •<	Speed limiter function	٠	٠	٠	٠	٠	٠
and force limiters Seatbelt unfastened audible & visual alert while moving Front Airbags: Driver & front passenger Side Airbags: Driver & front passenger Curtain Airbags	Automatic door locking when driving off	٠	٠	٠	٠	٠	•
Front Airbags: Driver & front passenger Side Airbags: Driver & front passenger Curtain Airbags		٠	٠	٠	٠	٠	٠
Side Airbags: Driver & front passenger •	Seatbelt unfastened audible δ visual alert while moving	٠	٠	•	٠	٠	•
Curtain Airbags • • • • •	Front Airbags: Driver & front passenger	٠	٠	٠	٠	٠	٠
-	Side Airbags: Driver & front passenger	٠	٠	•	٠	٠	•
Tyre under-inflation detection – • • • • •	Curtain Airbags	•	•	•	٠	٠	٠
	Tyre under-inflation detection	-	٠	•	٠	٠	•

COMFORT & CONVENIENCE						
Drive mode selector: Eco & Normal	٠	٠	٠	•	٠	-
Power, Normal & Eco drive modes	-	-	-	-	-	٠
PEUGEOT i-Cockpit™ driver layout	٠	٠	٠	•	٠	٠
Multifunction trip computer	٠	٠	٠	•	٠	٠
External temperature gauge	٠	٠	٠	•	٠	٠
Rear parking sensors	٠	٠	٠	•	٠	٠
180° colour reversing camera	٠	٠	٠	•	٠	٠
Reversing image on windscreen mounted display	•	-	-	-	-	-
Reversing image on touchscreen	-	٠	٠	•	٠	٠
Electric parking brake	-	٠	٠	•	٠	٠
Push Button Start	-	-	-	•	٠	-



EQUIPMENT

0.1

STANDARD

O OPTIONAL

- UNAVAILABLE

CITY SHORT MANUAL PRO SHORT AUTO

PRO LONG AUTO

20

PREMIUM SHORT AUTO

20

PREMIUM LONG AUTO

0

Keyless entry	-	-	-	٠	•	-
Remote central locking	•	•	•	•	•	•
Air conditioning	•	٠	•	-	-	٠
Automatic dual zone climate control air conditioning	-	-	-	٠	٠	-
Allergen, dust & pollen filter	•	٠	•	٠	٠	٠
Rear view mirror	-	٠	•	•	٠	•
Electric power steering with height & reach adjustable steering column	٠	٠	٠	٠	٠	-
Glazed Bulkhead (ISO27956 Compliant)	-	-	-	-	-	٠
Glazed Bulkhead with Load-through Flap (ISO27956 Compliant)	•	٠	٠	٠	٠	-
Tie-down Rings x 6 (Cargo Bay)	•	-	_	-	-	٠
Tie-down Rings x 10 (Cargo Bay)	-	٠	•	•	٠	-
Mode 2 Type 2 domestic socket charging cable	-	-	-	-	-	0
Mode 3 Type 2 wallbox/public station charging cable	-	-	-	-	-	٠
PEUGEOT storage bag for charging cable	_	-	_	-	-	٠
'Multiflex' Mobile Office (flip-down rotating work table & underseat storage)	-	٠	•	٠	٠	-

IN-CAR ENTERTAINMENT & COMMUNICATION						
5″ monochrome central screen	•	-	-	-	-	-
8″ capacitive central touch-screen	-	•	•	٠	•	٠
3D Satellite Navigation	-	•	•	•	•	-
12V socket	•	-	-	-	-	٠
12V sockets (x2)	-	•	•	•	•	-
USB sockets (x1)	•	•	•	•	•	٠
AM & FM Radio	•	-	-	-	-	-
FM & DAB (Digital Audio Broadcasting) Radio	-	-	-	-	-	٠
AM, FM & DAB (Digital Audio Broadcasting) Radio	-	•	•	•	•	-
Bluetooth [®] phone connectivity	•	•	•	٠	•	٠
Apple CarPlay® & Android Auto™ connectivity1	-	•	•	٠	•	٠
Voice recognition	-	•	•	•	•	•
myPeugeot App (downloadable from App store)	•	•	•	•	•	٠
4 Speaker sound system (2 woofer door speakers, 2 tweeter door pillar speakers)	•	•	•	٠	٠	٠

1. Compatible Apple[®] or Android[™] device required.



EQUIPMENT

20

PREMIUM LONG AUTO

=0

- STANDARD
- O OPTIONAL
- UNAVAILABLE

- 24 CITY SHORT MANUAL
- 0 0 PRO SHORT AUTO
 - -0 PRO LONG AUTO
- =0 PREMIUM SHORT AUTO

0

a () -1 e-PARTNER AUTO

INTERIOR FEATURES						
Load Area Dome Light	•	٠	٠	•	•	٠
Under Seat Storage (Middle Seat)	-	٠	٠	٠	٠	-
Overhead Storage Shelf	•	٠	٠	٠	٠	٠
Upper Dashboard Tray	•	٠	٠	٠	٠	٠
Multi-function steering wheel	•	-	-	-	-	-
Multi-function leather steering wheel	-	٠	٠	٠	•	٠
e-Toggle automatic gear selector switch on centre-console	-	-	-	-	-	٠
Cup Holders x 2 (Upper Dash)	•	٠	٠	٠	٠	٠
Plastic Floor Cover	•	٠	٠	٠	٠	٠
Light Grey interior roof lining	•	٠	٠	•	٠	-
Driver's foot rest	•	٠	٠	•	•	٠
Thermoplastic composite foot pedals	•	٠	٠	٠	٠	٠

EXTERIOR FEATURES						
Grey unpainted rear bumper	٠	٠	٠	-	-	٠
Body colour rear bumper	-	-	-	٠	٠	-
Grey unpainted door mirrors	•	-	-	-	-	-
Nera black door mirror shells	-	•	•	٠	•	•
Heated door mirrors	-	•	٠	٠	٠	-
Power-folding door mirrors	-	•	•	•	•	-
Grey unpainted exterior door handles	•	•	•	-	-	٠
Body coloured exterior door handles	-	-	-	٠	•	-
Single sliding door (passenger side)	•	-	-	-	-	-
Dual sliding side doors	-	•	•	٠	•	٠
180-degree opening rear doors	•	•	•	٠	•	•
Unglazed rear doors	•	•	•	٠	•	٠
Body colour side protectors	-	-	-	٠	•	-
Body colour door rail	-	-	-	٠	٠	-
One-touch electric windows with pinch protection	•	•	•	٠	•	٠
15" Steel wheels	٠	-	-	-	-	-
16" Steel wheels	-	٠	٠	-	-	٠
16″ Taranaki alloy wheels	-	-	-	٠	٠	-
Full size spare wheel	٠	٠	٠	٠	٠	٠



EQUIPMENT

21

= 11

- STANDARD
- O OPTIONAL
- UNAVAILABLE

CITY SHORT MANUAL

24

PRO SHORT AUTO

2

-0 PRO LONG AUTO

01

=A PREMIUM SHORT AUTO PREMIUM LONG AUTO

20

() 0 =A e-PARTNER AUTO

LIGHTING & VISIBILITY						
Automatic dusk sensing headlights	•	٠	٠	•	•	•
SEATING						
2 Front seats	٠	-	-	-	-	٠
3 Front seats (passenger bench)	-	٠	•	٠	٠	-
Driver $arepsilon$ front passenger seat mechanical adjustment	•	٠	•	•	•	•
'Curibita' Grey fabric seats	٠	•	•	•	•	٠



TECHNICAL SPECIFICATIONS

20

- STANDARD
- O OPTIONAL
- UNAVAILABLE

CITY SHORT MANUAL

-0 PRO SHORT AUTO

0

1-1 PRO LONG AUTO PREMIUM SHORT AUTO

alin

-11

-0 PREMILIM LONG AUTO

2



INTERNAL COMBUSTION ENGINE

Туре	Direct Injection Petrol	Direct Injection Petrol	Direct Injection Petrol	-
Cylinders	З	З	3	-
Cubic capacity (cc)	1199	1199	1199	-
Maximum power (kW @ rpm)	81 @ 5500	96 @ 5500	96 @ 5500	-
Maximum torque (Nm @ rpm)	205 @ 1750	230 @ 1750	230 @ 1750	-
Stop/start function	۰	٠	•	-
Fuel	ULP 95	ULP 95	ULP 95	-
Emission standard	Euro 6.3	Euro 6.3	Euro 6.3	-

TRANSMISSION						
6-speed Manual Transmission	•	-	-	-	-	-
8-speed Efficient Automatic Transmission (EAT)	-	•	•	٠	•	-
Single Speed Automatic	-	-	-	-	-	•

ELECTRIC MOTOR (e-Partner Auto only)	
Electric motor	Single
Max power (kW)	100
Max torque (Nm)	260
Battery	Li-ion
Battery warranty	8 year traction
Battery Capacity (kWh)/Battery Power (kW)	50 / 100
On Board Charger (kW)	7.4
WLTP tested electric only range (km) ¹	258

10A Domestic Electric Plug (2.3kW) 0-100%	23 hrs 54 mins
Single Phase 32A Wallbox (7.4kW) 0-100%	7 hrs 26 mins
Quick Charge - DC Current (100kW) 0-80%	30 mins

PERFORMANCE	
Maximum speed (km/h) ³	135
Acceleration 0-100 km/h (sec)	11.2

1. Figure based on WLTP (Worldwide Harmonised Light Vehicle Test Procedure) static laboratory combined average city and highway cycle test, which measure, energy only. Actual real world range results will vary depending on a combination of factors including but not limited to load, driving style, type of journey, vehicle configuration, battery age and condition, use of vehicle features (such as heating and air conditioning), as well as operating, environmental and climate conditions. 2.Charging times will vary depending on a variety of factors including, but not limited to, the output of the charger being used, starting battery charge, charging equipment, ambient temperature, battery state as well as the age of the battery at point of use. As a result of these factors, charging times may therefore vary significantly.3. Driver only.



TECHNICAL SPECIFICATIONS

• STANDARD

O OPTIONAL

BRAKES

Front brakes

Rear brakes

- UNAVAILABLE

CITY SHORT MANUAL

268mm

solid disc



PRO LONG AUTO

D\1





283mm 304mm ventilated 304mm ventilated disc 304mm ventilated disc ventilated disc disc

268mm solid disc

4mm ventilated disc ventilated disc 268mm solid disc solid disc

21

PREMIUM LONG AUTO

WHEELS & TYRES				
Wheel Size/Tyre	195/65 R15	205/60 R16	205/60 R16	215/65 R16
Spare wheel	Full Size	Full Size	Full Size	Full Size

STEERING						
Minimum turning circle (m)	10.8	10.8	11.4	10.8	11.4	11.4

WEIGHTS (kg)							
Gross vehicle mass	1940	2320	2320	2320	2320	2385	
Tare weight ¹	1274	1283	1385	1283	1385	1632	
Payload	666	1037	935	1037	935	753	
Braked towing load	1200	900	950	900	950	750	
Unbraked towing load	670	720	740	720	740	750	
Towball download	74	74	74	74	74	74	
Maximum roof load	Roof Bars - 50kg per bar (Maximum of 3 bars)						
Alloy Rack ² - 120kg	120	120	120	120	120	120	

CARGO BAY DIMENSIONS ³ (mm)						
Maximum load length with bulkhead	1817	1817	2167	1817	2167	2167
Maximum load length through open bulkhead flap	-	3090	3440	3090	3440	-
Maximum load height	1243	1243	1243	1243	1243	1243
Maximum load width	1630	1527	1527	1527	1527	1527
Load width between wheel arches	1229	1229	1229	1229	1229	1229
Load volume excluding load through bulkhead (m ³)	3.3	3.3	3.9	3.3	3.9	3.9
Load volume including load through bulkhead (m^3)	-	3.8	4.4	3.8	4.4	-
Width of sliding door (max/min)	675/641	675/641	675/641	675/641	675/641	675/641
Maximum height of sliding door	1072	1072	1072	1072	1072	1072
Maximum width of rear opening	1241	1241	1241	1241	1241	1241
Maximum height of rear opening	1137	1137	1137	1137	1137	1137

1. Tare Weight where quoted is for the vehicle unoccupied and unladen with full fluids and 10 litres fuel. Weights may change with the addition of equipment. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits. 2. All data for genuine Peugeot accessories only. See owners handbook for more information. 3. Cargo bay dimensions quoted at maximum length, and are provided for guidance only. The cargo bay is an asymmetric shape and dimensions are therefore variable. Customers must check critical dimension requirements by measuring vehicle.



TECHNICAL SPECIFICATIONS

 STANDARD OPTIONAL UNAVAILABLE 	CITY SHORT MANUAL	PRO SHORT AUTO	PRO LONG AUTO	PREMIUM SHORT AUTO	PREMIUM LONG AUTO	e-PARTNER AUTO
EXTERIOR DIMENSIONS (mm)						
Length	4403	4403	4753	4403	4753	4753
Width with mirrors folded	1921	1921	1921	1921	1921	1921
Width with mirrors extended	2107	2107	2107	2107	2107	2107
Height	1880	1880	1880	1880	1880	1880
Wheelbase	2785	2785	2975	2785	2975	2975
Front overhang	892	892	892	892	892	892
Rear overhang	726	726	886	726	886	886

CONSUMPTION & EMISSIONS ¹						
City Cycle (L/100km)	6.7	6.6	6.6	6.6	6.6	-
Highway Cycle (L/100km)	5.2	5.6	5.6	5.6	5.6	-
Combined Cycle (L/100km)	5.8	5.9	5.9	5.9	5.9	-
CO_2 emissions combined (g/km)	131	136	136	136	136	-
Fuel tank capacity (L)	60	60	60	60	60	-

1. Fuel consumption results are based on NEDC's standard test procedure to provide customers with a basis for comparison of the performance of vehicles in accordance with ADR 81/02 only. No test can simulate all 'real world' driving conditions. Actual on-road fuel consumption is will vary due to factors such as traffic conditions, vehicle conditions and load, fuel quality and how the vehicle is driven. More information at www.greenvehicleguide.gov.au



PEUGEOT PROFESSIONAL PARTNER VAN

CONFIGURE

ැබු



FIND A DEALER

PARTNER

Peugeot Citroën Australia offers this information as a general guide to product specifications. All data is believed to be correct as at July 2023, however, as development is an ongoing process, changes may occur from time to time which will not necessarily reflected herein. Therefore, Peugeot Citroën Australia reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of PEUGEOT products, you should not rely solely on the information provided in this brochure. Dealers are not agents of Peugeot Citroën Australia and have absolutely no authority to bind Peugeot Citroën Australia by an express or implied undertaking or representation. Peugeot Citroën Australia is the trading name of Inchcape European Automotive Pty Limited (ABN 97 070 000 789).