











KEY FEATURES

JAC T9 is locked and fully loaded, good to go wherever you want to go.





















OSPREY: 980KG. TRADEPRO CAB-CHASSIS & OASIS CAB-CHASSIS: 1165KG^[01]









KEY FEATURES

JAC T9 is locked and fully loaded, good to go wherever you want to go.













360° CAMERA~

& CLIMATE CONTROL







A PERFECT 26 DEGREE RECLINE













KEY FEATURES

It's bumper-to-bumper safety with the ADAS (Advanced Driver Assistance System*) in your JAC T9, helping to protect you at every turn. Safety all round with 7 airbags, including a front centre airbag.







AUTONOMOUS EMERGENCY BRAKING (AEB)



LANE DEPARTURE WARNING (LDW)



FORWARD COLLISION WARNING (FCW)



REAR COLLISION WARNING (RCW)



SPEED LIMIT ASSIST (SLA)





REAR CROSS TRAFFIC ALERT (RCTA)



TRAFFIC JAM ASSIST (TJA)



BLIND SPOT DETECTION (BSD)



ADAPTIVE CRUISE CONTROL (ACC)





HILL-START HOLD CONTROL (HHC)

CLASS-LEADING PEACE OF MIND





NO MATTER WHO OWNS A JAC, WE'VE GOT YOUR BACK

We're here to support every JAC owner with JAC All Roads Assurance. No matter who you are, you'll get the same assurance. It's our 'no worries' way to keep you moving forward.

Your JAC comes fully loaded:

- 7-Year Warranty^a. Unlimited KMs & Uncomplicated, including commercial use. Bumper-to-bumper.
- 7-Year Roadside Assistance⁶ wherever you go, 24/7.
- 7-Year Capped Price Servicing[^] means no unwanted surprises.
- Access to JAC's industry-leading warranty 'Ute-for-Ute' loan vehicle program, built to keep you on the road
 even when you're Ute's in the shop.^[D9]
- Access to JAC-trained mechanics at every JAC dealership.
- Australia-based parts warehouse means less time waiting.




THE TUB THAT'S A BIG TICK FOR TRADIES

The JAC T9 can fit a full sized Aussie pallet in the tub. It comes with a spray-on protective tub liner, and 4 built-in cargo tie-down points, as standard across both models. Add to that a 1045kg payload [D1] and it makes easy work of a day on the tools.







EXTERIOR COLOURS.

STRATUS

KARAK

RED BELLY [DIT]

HAMMERHEAD [D11]

HUNTSMAN[DII]

SALT BUSH [D11]

WREN^[D11]

THE DASIS

LEATHER ACCENTED[06] INTERIOR COLOUR: BLACK ON BLACK



THE HAVEN

LEATHER ACCENTED[D6] INTERIOR COLOUR: BLACK QUILTED











THE HAVEN


LEATHER ACCENTED[06] INTERIOR COLOUR: BROWN QUILTED





THE T9'S EXCEPTIONAL RIDE HEIGHT OFFERS SUPERIOR ROAD VISIBILITY AND SPACIOUS COMFORT FOR ALL OCCUPANTS.

OVERALL DIMENSIONS (MM)	
Length	5330
Width (Mirrors Folded)	1983
Height	1920
TUB DIMENSIONS (MM)	
Length	1520
Width	1590
Height	470
GROSS COMBINATION MASS (GCM) (KG) [D12]	5630
GROSS VEHICLE MASS (GVM) (KG) [D12]	3100
KERB WEIGHT (KG)	2055
PAYLOAD (KG) ^[D1]	1045
TOWING CAPACTIY [D2]	
Unbraked	750
Braked	3200
Maximum Towball Download	320

WHEELBASE (MM)	3110
APPROACH ANGLE (DEGREES)	27
DEPARTURE ANGLE (DEGREES)	23
WADING DEPTH (MM)	650
GROUND CLEARANCE (MM)	210







5330MM



OASIS, HAVEN, OSPREY & OSPREY X MODELS ONLY

1965MM 1983MM WITH FOLDED MIRRORS 2186MM WITH MIRRORS EXTENDED



TICKS THE SALARY SACRIFICE BOX

It's engineered with all the muscle you need and loaded with design and tech features to make every drive feel good, from the power sunroof to the leather-accented interior and 360-degree camera.

POWER SUNROOF + BLACK EXTERIOR STYLING









COLOUR OPTIONS



JAC	T9 SPECS	OASIS DOUBLE CAB PICKUP 2.OTD 4X4 AUTO	HAVEN DOUBLE CAB PICKUP 2.0TD 4X4 AUTO	OSPREY DOUBLE CAB PICKUP 2.OTD 4X4 AUTO	OSPREY X DOUBLE CAB PICKUP 2.0TD 4X4 AUTO	OASIS CAB CHASSIS DOUBLE CAB-CHASSIS 2.0TD 4X4 AUTO	TRADEPRO CAB CHASSIS DOUBLE CAB-CHASSIS 2.OTD 4X4 AUTO
	Length/Width/Height (mm)	5330/1965/1920	5330 / 1965 / 1920	5330/1965/1920	5330 / 1965 / 1920	5330 1965 1920	5330/1965/1920
	Body Width With Door Mirrors Folded (mm)	1983	1983	1983	1983	1983	1983
	Tray/tub Dimension (mm)	1520/1590/470	1520 / 1590 / 470	1520 / 1590 / 470	1520 / 1590 / 470	_	_
	Wheelbase (mm)	3110	3110	3110	3110	3110	3110
DIMENSIONS	Min Ground Clearance (mm)	210	210	210	210	210	210
	Min. Turning Radius (m)	6.5	6.5	6.5	6.5	6.5	6.5
	Approach angle	27	27	27	27/23	27	27
	Departure angle	23	23	23	23	23	23
	Wading Depth (mm)	650	650	650	650	650	650
	Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
	Displacement (cc)	1999	1999	1999	1999	1999	1999
	Max Power (kW/r/min)	125/3600	125/3600	125/3600	125/3600	125/3600	125/3600
	Max Torque (Nm/r/min)	410/1500~2500	410/1500~2500	410/1500~2500	410/1500~2500	410/1500~2500	410/1500~2500
	Fuel Tank Capacity (L)	76	76	76	76	76	76
ENGINE	Combined Fuel Economy (L/100km) ^(D3)	7.6	7.6	7.6	7.6	7.6	7.6
	CO2 Emissions (g/km) combined	202	202	202	202	202	202
	Transmission	8AT	8AT	8AT	8AT	8AT	8AT
	Emission Standard	Euro V	Euro V	Euro V	Euro V	Euro V	Euro V
	Net Power (kW @ r/min)	120/3600	120/3600	120/3600	120/3600	120/3600	120/3600
	Transmission Model	8HP50	8HP50	8HP50	8HP50	8HP50	8HP50
TRANSMISSION	Part-time 4WD System	011130	onir 30	on so	onrou •	• OHF 30	onir 30
ITTANSIVIIOSION	Drive Mode Switch(Normal/ECO/Sport/Snow)	•	•		•	•	•
	Max Speed (km/h)	150	150	150	150	150	150
PERFORMANCE	Max Gradeability (%)	30	30	30	30	30	30
	GVW (kg) ^[D12]	3100	3100	3050	3050	3100	3100
	Kerb Weight (kg)	2055	2055	2070	2070	1935 (exclude weight of tray body)	1935 (exclude weight of tray body)
	Payload (kg) ^[01]	1045	1045	980	980		1165 (exclude weight of tray body)
WEIGHTS AND	Braked Towing Capacity (kg) ^[02]	3200	3200	3200	3200	1165 (exclude weight of tray body) 3200	3200
CAPABILITIES		750	750	750	750	750	750
	Unbraked Towing Capacity (kg) ^[02] Maximum Tow Ball download (kg) ^[02]	320	320	320	320	320	320
	Gross Combination Mass (GCM) (kg) [D12]	5630	5630	5630	5630	5630	5630
	, ,,,,,,	0030	3630	0000	9030	9030	0030
	Double Wishbone Independent Suspension With Coil Spring	•	•	•	-	•	•
	Non-independent Leaf Spring Rigid Axle Rear Suspension	3+2	3+2	3+2	• 3+2	3+2	3+2
	Number Of Leaf Springs	3+2		1		-	3+2 ●
CHASSIS &	Rear Axle Electronic Differential Lock	-	•	•	•	•	•
STEERING	Electronic Power Steering	• Di	Pi	• Di	• Di	• Dia	-
	Front Brake	Disc	Disc	Disc	Disc	Disc	Disc
	Rear Brake	Disc	Disc	Disc	Disc	Disc	Disc
	Electronic Parking Brake	•	•	•	•	•	•
	Auto Hold	005/00040	005/00040	005/00040	005100040	005/00040	005/00040
	Tire Size	265/60R18	265/60R18	265/60R18	265/60R18	265/60R18	265/60R18
	Wheel Tread (GitiHT)	•	•	•	•	•	•
WHEELS & TYPES	Steel Rim	_	_	_	-	_	• (Silver)
	Aluminium Alloy Rim	•	•	•	• (Black)	•	_
	Spare Tire With Steel Rim	•	•	•	•	•	•
	Spare Tire Type	265/60R18	265/60R18	265/60R18	265/60R18	265/60R18	265/60R18

JAC	T9 SPECS	OASIS DOUBLE CAB PICKUP 2.0TD 4X4 AUTO	HAVEN DOUBLE CAB PICKUP 2.0TD 4X4 AUTO	OSPREY DOUBLE CAB PICKUP 2.OTD 4X4 AUTO	OSPREY X DOUBLE CAB PICKUP 2.OTD 4X4 AUTO	OASIS CAB CHASSIS DOUBLE CAB-CHASSIS 2.0TD 4X4 AUTO	TRADEPRO CAB CHASSIS DOUBLE CAB-CHASSIS 2.OTD 4X4 AUTO
	Anti-Lock Braking System (ABS)	•	•	•	•	•	•
	Electronic Brake-Force Distribution (EBD)	•	•	•	•	•	•
	Brake Override System (BOS)	•	•	•	•	•	•
	Hill-start Hold Control(HHC)	•	•	•	•	•	•
	Hydraulic Brake Assist (HBA)	•	•	•	•	•	•
	Traction Control System(TCS)	•	•	•	•	•	•
	Vehicle Dynamics Control(VDC)	•	•	•	•	•	•
	Electronic Stability Control(ESC)	•	•	•	•	•	•
	Tyre Pressure Monitoring System (TPMS)	•	•	•	•	•	•
	Driver And Front Passenger Airbags	•	•	•	•	•	•
	Front Centre Airbag	•	•	•	•	•	•
0.000	Driver and Front Passenger Side Airbags	•	•	•	•	•	•
SAFETY & SECURITY	Side Curtain Airbags	•	•	•	•	•	•
SECURIT	Height-adjustable front seatbelts	•	•	•	•	•	•
	Front Seatbelt Pre- tensioners	•	•	•	•	•	•
	3-point seatbelts for Rear Outboard Seats	•	•	•	•	•	•
	3-point seatbelt for Rear Center Seat	•	•	•	•	•	•
	Rear Center Seat Headrest	•	•	•	•	•	•
	Power Door Lock	•	•	•	•	•	•
	Remote Central Locking	•	•	•	•	•	•
	Smart Keyless Entry With Push Button Start	•	•	•	•	•	•
	Central Locking Rear Tailgate	•	•	•	•	•	•
	Engine Immobiliser	•	•	•	•	•	•
	ISOFIX On Rear Outboard Seats	•	•	•	•	•	•
	Child Safety Lock	•	•	•	•	•	•
	Hill Descent Control (HDC)	•	•	•	•	•	•
	Lane Departure Warning (LDW)	•	•	•	•	•	•
	Lane Keeping Assist (LKA)	•	•	•	•	•	•
	Emergency Lane Keeping (ELK)	•	•	•	•	•	•
	Blind Spot Detection (BSD)	•	•	•	•	•	•
	Lane Change Assist (LCA)	•	•	•	•	•	•
	Rear Cross Traffic Alert (RCTA)	•	•	•	•	•	•
	Forward Collision Warning (FCW)	•	•	•	•	•	•
	Rear Collision Warning (RCW)	•	•	•	•	•	•
	Door Open Warning (DOW)	•	•	•	•	•	•
DRVIER	Speed Limit Assist (SLA)	•	•	•	•	•	•
ASSISTANCE	Traffic Sign Recognition (TSR)	•	•	•	•	•	•
HOOIOIANOL	Traffic Jam Assistant (TJA)	•	•	•	•	•	•
	Driver Monitor System (DMS)	•	•	•	•	•	•
	Autonomous Emergency Braking (AEB)	•	•	•	•	•	•
	Rear-Autonomous Emergency Braking (R-AEB)	•	•	•	•	•	•
	Adaptive Cruise Control (ACC)	•	•	•	•	•	•
	Integrated Cruise Assist (ICA)	•	•	•	•	•	•
	Intelligence High Beam Control (IHBC)	•	•	•	•	•	•
	Front Parking Sensors	_	•	•	•	_	_
	Rear Parking Sensors	•	•	•	•	•	•
	Reversing Camera	•	_	_	_	•	•
	360° View Camera	_	•	•	•	_	_

JAC	T9 SPECS	OASIS DOUBLE CAB PICKUP 2.OTD 4X4 AUTO	HAVEN DOUBLE CAB PICKUP 2.OTD 4X4 AUTO	OSPREY DOUBLE CAB PICKUP 2.OTD 4X4 AUTO	OSPREY X DOUBLE CAB PICKUP 2.0TD 4X4 AUTO	OASIS CAB CHASSIS DOUBLE CAB-CHASSIS 2.OTD 4X4 AUTO	TRADEPRO CAB CHASSIS DOUBLE CAB-CHASSIS 2.OTD 4X4 AUTO
	Standard Tub	•	•	•	•	_	_
TUD	Spray-In Bedliner	•	•	•	•	_	_
TUB	Black Metal Roll Bar	•	•	•	•	_	_
	Tub Cargo Tie Down Hooks	• (4)	• (4)	• (4)	• (4)	_	_
	Black JAC Logo on Grille	0	0	0	•	0	0
	Chrome JAC Logo on Grille	•	•	•	_	•	•
	Steel Side Steps	•	•	•	•	•	•
	Body-Colored Exterior Mirrors	•	_	_	_	•	•
	Chrome Exterior Mirrors	_	•	•	_	_	_
	Black Exterior Mirrors	_	_	_	•	_	_
	Power Adjustable Exterior Mirrors	•	•	•	•	•	•
EXTERIOR	Heated Exterior Mirrors	•	•	•	•	•	•
EXTERIOR	Power Folding Exterior Mirrors	_	•	•	•	_	_
	Bright Black Door Handle	_	_	_	•	_	_
	Chrome Door Handle	•	•	•	_	•	•
	Black Roof Rails	_	_	_	•	_	_
	Silver Roof Rails	_	● [D15]	•	_	_	_
	Roof Trim (D14)	_	•	_	_	_	_
	Power Sunroof	_	_	•	•	_	_
	Rear Privacy Glass	_	•	•	•	_	_
	LED Headlights	•	•	•	•	•	•
	LED Daytime Running Light	•	•	•	•	•	•
	LED Tail Light	•	•	•	•	•	•
	High-Mounted Brake Light	•	•	•	•	•	•
LIGHTS	Front Fog Light	•	•	•	•	•	•
Liunio	Rear Fog Light	•	•	•	•	•	•
	Adjustable Headlights Height	•	•	•	•	•	•
	Auto Headlight	•	•	•	•	•	•
	Follow-Me-Home Headlights	•	•	•	•	•	•
	Welcome Puddle Lights	_	•	•	•	_	_
	Leather Accented Seats ^[D6]	•	•	•	•	•	_
	Fabric Seats	_	_	_	_	_	•
	Power Driver's Seat Adjustment	6-Way	6-Way	6-Way	6-Way	6-Way	6-Way
SEATING	Manual Front Passenger's Seat Adjustment	6-Way	_	_	_	6-Way	6-Way
	Power Front Passenger's Seat Adjustment	_	4-Way	4-Way	4-Way	_	_
	60:40 Folding 2nd Row Seats	•	•	•	•	•	•
	Heated Front Seats	_	•	•	•	_	_

[D14] THE 10TH DIGIT OF THE VIN IS 'P' OR 'R', THESE VEHICLES ARE FITTED WITH ROOF TRIMS AND HAVE NO LOAD CARRYING CAPACITY [D15] THE 10TH DIGIT OF THE VIN IS ANY LETTER FROM 'S' TO 'Z' (INCLUSIVE), THESE VEHICLES ARE FITTED WITH ROOF RAILS AND HAVE A MAXIMUM LOAD CAPACITY OF 80KG

JAC	T9 SPECS	OASIS DOUBLE CAB PICKUP 2.OTD 4X4 AUTO	HAVEN DOUBLE CAB PICKUP 2.OTD 4X4 AUTO	OSPREY DOUBLE CAB PICKUP 2.0TD 4X4 AUTO	OSPREY X DOUBLE CAB PICKUP 2.0TD 4X4 AUTO	OASIS CAB CHASSIS DOUBLE CAB-CHASSIS 2.OTD 4X4 AUTO	TRADEPRO CAB CHASSIS DOUBLE CAB-CHASSIS 2.0TD 4X4 AUTO
	Ambient Lights (Instrument Panel)	•	•	•	•	•	•
	Black Interior	• (Light Grey Roof Lining)	• (Black Roof Lining)	• (Black Roof Lining)	• (Black Roof Lining)	• (Black Roof Lining)	• (Black Roof Lining)
	Leather Accented Interior (D6)	•	•	•	•	•	•
	Black Or Brown Leather Accented Interior	_	o (Black Roof Lining)	o (Black Roof Lining)	o (Black Roof Lining)	_	_
	Front Reading Light	•	•	•	•	•	•
	Rear Reading Light	•	•	•	•	•	•
	Sunglass Holder	•	•	•	•	•	•
	Driver And Front Passenger Sun visors	•	•	•	•	•	•
	Front Passenger Sun Visor With Vanity Mirror	•	•	•	•	•	•
	Plastic Steering Wheel	_	_	_	_	_	•
INTERIOR	Leather Bound Steering Wheel	•	•	•	•	•	_
INTERIOR	Multi-Functional Steering Wheel	•	•	•	•	•	•
	Steering Wheel Tilt Adjustment	•	•	•	•	•	•
	B-Pillar Grab Handle	•	•	•	•	•	•
	Power Window	•	•	•	•	•	•
	Remote Control of Opening/Closing Windows	•	•	•	•	•	•
	Automatic Up/Down + Anti-Clamp For All Windows	•	•	•	•	•	•
	Manual Anti-glare Of Interior Mirror	•	_	_	_	•	•
	Automatic Anti-glare Of Interior Mirror	_	•	•	•	_	_
	Rain Sensing Windscreen Wipers	•	•	•	•	•	•
	Automatic Air Conditioning	•	•	•	•	•	•
	Rear Armrest With Cup Holders	•	•	•	•	•	•
	7" Colour Instrument Cluster	•	•	•	•	•	•
	DAB+ Digital Radio	•	•	•	•	•	•
	Bluetooth Connectivity	•	•	•	•	•	•
	10.4" Touch Screen Infotainment Display	•	•	•	•	•	•
	Wired Apple CarPlay ^{® [06]} Android Auto ^{™ [07]} Smartphone Connectivity	•	•	•	•	•	•
AUDIO & COMMUNICATION	Speakers	6	6	6	6	6	6
GUNIMUNICATION	Front USB Ports	2	2	2	2	2	2
	Front 12V Power Outlet	•	•	•	•	•	•
	Wireless Phone Charging	•	•	•	•	•	•
	Rear USB Port	•	•	•	•	•	•
	Rear Type-C Port	_	•	•	•	_	_
	Rear 220V Power Outlet	_	•	•	•	_	_

DISCLAIMERS

DRIVER ASSISTANCE SYSTEMS WORK ONLY WITHIN SYSTEM LIMITS AND ARE INTENDED TO ASSIST THE DRIVER. THE DRIVER REMAINS RESPONSIBLE FOR DRIVING THE VEHICLE AND IS REQUIRED TO REMAIN ATTENTIVE AT ALL TIMES. CHECK YOUR OWNER'S MANUAL FOR EXPLANATION OF LIMITATIONS. PLEASE DRIVE SAFELY.

^7-YEAR MANUFACTURER'S WARRANTY FROM THE DATE OF FIRST REGISTRATION. TERMS, CONDITIONS AND EXCLUSIONS APPLY. SEE JACUTE.COM.AU.

[DI] PAYLOAD IS THE GVM MINUS THE KERB MASS. THE KERB MASS DOES NOT INCLUDE PASSENGERS, LUGGAGE, CARGO, ANY ACCESSORIES FITTED OR ANY TOWBALL DOWNLOAD (AS APPROPRIATE). PAYLOAD IS DISTRIBUTED ACROSS BOTH THE FRONT AND REAR AXLES; NEVER EXCEED THE GVM OR THE AXLE LIMITS.

[02] TOWING CAPACITY SUBJECT TO REGULATORY REQUIREMENTS, AND VEHICLE EQUIPMENT DESIGN LIMITATIONS. SPEAK WITH YOUR AUTHORISED JAC DEALER FOR MORE INFORMATION.

[03] FUEL CONSUMPTION RESULTS ACHIEVED IN ADR81/02 FUEL CONSUMPTION TESTING. RESULTS PRODUCED IN LABORATORY TEST CONDITIONS, USING SAMPLE VEHICLES WITHOUT FITMENT OF ACCESSORIES/CUSTOMISATION. AND DO NOT REFLECT REAL WORLD DRIVING. FIGURES SHOULD ONLY BE USED FOR COMPARATIVE PURPOSES.

[D4] TOW BALL, TONGUE AND WIRING HARNESS SOLD SEPARATELY.

[D5] OPTIONAL DEALER FITTED ACCESSORY, SPEAK WITH YOUR AUTHORISED JAC DEALER FOR MORE INFORMATION.

[06] LEATHER ACCENTED FEATURES AND UPHOLSTERY MAY CONTAIN SYNTHETIC MATERIAL.

[D7] ANDROID AUTO™ IS A TRADEMARK OF GOOGLE LLC.

[D8] CARPLAY® IS A TRADEMARK OF APPLE, INC. REGISTERED IN THE U.S. AND OTHER COUNTRIES.

[DB] TERMS AND CONDITIONS APPLY, PLEASE VISIT WWW.CARBIZ.COM.AU FOR FULL DETAILS.

[DIO] SEE YOUR JAC MOTORS DEALERSHIP TO CONFIRM WHICH GENUINE ACCESSORY IS SUITABLE FOR YOUR VEHICLE PRIOR TO ORDERING, AS SPECIFICATIONS, APPLICABILITY, AVAILABILITY AND FITMENT REQUIREMENTS MAY CHANGE OVER TIME. CONSIDER COMBINED MASS OF LOAD AND ACCESSORIES TO ENSURE GROSS VEHICLE MASS LIMITS ARE NOT EXCEEDED.

[D11] OPTIONAL METALLIC PAINT AT ADDITIONAL COST.

[D12] WEIGHTS/MASS/VOLUMES/DIMENSIONS ARE APPROXIMATE AND SUBJECT TO INDIVIDUAL VEHICLE VARIANCES, AND SHOULD BE CONFIRMED BEFORE FITTING ANY ACCESSORIES, TOWING OR OTHERWISE RELYING ON THIS VALUE.

[D13] BLUETOOTH® IS A REGISTERED TRADEMARK OF BLUETOOTH SIG, INC.

[014] THE 10TH DIGIT OF THE VIN IS 'P' OR 'R', THESE VEHICLES ARE FITTED WITH ROOF TRIMS AND HAVE NO LOAD CARRYING CAPACITY

[DIS] THE 10TH DIGIT OF THE VIN IS ANY LETTER FROM 'S' TO 'Z' (INCLUSIVE), THESE VEHICLES ARE FITTED WITH ROOF RAILS AND HAVE A MAXIMUM LOAD CAPACITY OF 80KG

IMPORTANT NOTICE - JAC AUTO (PICKUP) ENSURES THE MATERIAL IS ACCURATE AT THE TIME OF PUBLISHING. ALL INFORMATION MUST BE CONFIRMED WITH YOUR JAC MOTORS DEALER AT THE TIME OF ORDERING, AS SPECIFICATIONS, APPLICABILITY AND AVAILABILITY MAY CHANGE OVER TIME.

JAC AUTO (PICKUP) RESERVES THE RIGHT TO CHANGE AND/OR DISCONTINUE, WITHOUT NOTICE, MODELS, PRICES, COLOURS, MATERIALS, EQUIPMENT, SPECIFICATIONS TO THE EXTENT PERMITTED BY LAW, JAC AUTO (PICKUP) WILL NOT BE LIABLE FOR ANY DAMAGE OR LOSS INCURRED FROM RELYING ON THE INFORMATION AND IMAGES CONTAINED IN THIS MATERIAL.





——— THE JAC OF ALL TRADES –

BOOK A TEST DRIVE

