

Ford



2025.75MY

Transit

2025.75MY Transit

	Van			Chassis Cab	Bus
	350L FWD Van	350L RWD Van	500E RWD Van	500E RWD C/C	410L RWD Bus
Engine					
2.0L TDCi Ford EcoBlue Engine	S	S	S	S	S
Power - Maximum¹	121kW @ 3,500rpm			121kW @ 3,500rpm	
Torque - Maximum	390Nm @ 1,750 - 2,750rpm			390Nm @ 1,750 - 2,750rpm	
Cylinders	4	4	4	4	4
Auto Start - Stop²	S	S	S	S	S
Push Button Start	S	S	S	S	S
Transmission					
8-Speed Automatic	S	—	—	—	—
10-Speed Automatic	—	S	S	S	S
1-Speed Automatic	—	—	—	—	—
Rotary E-Shifter	S	—	—	—	—
Transmission Gear Lever	—	S	S	S	S
Driveline					
Wheelbase	LWB	LWB	ELWB	ELWB	LWB
Drivetrain	FWD	RWD	RWD	RWD	RWD
4 Selectable Drive Modes - Normal, Eco, Slippery, Tow/Haul	S	S	S	S	S
Fuel, Economy & Emissions					
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel
Fuel Tank Capacity	70L	95L	95L	95L	95L
Selective Catalytic Reduction - Using AdBlue®³	S	S	S	S	S
AdBlue® tank size (L)	22.4	22.4	22.4	22.4	22.4
Brakes					
Front and Rear Disc Brakes	S	S	S	S	S
Electronic Parking Brake	S	S	—	—	S
Mechanical Parking Brake	—	—	S	S	—
Suspension & Steering					
Steering Wheel Reach & Height Adjust	S	S	S	S	S
Wheels					
Wheel Size	6.5 x 16"	6.5 x 16"	6 x 16"	6 x 16"	6.5 x 16"
Wheel Type	Steel	Steel	Steel	Steel	Steel
Wheel Covers	—	—	—	—	S
Tyre Size	235/65 R16	235/65 R16	205/75 R16	205/75 R16	235/65 R16
Full Size Steel Spare Wheel	Steel	Steel	Steel	Steel	Steel
Rear Wheel Configuration	Single	Single	Dual	Dual	Single
Tyre Pressure Monitoring System (TPMS)	S	S	S	S	S
Exterior Design Features					
Kerbside Sliding Load Door - Manual (LHS)	S	S	S	—	S
Rear Glazed Doors	S	S	S	—	S
Rear Washer and Wiper	—	—	—	—	S
Mudflaps - Front	S	S	S	S	S
Mudflaps - Rear	S	S	S	—	S
Trapezoidal 3-Bar Black Grille	S	S	S	S	S
Privacy Glass	—	—	—	—	S

Indicative pre-production vehicle specifications and images shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

	Van			Chassis Cab	Bus
	350L FWD Van	350L RWD Van	500E RWD Van	500E RWD C/C	410L RWD Bus
Seating					
Number of Seats	3	3	3	3	12
Dark Palazzo Grey Cloth Seat Trim	S	S	S	S	S
Ebony Cloth Seat Trim	—	—	—	—	—
Single Driver 8-way Manual Adjustment Seat with Cushion Tilt	S	S	S	S	S
Single Driver 10-way Power Adjustment Seat with Cushion Tilt	—	—	—	—	—
Dual Front Passenger Fixed Seats	S	S	S	S	S
Driver's Seat Arm Rest	S	S	S	S	S
Driver and Passenger (Outboard) Auto Heated Front Seats	S	S	S	S	S
Under Seat Stowage Compartment (Passenger Side)⁴	S	S	S	S	S
Lighting					
Automatic Headlights	S	S	S	S	S
Follow-me-home lighting	S	S	S	S	S
Automatic High Beam Control	S	S	S	S	S
Daytime Running Lights	S	S	S	S	S
Front Fog Lamps	S	S	S	S	S
Cargo Area Light	S	S	S	—	—
Audio, Communication & Connectivity					
12-inch Colour Multi-Function Touch Screen Display	S	S	S	S	S
8" Partial Digital Instrument Cluster	S	S	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included⁵	S	S	S	S	S
Embedded Modem - 5G capable	S	S	S	S	S
Ford App⁶	S	S	S	S	S
Digital Audio (DAB+) and AM/FM Radio	S	S	S	S	S
Bluetooth® with Phone / Audio Streaming⁷	S	S	S	S	S
SYNC®4 with Voice-Activated Controls⁸	S	S	S	S	S
Wireless Apple CarPlay™ & Android Auto™⁹	S	S	S	S	S
USB-A - Instrument Panel	S	S	S	S	S
USB-C - Instrument Panel	S	S	S	S	S
Auxiliary 12V Power Outlet (2x) - Cabin	S	S	S	S	S
Auxiliary 12V Power Outlet (1x) - Load Area	S	S	S	—	S
Digital Owners Manual	S	S	S	S	S

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost.

Disclaimer:

1. Calculated via peak performance of the electric motor(s) at peak battery power. Individual results may vary. **2.** Auto Stop/Start will not occur in all situations. **3.** Proper functioning requires use of Diesel Exhaust Fluid (AdBlue®) which must be refilled periodically. AdBlue® is a registered trademark of VDA Verband der Automobilindustrie e.V. **4.** Available with Dual Passenger Seat only. **5.** Connected Built-In Satellite Navigation is a Connected Service where eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date, after which time the service may cease to be available or may be subject to a subscription fee. Users must have created a Ford app account, have fully activated the Vehicle's modem and have SYNC Location set to 'on' to use this feature. The Ford app Terms and User Guide and the Ford app Privacy Collection Notice are available at <https://www.ford.com.au/privacy/>. **6.** Use of Ford app is subject to the Ford app Terms and User Guide and Ford app Privacy Collection Notice which are available on <https://www.ford.com.au/privacy> and requires a compatible mobile device, internet access and software (including software updates from time to time). The Ford app functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the Ford app on your mobile device, including associated fees. The Ford app and the Vehicle's modem can only work when both are connected to the telecommunications network. The Vehicle's modem will only function on the telecommunications networks it could use at time of manufacture. When all compatible networks for the modem in your vehicle are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that Ford app will be in fully operating condition at all times and the Ford app may be unavailable or particular Ford app services interrupted. If the Ford app is unavailable, the ability to lock or unlock your vehicle remotely could be limited, and a physical key might be needed. Always keep your key with you to ensure you can access your vehicle at all times even if the Ford app is unavailable. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well-ventilated areas where you are aware of your vehicle's surroundings. **7.** Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. **8.** Don't drive while distracted. Use voice-operated systems when possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC 4 features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. **9.** Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions.

2025.75MY Transit

	Van			Chassis Cab	Bus
	350L FWD Van	350L RWD Van	500E RWD Van	500E RWD C/C	410L RWD Bus
Comfort & Convenience					
Climate Control - Single Zone	S	S	S	S	S
Automatic Rain-Sensing Windshield Wipers	S	S	S	S	S
Quickclear Heated Windscreen	S	S	—	S	S
Mirrors Dual - Heated, Power Foldable with Side Indicators	S	S	S	S	S
Heated Steering Wheel	S	S	S	S	S
Fold Down Tray Table (Back of Centre Passenger Seat)	S	S	S	S	S
Telescopic and Tilt Adjustable Steering Column	S	S	S	S	S
Locking Glovebox	S	S	S	S	S
Cupholders	3	2	2	2	2
Bottle Holders	2	2	2	2	2
Dashboard Storage	S	S	S	S	S
Door Trim Bottle Holders	S	S	S	S	S
Front Seat Overhead Storage	S	S	S	S	S
Loadspace Compartment					
Bulkhead - Full Width Steel with Window	S	S	S	—	—
Load Area Protection Kit - Full Height Walls & Moulded Floor Covering ¹⁰	S	S	—	—	—
Load Area Protection Kit - Full Height Walls	—	—	S	—	—
Load Area Compartment Light	S	S	S	—	S
Safety, Security & Driver Assistance					
Pre-Collision Assist with Autonomous Emergency Braking (AEB) and Pedestrian Detection ¹¹	S	S	S	S	S
Dynamic Stability Control (DSC) ¹²	S	S	S	S	S
Forward Collision Warning ¹²	S	S	S	S	S
Evasive Steering Assist ¹²	S	S	S	—	S
Blind Spot Monitoring System (BLIS) ¹²	S	S	S	S	S
Rear Cross Traffic Alert ¹²	S	S	S	S	S
Adaptive Cruise Control ^{12, 13}	S	S	S	S	S
Intelligent Speed Limiter ¹⁴	S	S	S	S	S
Emergency Call Assist ¹⁵	S	S	S	S	S
Lane Keeping Aid with Lane Departure Warning ¹²	S	S	S	S	S
Traction Control System ¹²	S	S	S	S	S
Seatbelt Reminder - Driver & Passenger	S	S	S	S	S
6 Airbags - Driver, Front Passenger, Front Side Curtain & Front Side Seat	S	S	S	S	S
Child Seat Upper Anchorage Points	—	—	—	—	8
Child Seat ISOFIX Anchorage Points	—	—	—	—	1
Front Parking Aid ¹²	S	S	S	S	S
Rear Parking Aid ¹²	S	S	S	—	S
Rear View Camera ¹²	S	S	S	S	S
360 Degree Parking Camera with integrated Rear View	S	S	S	—	S
Reverse Brake Assist ¹⁶	S	S	S	—	S
Traffic Sign Recognition ¹⁷	S	S	S	S	S
Vehicle Maintenance Monitor	S	S	S	S	S
Fire Extinguisher	—	—	—	—	S
First Aid Kit	—	—	—	—	S

Indicative pre-production vehicle specifications and images shown. Specifications and features on production model may vary. Available to order, additional wait times may apply.

	Van			Chassis Cab	Bus
	350L FWD Van	350L RWD Van	500E RWD Van	500E RWD C/C	410L RWD Bus
Production Options ¹⁸					
Dual Side Load Doors	O	O	O	—	—
Single Front Passenger Seat (in lieu of Dual Front)	O	O	O	O	O
High Roof	O	O	S	—	—
High Roof with Overhead Stowage Shelves	—	—	—	—	O
Prestige Paint	O	O	O	O	O
Special Vehicle Options (SVO) Paint	O	O	O	O	—
Paint Colours					
Frozen White	S	S	S	S	S
Moondust Silver ¹⁸	O	O	O	O	O
Magnetic ¹⁸	O	O	O	O	O
Agate Black Metallic ¹⁸	—	—	—	—	O
SVO Paint Range ¹⁸	O	O	O	O	—
Vehicle Masses (kg)					
Axle Plated Mass (Front / Rear)	1850/2000	1750/2250	2100/3100	2100/3100	1850/2500
Gross Combined Mass ¹⁹	6000	7000	7000	7000	7000
Gross Vehicle Mass ¹⁹	3550	3550	4490	4490	4100
Minimum Kerb Weight (Mid Roof/High Roof where applicable) ²⁰	2270/2315	2384/2429	2676	2141	2742/2842
Kerb Weight (Mid Roof/High Roof where applicable) ²¹	2564/2609	2700/2745	2932	2214	2834/2878
Maximum Payload (@ Minimum Kerb Weight) (Mid Roof/High Roof where applicable)	1280/1235	1166/1121	1814	2349	1358/1258
Maximum Payload (@ Max Kerb Weight) ²² (Mid Roof/High Roof where applicable)	986/941	850/805	1558	2276	1266/1222
Maximum Braked Towing Capacity ²³	2750	3500	3500	3500	3500

S = Standard **O** = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost.

Disclaimer:

10. Load Area Protection Kit may impact cargo area dimensions and capacities. **11.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather. Pre-collision Assist with Autonomous Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. Intersection Assist does not detect all vehicles in intersection, pedestrians or cyclists. These do not replace safe driving. See Owner's Manual for Limitations. **12.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. **13.** Adaptive Cruise Control (ACC) has a minimum operating speed of 20km/h. **14.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Intelligent Speed Limiter (ISL) uses various data to limit the set speed of the vehicle to the speed limit detected by the system. The ISL system will not always detect the correct speed limit and may limit a vehicle speed above or below the actual speed limit. ISL can be temporarily overridden by the driver firmly pressing the accelerator. Customers should read the Owner's Manual for details of the limitations of the ISL system before activating. In some circumstances, ISL will use map data to limit the vehicle speed. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **15.** Emergency Assistance feature needs a paired and in range mobile phone. Can activate in the event of a crash which deploys an airbag or activates the fuel pump shut off. **16.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. **17.** Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. Traffic Sign Recognition will not always detect the correct speed limit and may display a speed that is above or below the actual speed limit. In some circumstances Traffic Sign Recognition will use map data to display the speed limit on the digital instrument cluster. Ford recommends keeping map data updated by fully activating the vehicle's modem and enabling Connected Navigation Services. Connected Navigation Services are included for 1 year from the Ford Express New Vehicle Warranty start date and available ongoing subject to payment of a subscription fee. **18.** Option available at additional cost. **19.** Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum GVM is not exceed and the maximum GCM is not exceeded. **20.** Subject to State and Territory regulations. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. **21.** Subject to State and Territory regulations. Maximum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible orderable combination of factory fit equipment. **22.** Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass minus the kerb weight. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. **23.** Subject to State and Territory regulations. Maximum towing capacity braked using an appropriate aftermarket towbar and trailer brake controller. Subject to State and Territory regulations. To comply with these limits, occupants and / or luggage may need to be restricted to not exceed the GCM and GVM limits. For further details regarding passenger and luggage restrictions, please consult your authorized Ford Dealer and / or refer to the Owner's Manual.

	Van			Chassis Cab	Bus
	350L FWD Van	350L RWD Van	500E RWD Van	500E RWD C/C	410L RWD Bus
Exterior Dimensions ²⁴ (mm)					
Overall Length	5981	5981	6704	6579	5981
Overall Width with Mirrors	2474	2474	2474	2474	2474
Overall Width with Folded Back Mirrors	2112	2112	2112	2112	2112
Overall Vehicle Height ²⁵ (Mid Roof/High Roof where applicable)	2476 - 2530 / 2712 - 2767	2530- 2533 / 2766 - 2769	2759 - 2778	2182 - 2215	2512 - 2528 / 2748 - 2764
Wheelbase	3750	3750	3750	3954	3750
Front Overhang	1023	1023	1023	1023	1023
Rear Overhang	1208	1208	1931	1602	1208
Width - Side Door Opening	1300	1300	1300	—	1200
Height - Side Door Opening	1700	1600	1600	—	1564
Width - Rear Door Opening	1565	1565	1565	—	1520
Height - Rear Door Opening (Mid Roof/High Roof where applicable)	1748 / 1987	1648 / 1887	1887	—	1597 / 1836
Rear of Cab to Rear Wheel Centre	—	—	—	2547	—
Loadlength of Chassis Bed (without Float)	—	—	—	4149	—
Rear Chassis Frame Height	—	—	—	722 - 779	—
Top of Frame to Top of Cab	—	—	—	1554	—
Front Track Width	—	—	—	1740	—
Rear Track Width	—	—	—	1670	—
Turning Circle (M)					
Kerb to Kerb turn Diameter	13.3	13.3	13.3	14.0	13.3
Cargo Dimensions ²⁶ (mm)					
Width - Load Space Between Wheel Arches	1392	1392	1392	—	1364
Height - Internal Load Height (Mid Roof/High Roof where applicable)	1886 / 2125	1786 / 2025	2025	—	1718 / 1955
Height - Rear Loading Height (at kerb weight) ²⁷	540 - 592	694 - 695	676 - 677	—	723 - 739
Length - Load Space Maximum	3533	3533	4256	—	—
Length -Load Space Measured at 1.2m high	3350	3350	4073	—	—
Maximum Load Volume (with Bulkhead) (cu.m) (Mid Roof/High Roof where applicable) ²⁸	11.5/13	11/12.4	15.1	—	—
Load Space VDA (with Bulkhead) (cu.m) (Mid Roof/High Roof where applicable) ²⁹	10.8/12.0	10.2/11.5	14.1	—	—
Aftersales Information					
Service Intervals - 12 months or 30,000 km	—	—	—	—	—

S = Standard O = Factory Option that can be ordered before a vehicle is manufactured at an additional cost
P = Part of a Pack that can be ordered before a vehicle is manufactured at an additional cost.

Disclaimer:

24. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. **25.** Height dimensions show a range from min. to max. of a fully laden, lowest payload vehicle to unladen highest payload vehicle. Subject to engineering tolerances and do not include additional equipment. Excludes antennas. **26.** Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. Load Area Protection Kit may impact cargo area dimensions and capacities. **27.** Height dimensions show a range from min. to max. of a fully laden, lowest payload vehicle to unladen highest payload vehicle. All dimensions (shown in mm) are approximate, are subject to manufacturing tolerances, do not include additional equipment and should be confirmed before fitting any accessories or otherwise relying on this value. **28.** Maximum load volume method simply measures the volume of a fine-grained material such as sand or rice which can be deposited into the loadspace. **29.** VDA is the method determined by filling the load space with 'litre' blocks, each measuring 200x100x50mm. The blocks are then counted and the numerical result is converted into cubic meters.

Discover more at ford.com.au

Contact us

If you have any questions or concerns, please contact our Customer Relationship Centre on 13 FORD (13 36 73) or email foacust1@ford.com

Running a fleet?

Our Ford Fleet team is here to assist you in any way we can. Please email askfleet@ford.com



Important information:
This brochure is designed to provide you with a general introduction to the Ford products (including available optional equipment) referred to and should be read in conjunction with the latest specification sheet. Features, designs, materials, colours and other specifications may vary from those depicted. Because of changes in conditions and circumstances Ford reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of features and optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.